



冲击套筒 Impact Sockets



Contents

Impact Sockets

 气动六角套筒 6-Point Sockets	1/4" Sq. Dr., 6-Point Sockets	001 ~ 002
	3/8" Sq. Dr., 6-Point Sockets	003 ~ 011
	1/2" Sq. Dr., 6-Point Sockets	012 ~ 024
	3/4" Sq. Dr., 6-Point Sockets	025 ~ 032
	1" Sq. Dr., 6-Point Sockets	033 ~ 040
	1-1/2" Sq. Dr., 6-Point Sockets	041 ~ 047
	2-1/2" Sq. Dr., 6-Point Sockets	048 ~ 049
	#5 Spline Dr., 6-Point Sockets	050 ~ 051
 气动十二角套筒 12-Point Sockets	3/8" Sq. Dr., 12-Point Sockets	052 ~ 054
	1/2" Sq. Dr., 12-Point Sockets	055 ~ 062
	3/4" Sq. Dr., 12-Point Sockets	063 ~ 066
	1" Sq. Dr., 12-Point Sockets	067 ~ 074
 气动六角磁性套筒 6-Point Sockets -Magnet	1/4" Sq. Dr., 6-Point Sockets -Magnet	075 ~ 076
	3/8" Sq. Dr., 6-Point Sockets -Magnet	077 ~ 081
	1/2" Sq. Dr., 6-Point Sockets -Magnet	082 ~ 088
 气动十二角磁性套筒 12-Point Sockets -Magnet	3/8" Sq. Dr., 12-Point Sockets -Magnet	089 ~ 090
	1/2" Sq. Dr., 12-Point Sockets -Magnet	091 ~ 096
 气动薄壁套筒 Thin Wall Sockets	1/2" Sq. Dr., 6-Point Thin Wall Sockets	097 ~ 098
	3/4" Sq. Dr., 6-Point Thin Wall Sockets	099
	1" Sq. Dr., 6-Point Thin Wall Sockets	100
	#5 Spline Dr., 6-Point Thin Wall Sockets	101
	1/2" Sq. Dr., 12-Point Thin Wall Sockets	102 ~ 103
 气动六角万向套筒 6-Point Universal Sockets	1/4" Sq. Dr., 6-Point Universal Sockets	104
	3/8" Sq. Dr., 6-Point Universal Sockets	105 ~ 106
	1/2" Sq. Dr., 6-Point Universal Sockets	107 ~ 108
	3/4" Sq. Dr., 6-Point Universal Sockets	109
	1" Sq. Dr., 6-Point Universal Sockets	110
 气动十二角万向套筒 12-Point Universal Sockets	3/8" Sq. Dr., 12-Point Universal Sockets	111 ~ 112
	1/2" Sq. Dr., 12-Point Universal Sockets	113 ~ 114
 气动大圆弧套筒 Surface Drive Sockets	1/4" Sq. Dr., Surface Deivel Sockets	115 ~ 116
	3/8" Sq. Dr., Surface Deivel Sockets	117 ~ 118
	1/2" Sq. Dr., Surface Deivel Sockets	119 ~ 120
	3/4" Sq. Dr., Surface Deivel Sockets	121
	1/2" Sq. Dr., Thin Wall Surface Deivel Sockets	122 ~ 123
	1/4" Sq. Dr., Surface Deivel Sockets - Magnet	124 ~ 125
 气动四角套筒 4-Point Sockets	3/8" Sq. Dr., 4-Point Female Sockets	126
	1/2" Sq. Dr., 4-Point Female Sockets	127
	3/4" Sq. Dr., 4-Point Female Sockets	128
	1" Sq. Dr., 4-Point Female Sockets	129
	3/8" Sq. Dr., 4-Point Male Sockets	130
	1/2" Sq. Dr., 4-Point Male Sockets	131
 气动八角套筒 8-Point - Double Square Sockets	1/2" Sq. Dr., 8-Double Square Sockets	132 ~ 133
	3/4" Sq. Dr., 8-Double Square Sockets	134 ~ 135
	1" Sq. Dr., 8-Double Square Sockets	136 ~ 139
 轿车轮毂套筒 Wheel Nut Sockets	1/2" Sq. Dr., Flip Sockets	140
	1/2" Sq. Dr., Square Nut Sockets	141
	1/2" Sq. Dr., Wheel Nut Sockets	142 ~ 143
	1/2" Sq. Dr., Remover Nut Sockets	144 ~ 145
	3/4" Sq. Dr., Truck Service Sockets	146 ~ 148
	1" Sq. Dr., Truck Service Sockets	149 ~ 150
	#5 Spline Dr., Truck Service Sockets	151
	Torque Limiting Sockets	152 ~ 154
	Broken Nut Tools	155 ~ 156

Contents

Impact Sockets

气动内六角套筒 HEX Drivers	1/4" Sq. Dr., HEX Drivers 157 3/8" Sq. Dr., HEX Drivers 158 ~ 159 1/2" Sq. Dr., HEX Drivers 160 ~ 163 3/4" Sq. Dr., HEX Drivers 164 ~ 165 1" Sq. Dr., HEX Drivers 166 ~ 167 1-1/2" Sq. Dr., HEX Drivers 168 ~ 169 3/8" Sq. Dr., Universal HEX Drivers 170 1/2" Sq. Dr., Universal HEX Drivers 171
气动内十二角套筒 XZN - Triple Square Drivers	3/8" Sq. Dr., XZN - Triple Square Drivers 172 1/2" Sq. Dr., XZN - Triple Square Drivers 173 3/8" Sq. Dr., XZN - Triple Square Drivers - Tamper Resistant 174 1/2" Sq. Dr., XZN - Triple Square Drivers - Tamper Resistant 175
气动内星型套筒 Internal Torx Drivers	1/4" Sq. Dr., Internal Torx Drivers 176 3/8" Sq. Dr., Internal Torx Drivers 177 1/2" Sq. Dr., Internal Torx Drivers 178 3/4" Sq. Dr., Internal Torx Drivers 179 1/4" Sq. Dr., Internal Torx Drivers - Tamper Resistant 180 3/8" Sq. Dr., Internal Torx Drivers - Tamper Resistant 181 1/2" Sq. Dr., Internal Torx Drivers - Tamper Resistant 182 3/8" Sq. Dr., Universal Internal Torx Drivers 183 1/2" Sq. Dr., Universal Internal Torx Drivers 184
气动外星型套筒 External Torx Sockets	1/4" Sq. Dr., External Torx Sockets 185 3/8" Sq. Dr., External Torx Sockets 186 1/2" Sq. Dr., External Torx Sockets 187 3/4" Sq. Dr., External Torx Sockets 188 1" Sq. Dr., External Torx Sockets 189 1/4" Sq. Dr., External Torx Sockets - Magnet 190 3/8" Sq. Dr., External Torx Sockets - Magnet 191 1/2" Sq. Dr., External Torx Sockets - Magnet 192 3/4" Sq. Dr., External Torx Sockets - Magnet 193 3/8" Sq. Dr., Universal External Torx Sockets 194 1/2" Sq. Dr., Universal External Torx Sockets 195
气动万向接头 Universal Joints	1/4" Sq. Dr., Universal Joints 196 3/8" Sq. Dr., Universal Joints 197 1/2" Sq. Dr., Universal Joints 198 3/4" Sq. Dr., Universal Joints 199 1" Sq. Dr., Universal Joints 200 1-1/2" Sq. Dr., Universal Joints 201 2-1/2" Sq. Dr., Universal Joints 202 #5 Spline Dr., Universal Joints 203
气动转换头 Adapters	1/4" Sq. Dr., Adapters 204 3/8" Sq. Dr., Adapters 205 1/2" Sq. Dr., Adapters 206 ~ 208 3/4" Sq. Dr., Adapters 209 1" Sq. Dr., Adapters 210 1-1/2" Sq. Dr., Adapters 211 2-1/2" Sq. Dr., Adapters 212 #5 Spline Dr., Adapters 213 Reducing Adapters 214
气动延长杆 Extension Bars	1/4" Sq. Dr., Extension Bars 215 3/8" Sq. Dr., Extension Bars 216 1/2" Sq. Dr., Extension Bars 217 3/4" Sq. Dr., Extension Bars 218 1" Sq. Dr., Extension Bars 219 1-1/2" Sq. Dr., Extension Bars 220 2-1/2" Sq. Dr., Extension Bars 221 #5 Spline Dr., Extension Bars 222

Contents

Impact Sockets

 气动万向头式延长杆 Wobble Extension Bars	1/4" Sq. Dr., Wobble Extension Bars	223
	3/8" Sq. Dr., Wobble Extension Bars	224
	1/2" Sq. Dr., Wobble Extension Bars	225
	3/4" Sq. Dr., Wobble Extension Bars	226
	1" Sq. Dr., Wobble Extension Bars	227
 气动双头螺栓套筒 Stud Setter Sockets	3/8" Sq. Dr., Stud Setter Sockets	228
	1/2" Sq. Dr., Stud Setter Sockets	229
	3/4" Sq. Dr., Stud Setter Sockets	230
 圆螺母专用套筒 Axial Nut Sockets	"GU" Type Axial Nut Sockets	231
	"KM" Type Axial Nut Sockets	232
	Axial Nut Sockets	233 ~ 234
 特殊转换头 Bit Holders	Bit Holders	235 ~ 236
	Bit Holders - Magnet	237
	Bit Holders - Set Screw	238
	Bit Holders - Insert Magnet	239
	Bit Holders - Quick Releasing Chuck	240
 快换转换头延长杆 Quick Change Adapters	Quick Change Adapters - 1/4", 3/8", 1/2", 3/4", 1" Dr.,	241
 快换接头延长杆 Quick Change Extension Bars	Quick Change Extension Bars - 1/4", 3/8", 1/2", 3/4", 1" Dr.,	242
 起子转换头延长杆 Hex Extensions	1/4" Sq. Dr., Hex Extensions	243 ~ 244
	3/8" Sq. Dr., Hex Extensions	245 ~ 246
	1/2" Sq. Dr., Hex Extensions	247 ~ 248
 气动起子套筒 Hex Bit & Sockets	6.3mm - 1/4" Hex Bit Sockets	249 ~ 251
	6.3mm - 1/4" Hex Bit Sockets - Magnet	252 ~ 254
	6.3mm - 1/4" Hex Bit Sockets - Slide Magnet	255 ~ 256
	11mm - 7/16" Hex 6-Point Bit Sockets	257 ~ 258
	11mm - 7/16" Hex 12-Point Bit Sockets	259 ~ 260
	11mm - 7/16" Hex Bit	261 ~ 262
	16mm - 5/8" Hex Bit	263 ~ 264
	22mm - 7/8" Hex Bit	265 ~ 268
 套筒组合 Impact Socket Sets	Sockets Sets	269 ~ 271
	Universal Socket Sets	272 ~ 273
	Wheel Nut Socket Sets	274 ~ 278
	Hex Driver Sets	279 ~ 282
	Internal Torx Driver Sets	283 ~ 285
	External Torx Socket Sets	286
 插销-O型环 Pin & O - Ring	Pin & O - Ring	287 ~ 288
 手动工具 Hand Tools	Hand Tools	289
	Torque Multiplier	290 ~ 292

1、本目录2013年1月制定完成。

2、“★”特殊品项，最小订购量/交货期需确认。

3、事先声明，样本中登载的产品内容今后有可能随着不断的研究、开发、改良而改变相关数据，有些产品会被取代，请以实物为准，最终解释权归霹雳马国际贸易（上海）有限公司所有。




1/4"

Impact Sockets



标准型气动套筒，六角

6-Point Sockets



Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
60400006	3/16"	13	8.5	5	23
60400007	7/32"	13	9.5	5	23
60400008	1/4"	13	10.3	6	23
60400009	9/32"	13	11.3	6	23
60400010	5/16"	13	12.5	7	23
60400011	11/32"	13	13.8	7	23
60400012	3/8"	13	15	7	23
60400014	7/16"	13	16.3	8	23
60400016	1/2"	13	18.8	8	23
60400018	9/16"	13	20	8	23
60500040	4mm	13	7.6	4	23
60500045	4.5mm	13	8.2	5	23
60500050	5mm	13	8.8	5	23
60500055	5.5mm	13	9.5	5	23
60500060	6mm	13	10	6	23
60500070	7mm	13	11.3	6	23
60500080	8mm	13	12.5	7	23
60500090	9mm	13	13.8	7	23
60500100	10mm	13	15	7	23
60500110	11mm	13	16.3	8	23
60500120	12mm	13	17	8	23
60500130	13mm	13	18.8	8	23
60500140	14mm	13	20	8	23
60500150	15mm	13	21	8	23






1/4"

Impact Sockets

加长型气动套筒，六角

6-Point Sockets - Deep



Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
60402006	3/16"	13	8.5	6	50
60402007	7/32"	13	9.5	6	50
60402008	1/4"	13	10.3	7	50
60402009	9/32"	13	11.3	7	50
60402010	5/16"	13	12.5	9	50
60402011	11/32"	13	13.8	9	50
60402012	3/8"	13	15	9	50
60402014	7/16"	13	16.3	9	50
60402016	1/2"	13	18.8	9	50
60402018	9/16"	13	20	9	50
60502040	4mm	13	7.6	4	50
60502045	4.5mm	13	8.2	6	50
60502050	5mm	13	8.8	6	50
60502055	5.5mm	13	9.5	6	50
60502060	6mm	13	10	7	50
60502070	7mm	13	11.3	7	50
60502080	8mm	13	12.5	9	50
60502090	9mm	13	13.8	9	50
60502100	10mm	13	15	9	50
60502110	11mm	13	16.3	9	50
60502120	12mm	13	17	9	50
60502130	13mm	13	18.8	9	50
60502140	14mm	13	20	9	50
60502150	15mm	13	21	9	50



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.




3/8"

Impact Sockets



标准型气动套筒，六角

6-Point Sockets



Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
60010008	1/4"	19	11	4	30
60010010	5/16"	19	12.5	8	30
60010012	3/8"	19	14.5	8	30
60010014	7/16"	19	17	9	30
60010016	1/2"	19	19	9	30
60010018	9/16"	20	20	9	30
60010020	5/8"	24	24	11	30
60010022	11/16"	24	24	11	30
60010024	3/4"	26	26	11	30
60010026	13/16"	28	28	13	30
60010028	7/8"	30	30	13	30
60010030	15/16"	32	32	13	30
60010100	1"	34	34	13	30






3/8"

Impact Sockets

标准型气动套筒，六角

6-Point Sockets

Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
61110006	6mm	19	10.5	4	30
61110007	7mm	19	11.5	8	30
61110008	8mm	19	12.5	8	30
61110009	9mm	19	14	8	30
61110010	10mm	19	15	8	30
61110011	11mm	19	17	9	30
61110012	12mm	19	17.5	9	30
61110013	13mm	19	19	9	30
61110014	14mm	20	20	9	30



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.




3/8"

Impact Sockets



重工型气动套筒，六角

6-Point Sockets



Order No.	size	D2 mm	D1 mm	L2 mm	L mm
60510006	6mm	19	11	4	30
60510007	7mm	19	12.5	8	30
60510008	8mm	19	13.8	8	30
60510009	9mm	19	15	8	30
60510010	10mm	19	16	8	30
60510011	11mm	19	17.5	9	30
60510012	12mm	19	19	9	30
60510013	13mm	22	20	9	30
60510014	14mm	22	21	9	30
60510015	15mm	22	22	11	30
60510016	16mm	22	24	11	30
60510017	17mm	22	25	11	30
60510018	18mm	22	26	11	30
60510019	19mm	22	27.5	11	30
60510020	20mm	22	28	12	30
60510021	21mm	22	30	13	30
60510022	22mm	23	32	13	30
60510024	24mm	23	34	13	30





3/8"

Impact Sockets

加长型气动套筒，六角


6-Point Sockets - Deep

Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
60012008	1/4"	19	11	5	63
60012010	5/16"	19	12.5	12	63
60012012	3/8"	19	14.5	12	65
60012014	7/16"	19	17	25	65
60012016	1/2"	19	19	25	65
60012018	9/16"	20	20	25	65
60012020	5/8"	24	24	25	65
60012022	11/16"	24	24	25	65
60012024	3/4"	26	26	25	65
60012026	13/16"	28	28	25	65
60012028	7/8"	30	30	25	65
60012030	15/16"	32	32	25	65
60012100	1"	34	34	25	65
60511006	6mm	19	11.5	4	55
60511007	7mm	19	12.5	4	55
60511008	8mm	19	14	4	55
60511009	9mm	19	15	5	55
60511010	10mm	19	16.5	5	55
60511011	11mm	19	17.5	6	55
60511012	12mm	19	19	6	55
60511013	13mm	22	20	6	55
60511014	14mm	22	21.5	7	55
60511015	15mm	22	22	7	55
60511016	16mm	22	24	7	55
60511017	17mm	22	25	7	55
60511018	18mm	22	26	8	55
60511019	19mm	22	27.5	8	55
60512006	6mm	19	11	5	63
60512007	7mm	19	12.5	12	63
60512008	8mm	19	13.8	12	63
60512009	9mm	19	15	12	65
60512010	10mm	19	16	12	65
60512011	11mm	19	17.5	25	65
60512012	12mm	19	19	25	65
60512013	13mm	22	20	25	65
60512014	14mm	22	21	25	65
60512015	15mm	22	22	25	65
60512016	16mm	22	24	25	65
60512017	17mm	22	25	25	65
60512018	18mm	22	26	25	65
60512019	19mm	22	27.5	25	65
60512020	20mm	22	28	25	65
60512021	21mm	22	30	25	65
60512022	22mm	23	32	25	65
60512024	24mm	23	34	25	65

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.





3/8"

Impact Sockets



接杆式气动套筒，六角

6-Point Sockets - Extended Length

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
6061F008	1/4"	19	11	4	125	★
6061F010	5/16"	19	13	6	125	★
6061F012	3/8"	19	15	8	125	★
6061F014	7/16"	19	17.5	9	125	★
6061F016	1/2"	19	20	9	125	★
6061F018	9/16"	22	21	9	125	★
6061F020	5/8"	22	24	11	125	★
6061F022	11/16"	22	25	12	125	★
6061F024	3/4"	22	27	12	125	★
6061F026	13/16"	22	30	13	125	★
6061F028	7/8"	23	31	14	125	★
60615008	1/4"	19	11	4	150	★
60615010	5/16"	19	13	6	150	★
60615012	3/8"	19	15	8	150	★
60615014	7/16"	19	17.5	9	150	★
60615016	1/2"	19	20	9	150	★
60615018	9/16"	22	21	9	150	★
60615020	5/8"	22	24	11	150	★
60615022	11/16"	22	25	12	150	★
60615024	3/4"	22	27	12	150	★
60615026	13/16"	22	30	13	150	★
60615028	7/8"	23	31	14	150	★
6061G008	1/4"	19	11	4	175	★
6061G010	5/16"	19	13	6	175	★
6061G012	3/8"	19	15	8	175	★
6061G014	7/16"	19	17.5	9	175	★
6061G016	1/2"	19	20	9	175	★
6061G018	9/16"	22	21	9	175	★
6061G020	5/8"	22	24	11	175	★
6061G022	11/16"	22	25	12	175	★
6061G024	3/4"	22	27	12	175	★
6061G026	13/16"	22	30	13	175	★
6061G028	7/8"	23	31	14	175	★

★：特殊品项，最小订购量/交货期需确认。





3/8"

Impact Sockets

接杆式气动套筒，六角

6-Point Sockets - Extended Length

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
60616008	1/4"	19	11	4	200	★
60616010	5/16"	19	13	6	200	★
60616012	3/8"	19	15	8	200	★
60616014	7/16"	19	17.5	9	200	★
60616016	1/2"	19	20	9	200	★
60616018	9/16"	22	21	9	200	★
60616020	5/8"	22	24	11	200	★
60616022	11/16"	22	25	12	200	★
60616024	3/4"	22	27	12	200	★
60616026	13/16"	22	30	13	200	★
60616028	7/8"	23	31	14	200	★
60617008	1/4"	19	11	4	250	★
60617010	5/16"	19	13	6	250	★
60617012	3/8"	19	15	8	250	★
60617014	7/16"	19	17.5	9	250	★
60617016	1/2"	19	20	9	250	★
60617018	9/16"	22	21	9	250	★
60617020	5/8"	22	24	11	250	★
60617022	11/16"	22	25	12	250	★
60617024	3/4"	22	27	12	250	★
60617026	13/16"	22	30	13	250	★
60617028	7/8"	23	31	14	250	★

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.

**3/8"****Impact Sockets**

接杆式气动套筒，六角

6-Point Sockets - Extended Length

Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
6071F006	6mm	19	11	4	125
6071F007	7mm	19	12	6	125
6071F008	8mm	19	13	8	125
6071F009	9mm	19	15	8	125
6071F010	10mm	19	16	8	125
6071F011	11mm	19	17.5	9	125
6071F012	12mm	19	18.5	9	125
6071F013	13mm	22	20	9	125
6071F014	14mm	22	21	9	125
6071F015	15mm	22	22	11	125
6071F016	16mm	22	24	11	125
6071F017	17mm	22	25	11	125
6071F018	18mm	22	26	12	125
6071F019	19mm	22	27	12	125
6071F020	20mm	22	28	12	125
6071F021	21mm	22	30	13	125
6071F022	22mm	23	31	14	125
60715006	6mm	19	11	4	150
60715007	7mm	19	12	6	150
60715008	8mm	19	13	8	150
60715009	9mm	19	15	8	150
60715010	10mm	19	16	8	150
60715011	11mm	19	17.5	9	150
60715012	12mm	19	18.5	9	150
60715013	13mm	22	20	9	150
60715014	14mm	22	21	9	150
60715015	15mm	22	22	11	150
60715016	16mm	22	24	11	150
60715017	17mm	22	25	11	150
60715018	18mm	22	26	12	150
60715019	19mm	22	27	12	150
60715020	20mm	22	28	12	150
60715021	21mm	22	30	13	150
60715022	22mm	23	31	14	150





3/8"


Impact Sockets

接杆式气动套筒，六角

6-Point Sockets - Extended Length

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
6071G006	6mm	19	11	4	175	★
6071G007	7mm	19	12	6	175	★
6071G008	8mm	19	13	8	175	★
6071G009	9mm	19	15	8	175	★
6071G010	10mm	19	16	8	175	★
6071G011	11mm	19	17.5	9	175	★
6071G012	12mm	19	18.5	9	175	★
6071G013	13mm	22	20	9	175	★
6071G014	14mm	22	21	9	175	★
6071G015	15mm	22	22	11	175	★
6071G016	16mm	22	24	11	175	★
6071G017	17mm	22	25	11	175	★
6071G018	18mm	22	26	12	175	★
6071G019	19mm	22	27	12	175	★
6071G020	20mm	22	28	12	175	★
6071G021	21mm	22	30	13	175	★
6071G022	22mm	23	31	14	175	★
60716006	6mm	19	11	4	200	
60716007	7mm	19	12	6	200	
60716008	8mm	19	13	8	200	
60716009	9mm	19	15	8	200	
60716010	10mm	19	16	8	200	
60716011	11mm	19	17.5	9	200	
60716012	12mm	19	18.5	9	200	
60716013	13mm	22	20	9	200	
60716014	14mm	22	21	9	200	
60716015	15mm	22	22	11	200	
60716016	16mm	22	24	11	200	
60716017	17mm	22	25	11	200	
60716018	18mm	22	26	12	200	
60716019	19mm	22	27	12	200	
60716020	20mm	22	28	12	200	
60716021	21mm	22	30	13	200	
60716022	22mm	23	31	14	200	

★：特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



3/8"


Impact Sockets



接杆式气动套筒，六角

6-Point Sockets - Extended Length

Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
60717006	6mm	19	11	4	250
60717007	7mm	19	12	6	250
60717008	8mm	19	13	8	250
60717009	9mm	19	15	8	250
60717010	10mm	19	16	8	250
60717011	11mm	19	17.5	9	250
60717012	12mm	19	18.5	9	250
60717013	13mm	22	20	9	250
60717014	14mm	22	21	9	250
60717015	15mm	22	22	11	250
60717016	16mm	22	24	11	250
60717017	17mm	22	25	11	250
60717018	18mm	22	26	12	250
60717019	19mm	22	27	12	250
60717020	20mm	22	28	12	250
60717021	21mm	22	30	13	250
60717022	22mm	23	31	14	250






1/2"

Impact Sockets

标准型气动套筒，六角

6-Point Sockets



Order No.	size	D2 mm	D1 mm	L2 mm	L mm
60020008	1/4"	22	13	5	38
60020010	5/16"	22	15	9	38
60020012	3/8"	22	16	12	38
60020014	7/16"	22	18	12	38
60020016	1/2"	22	20	12	38
60020018	9/16"	24	22	12	38
60020020	5/8"	25	25	12	38
60020022	11/16"	26	26	13	38
60020024	3/4"	28	28	13	38
60020026	13/16"	30	30	13	38
60020028	7/8"	32	32	13	38
60020030	15/16"	34	34	13	38
60020100	1"	36	36	14	38
60020102	1-1/16"	38	38	16	40
60020104	1-1/8"	38	40	16	40
60020106	1-3/16"	38	42	16	40
60020108	1-1/4"	38	44	18	40
60020110	1-5/16"	38	45	21	43
60020112	1-3/8"	38	48.5	26	50
60020114	1-7/16"	38	50.5	26	50
60020116	1-1/2"	38	52.5	26	50
60020118	1-9/16"	44	56	24	60
60020120	1-5/8"	44	58.5	27	60
60020122	1-11/16"	44	61	27	60
60020124	1-3/4"	44	63	27	60
60020126	1-13/16"	44	65	30	70
60020128	1-7/8"	44	67.5	30	70
60020130	1-15/16"	44	69	30	70
60020200	2"	52	71	32	70
60020202	2-1/16"	52	72.5	32	70
60020204	2-1/8"	52	75	32	70
60020206	2-3/16"	52	76.5	35	70
60020208	2-1/4"	52	78	35	70



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



1/2"


Impact Sockets



标准型气动套筒，六角

6-Point Sockets

Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
60720006	6mm	25	13	5	38
60720007	7mm	25	14	5	38
60720008	8mm	25	14	9	38
60720009	9mm	25	15	12	38
60720010	10mm	25	16	12	38
60720011	11mm	25	17.5	12	38
60720012	12mm	25	19	12	38
60720013	13mm	25	20	12	38
60720014	14mm	25	22	12	38
60720015	15mm	25	23	12	38
60720016	16mm	25	25	12	38
60720017	17mm	26	26	13	38
60720018	18mm	26	26	13	38
60720019	19mm	28	28	13	38





1/2"


Impact Sockets

重工型气动套筒，六角

6-Point Sockets

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
60520006	6mm	25	13	5	38	★
60520007	7mm	25	14	5	38	★
60520008	8mm	25	15	9	38	★
60520009	9mm	25	16	12	38	★
60520010	10mm	25	17.5	12	38	★
60520011	11mm	25	18.7	12	38	★
60520012	12mm	25	20	12	38	★
60520013	13mm	25	21	12	38	★
60520014	14mm	25	22.5	12	38	★
60520015	15mm	30	23.7	12	38	★
60520016	16mm	30	25	12	38	★
60520017	17mm	30	26	13	38	★
60520018	18mm	30	27.5	13	38	★
60520019	19mm	30	28.7	13	38	
60520020	20mm	30	30	13	38	
60520021	21mm	30	30	13	38	
60520022	22mm	30	32	13	38	
60520023	23mm	30	32	13	38	
60520024	24mm	30	35	20	45	
60520025	25mm	30	36	20	45	
60520026	26mm	30	38	22	50	
60520027	27mm	30	38.7	22	50	
60520028	28mm	30	40	22	50	
60520029	29mm	30	40	22	50	
60520030	30mm	30	42	22	50	
60520031	31mm	30	43	28	50	
60520032	32mm	30	44	28	50	
60520033	33mm	30	45	28	50	
60520034	34mm	30	48	22	50	
60520035	35mm	30	47	28	50	
60520036	36mm	30	49	28	50	
60520038	38mm	38	53	24	50	
60520039	39mm	44	54.5	24	60	
60520040	40mm	44	56	24	60	
60520041	41mm	44	58	27	60	
60520042	42mm	44	60	27	60	
60520043	43mm	44	61	27	60	
60520044	44mm	44	63	27	60	
60520045	45mm	44	64	27	60	
60520046	46mm	44	65	30	70	
60520047	47mm	44	66.5	30	70	
60520048	48mm	44	68	30	70	
60520049	49mm	44	69	30	70	
60520050	50mm	52	70	32	70	
60520051	51mm	52	71	32	70	
60520052	52mm	52	72.5	32	70	
60520053	53mm	52	74	32	70	
60520054	54mm	52	75	32	70	
60520055	55mm	52	76	35	70	
60520056	56mm	52	77	35	70	
60520057	57mm	52	78	35	70	
60520058	58mm	52	79	37	70	

★: 特殊品项, 最小订购量/交货期需确认。

**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.



1/2"


Impact Sockets



中长型气动套筒，六角

6-Point Sockets - Semi Deep

Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
60721010	10mm	26	16	14	52
60721011	11mm	26	17.5	14	52
60721012	12mm	26	19	14	52
60721013	13mm	26	20	14	52
60721014	14mm	26	22	17	52
60721016	16mm	26	26	17	52
60721017	17mm	26	26	17	52
60721019	19mm	28	28	19	52
60721021	21mm	28	30	24	52
60721022	22mm	28	32	24	52
60721023	23mm	28	32	24	52
60721024	24mm	28	34	24	52






1/2"

Impact Sockets

加长型气动套筒，六角

6-Point Sockets - Deep

Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
60022008	1/4"	22	13	5	78
60022010	5/16"	22	15	13	78
60022012	3/8"	22	16	14	78
60022014	7/16"	22	18	14	78
60022016	1/2"	22	20	14	78
60022018	9/16"	24	22	17	78
60022020	5/8"	24	24	17	78
60022022	11/16"	26	26	17	78
60022024	3/4"	28	28	19	78
60022026	13/16"	30	30	24	78
60022028	7/8"	32	32	24	78
60022030	15/16"	34	34	24	78
60022100	1"	38	38	24	78
60022102	1-1/16"	38	38	24	78
60022104	1-1/8"	38	40	54	78
60022106	1-3/16"	38	42	54	78
60022108	1-1/4"	38	44	54	78
60022110	1-5/16"	38	45	54	78
60022112	1-3/8"	38	48.5	54	78
60022114	1-7/16"	38	50.5	54	78
60022116	1-1/2"	38	52.5	54	78
60022118	1-9/16"	44	56	58	93
60022120	1-5/8"	44	58.5	58	93
60022122	1-11/16"	44	61	58	93
60022124	1-3/4"	44	63	58	93
60022126	1-13/16"	44	65	58	93
60022128	1-7/8"	44	67.5	58	93
60022130	1-15/16"	44	69	58	93
60022200	2"	52	71	58	93
60022202	2-1/16"	52	72.5	58	93
60022204	2-1/8"	52	75	58	93
60022206	2-3/16"	52	76.5	58	93
60022208	2-1/4"	52	78	58	93




CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



1/2"

Impact Sockets

加长型气动套筒，六角

6-Point Sockets - Deep

Order No.	size	D2 mm	D1 mm	L2 mm	L mm
60522006	6mm	25	13	5	78
60522007	7mm	25	14	5	78
60522008	8mm	25	15	13	78
60522009	9mm	25	16	14	78
60522010	10mm	25	17.5	14	78
60522011	11mm	25	18.7	14	78
60522012	12mm	25	20	14	78
60522013	13mm	25	21	14	78
60522014	14mm	25	22.5	17	78
60522015	15mm	30	23.7	17	78
60522016	16mm	30	25	17	78
60522017	17mm	30	26	17	78
60522018	18mm	30	27.5	17	78
60522019	19mm	30	28.7	19	78
60522020	20mm	30	30	19	78
60522021	21mm	30	30	24	78
60522022	22mm	30	32	24	78
60522023	23mm	30	32	24	78
60522024	24mm	30	35	24	78
60522025	25mm	30	36	24	78
60522026	26mm	30	38	24	78
60522027	27mm	30	38.7	26	78
60522028	28mm	30	40	26	78
60522029	29mm	30	40	26	78
60522030	30mm	30	42	26	78
60522031	31mm	30	43	26	78
60522032	32mm	30	44	26	78
60522033	33mm	30	46.5	22	78
60522034	34mm	30	48	22	78
60522035	35mm	30	49.5	22	78
60522036	36mm	30	50.5	24	78
60522038	38mm	38	53	24	90
60522039	39mm	44	54.5	24	93
60522040	40mm	44	56	58	93
60522041	41mm	44	58	58	93
60522042	42mm	44	60	58	93
60522043	43mm	44	61	58	93
60522044	44mm	44	63	58	93
60522045	45mm	44	64	58	93
60522046	46mm	44	65	58	93
60522047	47mm	44	66.5	58	93
60522048	48mm	44	68	58	93
60522049	49mm	44	69	58	93
60522050	50mm	52	70	58	93
60522051	51mm	52	71	58	93
60522052	52mm	52	72.5	58	93
60522053	53mm	52	74	58	93
60522054	54mm	52	75	58	93
60522055	55mm	52	76	58	93
60522056	56mm	52	77	58	93
60522057	57mm	52	78	58	93
60522058	58mm	52	79	58	93



1/2"


Impact Sockets

超长型气动套筒，六角

6-Point Sockets - Extral Deep

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
60024010	5/16"	24	15	13	127	★
60024012	3/8"	24	16	14	127	★
60024014	7/16"	24	18	14	127	★
60024016	1/2"	24	20	14	127	★
60024018	9/16"	24	22	24	127	★
60024020	5/8"	24	24	24	127	★
60024022	11/16"	26	26	24	127	★
60024024	3/4"	28	28	24	127	★
60024026	13/16"	30	30	24	127	★
60024028	7/8"	32	32	24	127	★
60024030	15/16"	34	34	24	127	★
60024100	1"	36	36	24	127	★
60024102	1-1/16"	38	38	24	127	★
60024104	1-1/8"	38	40	24	127	★
60024106	1-3/16"	38	42	24	127	★
60024108	1-1/4"	38	44	24	127	★
60024110	1-5/16"	38	46	24	127	★
60024112	1-3/8"	38	48.5	24	127	★
60024114	1-7/16"	38	50.5	24	127	★
60024116	1-1/2"	38	52.5	24	127	★

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



1/2"


Impact Sockets



超长型气动套筒，六角

6-Point Sockets - Extral Deep

Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
60124008	8mm	24	15	13	127
60124009	9mm	24	15	14	127
60124010	10mm	24	17	14	127
60124011	11mm	24	18	14	127
60124012	12mm	24	19	14	127
60124013	13mm	24	20	14	127
60124014	14mm	24	22	24	127
60124015	15mm	24	24	24	127
60124016	16mm	24	24	24	127
60124017	17mm	26	26	24	127
60124018	18mm	26	26	24	127
60124019	19mm	28	28	24	127
60124020	20mm	30	30	24	127
60124021	21mm	30	30	24	127
60124022	22mm	32	32	24	127
60124023	23mm	32	32	24	127
60124024	24mm	34	34	24	127
60124025	25mm	36	36	24	127
60124026	26mm	36	36	24	127
60124027	27mm	38	38	24	127
60124028	28mm	38	40	24	127
60124029	29mm	38	40	24	127
60124030	30mm	38	42	24	127
60124032	32mm	38	44	24	127
60124033	33mm	38	45	24	127
60124034	34mm	38	46	24	127
60124035	35mm	38	48.5	24	127
60124036	36mm	38	48.5	24	127
60124038	38mm	38	52.5	24	127





1/2"

Impact Sockets

接杆式气动套筒，六角

6-Point Sockets - Extended Length

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
6062F010	5/16"	25	15	10	125	★
6062F012	3/8"	25	17.5	12	125	★
6062F014	7/16"	25	18.5	12	125	★
6062F016	1/2"	25	21	12	125	★
6062F018	9/16"	25	22.5	12	125	★
6062F020	5/8"	28	25	13	125	★
6062F022	11/16"	30	27.5	13	125	★
6062F024	3/4"	30	28.5	13	125	★
6062F026	13/16"	30	31	13	125	★
6062F028	7/8"	30	32	14	125	★
6062F030	15/16"	30	35	15	125	★
6062F100	1"	30	38	16	125	★
6062F102	1-1/16"	30	38.5	17	125	★
60625010	5/16"	25	15	10	150	★
60625012	3/8"	25	17.5	12	150	★
60625014	7/16"	25	18.5	12	150	★
60625016	1/2"	25	21	12	150	★
60625018	9/16"	25	22.5	12	150	★
60625020	5/8"	28	25	13	150	★
60625022	11/16"	30	27.5	13	150	★
60625024	3/4"	30	28.5	13	150	★
60625026	13/16"	30	31	13	150	★
60625028	7/8"	30	32	14	150	★
60625030	15/16"	30	35	15	150	★
60625100	1"	30	38	16	150	★
60625102	1-1/16"	30	38.5	17	150	★
6062G010	5/16"	25	15	10	175	★
6062G012	3/8"	25	17.5	12	175	★
6062G014	7/16"	25	18.5	12	175	★
6062G016	1/2"	25	21	12	175	★
6062G018	9/16"	25	22.5	12	175	★
6062G020	5/8"	28	25	13	175	★
6062G022	11/16"	30	27.5	13	175	★
6062G024	3/4"	30	28.5	13	175	★
6062G026	13/16"	30	31	13	175	★
6062G028	7/8"	30	32	14	175	★
6062G030	15/16"	30	35	15	175	★
6062G100	1"	30	38	16	175	★
6062G102	1-1/16"	30	38.5	17	175	★

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



1/2"

Impact Sockets




接杆式气动套筒，六角

6-Point Sockets - Extended Length

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
60626010	5/16"	25	15	10	200	★
60626012	3/8"	25	17.5	12	200	★
60626014	7/16"	25	18.5	12	200	★
60626016	1/2"	25	21	12	200	★
60626018	9/16"	25	22.5	12	200	★
60626020	5/8"	28	25	13	200	★
60626022	11/16"	30	27.5	13	200	★
60626024	3/4"	30	28.5	13	200	★
60626026	13/16"	30	31	13	200	★
60626028	7/8"	30	32	14	200	★
60626030	15/16"	30	35	15	200	★
60626100	1"	30	38	16	200	★
60626102	1-1/16"	30	38.5	17	200	★
60627010	5/16"	25	15	10	250	★
60627012	3/8"	25	17.5	12	250	★
60627014	7/16"	25	18.5	12	250	★
60627016	1/2"	25	21	12	250	★
60627018	9/16"	25	22.5	12	250	★
60627020	5/8"	28	25	13	250	★
60627022	11/16"	30	27.5	13	250	★
60627024	3/4"	30	28.5	13	250	★
60627026	13/16"	30	31	13	250	★
60627028	7/8"	30	32	14	250	★
60627030	15/16"	30	35	15	250	★
60627100	1"	30	38	16	250	★
60627102	1-1/16"	30	38.5	17	250	★

★：特殊品项，最小订购量/交货期需确认。






1/2"

Impact Sockets

接杆式气动套筒，六角

6-Point Sockets - Extended Length

Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
6072F008	8mm	25	15	10	125
6072F009	9mm	25	16	12	125
6072F010	10mm	25	17.5	12	125
6072F011	11mm	25	18.5	12	125
6072F012	12mm	25	20	12	125
6072F013	13mm	25	21	12	125
6072F014	14mm	25	22.5	12	125
6072F015	15mm	30	23.5	12	125
6072F016	16mm	30	25	13	125
6072F017	17mm	30	26	13	125
6072F018	18mm	30	27.5	13	125
6072F019	19mm	30	28.5	13	125
6072F020	20mm	30	30	13	125
6072F021	21mm	30	31	13	125
6072F022	22mm	30	32	14	125
6072F023	23mm	30	34	14	125
6072F024	24mm	30	35	15	125
6072F025	25mm	30	36	15	125
6072F026	26mm	30	38	16	125
6072F027	27mm	30	38.5	17	125
60725008	8mm	25	15	10	150
60725009	9mm	25	16	12	150
60725010	10mm	25	17.5	12	150
60725011	11mm	25	18.5	12	150
60725012	12mm	25	20	12	150
60725013	13mm	25	21	12	150
60725014	14mm	25	22.5	12	150
60725015	15mm	30	23.5	12	150
60725016	16mm	30	25	13	150
60725017	17mm	30	26	13	150
60725018	18mm	30	27.5	13	150
60725019	19mm	30	28.5	13	150
60725020	20mm	30	30	13	150
60725021	21mm	30	31	13	150
60725022	22mm	30	32	14	150
60725023	23mm	30	34	14	150
60725024	24mm	30	35	15	150
60725025	25mm	30	36	15	150
60725026	26mm	30	38	16	150
60725027	27mm	30	38.5	17	150



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



1/2"

Impact Sockets




接杆式气动套筒，六角

6-Point Sockets - Extended Length

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
6072G008	8mm	25	15	10	175	★
6072G009	9mm	25	16	12	175	★
6072G010	10mm	25	17.5	12	175	★
6072G011	11mm	25	18.5	12	175	★
6072G012	12mm	25	20	12	175	★
6072G013	13mm	25	21	12	175	★
6072G014	14mm	25	22.5	12	175	★
6072G015	15mm	30	23.5	12	175	★
6072G016	16mm	30	25	13	175	★
6072G017	17mm	30	26	13	175	★
6072G018	18mm	30	27.5	13	175	★
6072G019	19mm	30	28.5	13	175	★
6072G020	20mm	30	30	13	175	★
6072G021	21mm	30	31	13	175	★
6072G022	22mm	30	32	14	175	★
6072G023	23mm	30	34	14	175	★
6072G024	24mm	30	35	15	175	★
6072G025	25mm	30	36	15	175	★
6072G026	26mm	30	38	16	175	★
6072G027	27mm	30	38.5	17	175	★
60726008	8mm	25	15	10	200	
60726009	9mm	25	16	12	200	
60726010	10mm	25	17.5	12	200	
60726011	11mm	25	18.5	12	200	
60726012	12mm	25	20	12	200	
60726013	13mm	25	21	12	200	
60726014	14mm	25	22.5	12	200	
60726015	15mm	30	23.5	12	200	
60726016	16mm	30	25	13	200	
60726017	17mm	30	26	13	200	
60726018	18mm	30	27.5	13	200	
60726019	19mm	30	28.5	13	200	
60726020	20mm	30	30	13	200	
60726021	21mm	30	31	13	200	
60726022	22mm	30	32	14	200	
60726023	23mm	30	34	14	200	
60726024	24mm	30	35	15	200	
60726025	25mm	30	36	15	200	
60726026	26mm	30	38	16	200	
60726027	27mm	30	38.5	17	200	

★：特殊品项，最小订购量/交货期需确认。






1/2"

Impact Sockets

接杆式气动套筒，六角

6-Point Sockets - Extended Length

Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
60727008	8mm	25	15	10	250
60727009	9mm	25	16	12	250
60727010	10mm	25	17.5	12	250
60727011	11mm	25	18.5	12	250
60727012	12mm	25	20	12	250
60727013	13mm	25	21	12	250
60727014	14mm	25	22.5	12	250
60727015	15mm	30	23.5	12	250
60727016	16mm	30	25	13	250
60727017	17mm	30	26	13	250
60727018	18mm	30	27.5	13	250
60727019	19mm	30	28.5	13	250
60727020	20mm	30	30	13	250
60727021	21mm	30	31	13	250
60727022	22mm	30	32	14	250
60727023	23mm	30	34	14	250
60727024	24mm	30	35	15	250
60727025	25mm	30	36	15	250
60727026	26mm	30	38	16	250
60727027	27mm	30	38.5	17	250



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.




3/4"

Impact Sockets



标准型气动套筒，六角

6-Point Sockets



Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
60040016	1/2"	38	22	9	50
60040018	9/16"	38	25.5	11	50
60040020	5/8"	38	27.5	11	50
60040022	11/16"	38	29	12	50
60040024	3/4"	38	30	13	50
60040026	13/16"	38	32	15	52
60040028	7/8"	38	34	15	52
60040030	15/16"	38	36	16	52
60040100	1"	38	40	16	52
60040102	1-1/16"	38	40	19	52
60040104	1-1/8"	42	42	21	52
60040106	1-3/16"	44	44	21	52
60040108	1-1/4"	44	44	22	52
60040110	1-5/16"	44	47	22	56
60040112	1-3/8"	44	50	22	56
60040114	1-7/16"	44	51	25	56
60040116	1-1/2"	44	53	25	56
60040118	1-9/16"	44	56	25	62
60040120	1-5/8"	44	58	27	62
60040122	1-11/16"	44	63.5	27	62
60040124	1-3/4"	44	65	27	62
60040126	1-13/16"	44	67	30	68
60040128	1-7/8"	44	68	30	68
60040130	1-15/16"	44	70	30	70
60040200	2"	54	71	32	72
60040202	2-1/16"	54	74	32	72
60040204	2-1/8"	54	77	32	72
60040206	2-3/16"	54	77	35	74
60040208	2-1/4"	54	80	35	74
60040210	2-5/16"	54	82	37	75
60040212	2-3/8"	54	84	37	75
60040214	2-7/16"	54	86	37	75
60040216	2-1/2"	54	88	37	75
60040218	2-9/16"	54	90	40	78
60040220	2-5/8"	54	92	40	80
60040222	2-11/16"	54	94	40	80
60040224	2-3/4"	54	96	40	80
60040226	2-13/16"	54	98	42	83
60040228	2-7/8"	54	100	42	83
60040230	2-15/16"	64	102	42	83
60040300	3"	64	104	45	85






3/4"

Impact Sockets

标准型气动套筒，六角

6-Point Sockets



Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
60140013	13mm	38	22	9	50
60140014	14mm	38	25.5	11	50
60140015	15mm	38	26	11	50
60140016	16mm	38	27.5	11	50
60140017	17mm	38	28.5	12	50
60140018	18mm	38	29.5	13	50
60140019	19mm	38	30	13	50
60140020	20mm	38	31	14	52
60140021	21mm	38	32	15	52
60140022	22mm	38	34	15	52
60140023	23mm	38	35	16	52
60140024	24mm	38	36	16	52
60140025	25mm	38	38	16	52
60140026	26mm	38	40	16	52
60140027	27mm	38	40	19	52
60140028	28mm	42	42	19	52
60140029	29mm	42	42	21	52
60140030	30mm	44	44	20	52
60140031	31mm	44	44	20	52
60140032	32mm	44	44	20	52
60140033	33mm	44	47	23	56
60140034	34mm	44	48	23	56
60140035	35mm	44	50	23	56
60140036	36mm	44	51	23	56
60140037	37mm	44	51	23	56
60140038	38mm	44	53	23	56
60140039	39mm	44	56	27	62
60140040	40mm	44	56	27	62
60140041	41mm	44	58	27	62
60140042	42mm	44	61	27	62



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.




3/4"

Impact Sockets

重工型气动套筒，六角

6-Point Sockets

Order No.	size	D2 mm	D1 mm	L2 mm	L mm
60540013	13mm	44	25	9	50
60540014	14mm	44	25	11	50
60540015	15mm	44	26	11	50
60540016	16mm	44	27	11	50
60540017	17mm	44	31	12	50
60540018	18mm	44	32	13	50
60540019	19mm	44	33	13	50
60540020	20mm	44	34	14	50
60540021	21mm	44	35	15	50
60540022	22mm	44	37	15	50
60540023	23mm	44	38	16	50
60540024	24mm	44	39	16	50
60540025	25mm	44	40	16	50
60540026	26mm	44	41	16	50
60540027	27mm	44	43	19	54
60540028	28mm	44	44	19	54
60540029	29mm	44	45	21	54
60540030	30mm	44	47	21	54
60540031	31mm	44	48	21	56
60540032	32mm	44	49	22	56
60540033	33mm	44	51	22	56
60540034	34mm	44	52	22	56
60540035	35mm	44	53	22	56
60540036	36mm	44	54	25	56
60540037	37mm	44	56	25	58
60540038	38mm	44	57	25	58
60540039	39mm	44	58	25	58
60540040	40mm	44	58	25	58






3/4"

Impact Sockets

重工型气动套筒，六角

6-Point Sockets

Order No.	size	D2 mm	D1 mm	L2 mm	L mm
60540041	41mm	44	60	27	58
60540042	42mm	44	62	27	58
60540043	43mm	44	63	27	63
60540044	44mm	44	65	27	63
60540045	45mm	44	66	27	63
60540046	46mm	44	67	30	63
60540047	47mm	44	68	30	68
60540048	48mm	44	69	30	68
60540049	49mm	44	70	30	70
60540050	50mm	54	71	32	72
60540051	51mm	54	72	32	72
60540052	52mm	54	74	32	72
60540053	53mm	54	75	32	72
60540054	54mm	54	77	32	72
60540055	55mm	54	77	35	74
60540056	56mm	54	80	35	74
60540057	57mm	54	80	35	74
60540058	58mm	54	81	37	75
60540060	60mm	54	84	37	75
60540062	62mm	54	86	37	75
60540063	63mm	54	86	37	75
60540065	65mm	54	88	40	78
60540067	67mm	54	90	40	80
60540068	68mm	54	94	40	80
60540070	70mm	54	96	40	80
60540073	73mm	54	100	42	83
60540075	75mm	64	102	42	83
60540076	76mm	64	104	45	85



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



3/4"

Impact Sockets




中长型气动套筒，六角

6-Point Sockets - Semi Deep

		D2	D1	L2	L	
Order No.	size	mm	mm	mm	mm	
60740014	14mm	38	22	19	60	
60740017	17mm	38	24.5	19	60	
60740019	19mm	38	27	19	60	
60740020	20mm	38	28.5	19	60	
60740021	21mm	38	29.5	19	60	
60740022	22mm	38	30.5	19	60	
60740023	23mm	38	31.5	19	60	
60740024	24mm	38	33	19	60	
60740026	26mm	38	38	20	60	
60740027	27mm	38	39	29	60	
60741026	26mm	38	38	20	85	★
60741027	27mm	38	39	52	85	★
60741029	29mm	38	42	52	85	★
60741030	30mm	38	43	52	85	★
60741032	32mm	38	44	52	85	★
60741035	35mm	38	50	52	85	★

★: 特殊品项，最小订购量/交货期需确认。






3/4"

Impact Sockets



加长型气动套筒，六角

6-Point Sockets - Deep



Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
60042016	1/2"	38	22	13	85	★
60042018	9/16"	38	25.5	14	85	★
60042020	5/8"	38	27.5	16	85	★
60042022	11/16"	38	29	17	85	★
60042024	3/4"	38	30	19	85	★
60042026	13/16"	38	32	22	85	★
60042028	7/8"	38	34	22	85	★
60042030	15/16"	38	36	24	85	★
60042100	1"	38	40	25	85	★
60042102	1-1/16"	38	40	27	85	★
60042104	1-1/8"	42	42	29	85	★
60042106	1-3/16"	44	44	30	85	★
60042108	1-1/4"	44	49	32	85	★
60042110	1-5/16"	44	50	34	85	★
60042112	1-3/8"	44	50	35	85	★
60042114	1-7/16"	44	51	37	85	★
60043116	1-1/2"	44	57	38	95	★
60043118	1-9/16"	44	58	38	95	★
60043120	1-5/8"	44	60	38	95	★
60043122	1-11/16"	44	63	38	95	★
60043124	1-3/4"	44	65	38	95	★
60043126	1-13/16"	44	67	38	95	★
60043128	1-7/8"	44	68	38	95	★
60043130	1-15/16"	44	70	38	95	★
60043200	2"	54	71	40	95	★
60042202	2-1/16"	54	74	40	95	★
60042204	2-1/8"	54	77	40	95	★
60042206	2-3/16"	54	77	40	100	★
60042208	2-1/4"	54	80	40	100	★
60042210	2-5/16"	54	82	40	100	★
60042212	2-3/8"	54	84	42	105	★
60042214	2-7/16"	54	86	42	105	★
60042216	2-1/2"	54	88	42	105	★
60042218	2-9/16"	54	90	66	105	★
60042220	2-5/8"	54	92	66	105	★
60042222	2-11/16"	54	94	66	105	★
60042224	2-3/4"	54	96	66	105	★
60042226	2-13/16"	54	98	68	108	★
60042228	2-7/8"	54	100	68	108	★
60042230	2-15/16"	64	102	68	108	★
60042300	3"	64	104	70	110	★



★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



3/4"


Impact Sockets



加长型气动套筒，六角

6-Point Sockets - Deep

Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
60542013	13mm	44	25	13	95
60542014	14mm	44	25	14	95
60542015	15mm	44	26	15	95
60542016	16mm	44	27	16	95
60542017	17mm	44	31	17	95
60542018	18mm	44	32	18	95
60542019	19mm	44	33	19	95
60542020	20mm	44	34	20	95
60542021	21mm	44	35	21	95
60542022	22mm	44	37	22	95
60542023	23mm	44	38	23	95
60542024	24mm	44	39	24	95
60542025	25mm	44	40	25	95
60542026	26mm	44	41	26	95
60542027	27mm	44	43	27	95
60542028	28mm	44	44	28	95
60542029	29mm	44	45	29	95
60542030	30mm	44	47	30	95
60542031	31mm	44	48	31	95
60542032	32mm	44	49	32	95
60542033	33mm	44	51	33	95
60542034	34mm	44	52	34	95
60542035	35mm	44	53	35	95
60542036	36mm	44	54	36	95
60542037	37mm	44	56	37	95
60542038	38mm	44	57	38	95
60542039	39mm	44	58	38	95
60542040	40mm	44	58	38	95






3/4"

Impact Sockets

加长型气动套筒，六角

6-Point Sockets - Deep

Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
60542041	41mm	44	60	38	95
60542042	42mm	44	62	38	95
60542043	43mm	44	63	38	95
60542044	44mm	44	65	38	95
60542045	45mm	44	66	38	95
60542046	46mm	44	67	38	95
60542047	47mm	44	68	38	95
60542048	48mm	44	69	38	95
60542049	49mm	44	70	38	95
60542050	50mm	54	71	38	95
60542051	51mm	54	72	40	95
60542052	52mm	54	74	40	95
60542053	53mm	54	75	40	95
60542054	54mm	54	77	40	95
60542055	55mm	54	77	40	100
60542056	56mm	54	80	40	100
60542057	57mm	54	80	40	105
60542058	58mm	54	81	40	105
60542060	60mm	54	84	42	105
60542062	62mm	54	86	42	105
60542063	63mm	54	86	42	105
60542065	65mm	54	88	66	105
60542067	67mm	54	90	66	105
60542068	68mm	54	94	66	105
60542070	70mm	54	96	66	105
60542073	73mm	54	100	68	108
60542075	75mm	64	102	68	108
60542076	76mm	64	104	70	110



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



1"


Impact Sockets



标准型气动套筒，六角

6-Point Sockets

Order No.	size	D2 mm	D1 mm	L2 mm	L mm
60050016	1/2"	51	30	10	58
60050020	5/8"	51	32	11	58
60050022	11/16"	51	34	12	58
60050024	3/4"	51	36	13	58
60050026	13/16"	51	38	15	58
60050028	7/8"	51	39	15	58
60050030	15/16"	51	40	18	58
60050100	1"	51	42	18	58
60050102	1-1/16"	51	44	19	58
60050104	1-1/8"	51	46	19	58
60050106	1-3/16"	51	48	21	60
60050108	1-1/4"	51	51	22	60
60050110	1-5/16"	52	53	22	62
60050112	1-3/8"	52	54	22	62
60050114	1-7/16"	52	56	25	62
60050116	1-	52	58	25	62
60050118	1-9/16"	52	60	25	62
60050120	1-5/8"	52	61.5	27	62
60050122	1-11/16"	52	65	27	64
60050124	1-3/4"	58	66	27	64
60050126	1-13/16"	58	68	30	64
60050128	1-7/8"	58	70	32	66
60050130	1-15/16"	58	72	32	68
60050200	2"	58	74	35	70
60050202	2-1/16"	58	75	35	70
60050204	2-1/8"	58	78	35	70
60050206	2-3/16"	62	80	35	72
60050208	2-1/4"	62	84	40	75
60050210	2-5/16"	62	86	40	75
60050212	2-3/8"	62	87	42	78
60050214	2-7/16"	62	89	42	78
60050216	2-1/2"	62	91	42	80
60050218	2-9/16"	62	93	42	80
60050220	2-5/8"	62	95	42	82
60050222	2-11/16"	62	97	42	82
60050224	2-3/4"	62	100	42	96
60050226	2-13/16"	62	102	45	96
60050228	2-7/8"	86	104	45	96
60050230	2-15/16"	86	105	45	98
60050300	3"	86	107	48	100
60050304	3-1/8"	86	111	48	100
60050308	3-1/4"	86	115	48	100
60050312	3-3/8"	86	119	52	105
60050316	3-1/2"	86	124	52	105
60050320	3-5/8"	86	127	52	105
60050324	3-3/4"	86	131	52	115
60050328	3-7/8"	86	135	58	115
60050400	4"	86	139	58	115
60050404	4-1/8"	95	143	58	115
60050408	4-1/4"	95	147	60	115
60050416	4-1/2"	95	154	62	115





1"


Impact Sockets

标准型气动套筒，六角

6-Point Sockets

Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
60150017	17mm	51	34	12	58
60150018	18mm	51	35	13	58
60150019	19mm	51	36	13	58
60150020	20mm	51	37	14	58
60150021	21mm	51	38	15	58
60150022	22mm	51	39	15	58
60150023	23mm	51	40	16	58
60150024	24mm	51	40	18	58
60150025	25mm	51	41	18	58
60150026	26mm	51	42.5	18	58
60150027	27mm	51	44	19	58
60150028	28mm	51	45	19	58
60150029	29mm	51	46	19	60
60150030	30mm	51	48	21	60
60150031	31mm	51	48	21	60
60150032	32mm	51	51	21	60
60150033	33mm	52	53	21	62
60150034	34mm	52	54	21	62
60150035	35mm	52	54	21	62
60150036	36mm	52	56	26	62
60150037	37mm	52	57	26	62
60150038	38mm	52	58	26	62
60150039	39mm	52	59	26	62
60150040	40mm	52	60	26	62
60150041	41mm	52	61.5	26	62
60150042	42mm	52	63	27	64
60150043	43mm	52	65	27	64
60150044	44mm	52	65	27	64
60150045	45mm	58	66	27	64
60150046	46mm	58	68	27	64
60150047	47mm	58	69	28	66
60150048	48mm	58	70	30	68
60150050	50mm	58	73	30	70
60150051	51mm	58	74	31	70
60150052	52mm	58	75	31	70
60150053	53mm	58	75	31	70
60150054	54mm	58	78	31	70
60150055	55mm	62	79	32	72
60150056	56mm	62	80	34	74
60150057	57mm	62	84	35	75
60150058	58mm	62	85	35	75
60150060	60mm	62	87	35	78
60150063	63mm	62	91	36	80
60150065	65mm	62	93	36	80
60150067	67mm	62	95	38	82
60150070	70mm	62	98	40	85
60150071	71mm	62	100	40	87

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



1"


Impact Sockets



重工型气动套筒，六角

6-Point Sockets

Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
60550016	16mm	54	32	11	60
60550017	17mm	54	34	12	60
60550018	18mm	54	35	13	60
60550019	19mm	54	36	13	60
60550020	20mm	54	37	14	60
60550021	21mm	54	38	15	60
60550022	22mm	54	40	15	60
60550023	23mm	54	41	16	60
60550024	24mm	54	42	18	60
60550025	25mm	54	43	18	60
60550026	26mm	54	44.5	18	60
60550027	27mm	54	46	19	60
60550028	28mm	54	47	19	62
60550029	29mm	54	48	19	62
60550030	30mm	54	50	21	62
60550031	31mm	54	51	21	62
60550032	32mm	54	52	22	62
60550033	33mm	54	53	22	62
60550034	34mm	54	55	22	62
60550035	35mm	54	56	22	65
60550036	36mm	54	57	25	67
60550037	37mm	54	59	25	67
60550038	38mm	54	60	25	67
60550039	39mm	54	61	25	70
60550040	40mm	54	62	25	70
60550041	41mm	54	63	27	70
60550042	42mm	54	65	27	74
60550043	43mm	54	66	27	74
60550044	44mm	54	67	27	74
60550045	45mm	54	68	27	74






1"

Impact Sockets

重工型气动套筒，六角

6-Point Sockets

Order No.	size	D2 mm	D1 mm	L2 mm	L mm
60550046	46mm	54	70	30	76
60550047	47mm	54	71.5	32	76
60550048	48mm	54	72.5	32	76
60550050	50mm	54	75	35	80
60550051	51mm	54	76	35	80
60550052	52mm	54	77	35	84
60550053	53mm	54	78	35	84
60550054	54mm	54	80	35	84
60550055	55mm	54	81	35	84
60550056	56mm	54	82	40	84
60550057	57mm	54	84	40	84
60550058	58mm	54	85	40	87
60550060	60mm	54	87	42	87
60550062	62mm	54	89	42	87
60550063	63mm	54	90	42	87
60550065	65mm	54	93	42	90
60550067	67mm	54	96	42	92
60550070	70mm	54	100	42	96
60550075	75mm	86	106	45	98
60550076	76mm	86	107	48	100
60550077	77mm	86	109	48	100
60550078	78mm	86	110	48	100
60550080	80mm	86	112	48	100
60550085	85mm	86	118	52	105
60550090	90mm	86	125	52	105
60550095	95mm	86	131	52	115
60550100	100mm	95	137	58	115
60550105	105mm	95	143	58	115
60550110	110mm	95	149	60	115
60550115	115mm	95	155	62	115



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



1"


Impact Sockets



中长型气动套筒，六角

6-Point Sockets - Semi Deep

Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
60751026	26mm	51	41	23	80
60751027	27mm	51	42	23	80
60751028	28mm	51	43	23	80
60751029	29mm	51	44	23	80
60751030	30mm	51	46	30	80
60751032	32mm	52	48	30	80
60751033	33mm	52	52	30	80
60751035	35mm	52	52	30	80
60751036	36mm	52	54	45	80
60751038	38mm	52	56	45	80
60751041	41mm	52	58	25	80





1"

Impact Sockets

加长型气动套筒，六角


6-Point Sockets - Deep

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
60052020	5/8"	51	32	16	90	★
60052022	11/16"	51	34	17	90	★
60052024	3/4"	51	36	19	90	★
60052026	13/16"	51	38	22	90	★
60052028	7/8"	51	39	22	90	★
60052030	15/16"	51	40	24	90	★
60052100	1"	51	42	25	90	★
60052102	1-1/16"	51	44	27	90	★
60052104	1-1/8"	51	46	29	90	★
60052106	1-3/16"	51	48	30	90	★
60052108	1-1/4"	51	51	32	90	★
60052110	1-5/16"	52	53	34	90	★
60052112	1-3/8"	52	54	35	90	★
60052114	1-7/16"	52	56	37	90	★
60052116	1-1/2"	52	58	38	92	★
60052118	1-9/16"	52	60	38	92	★
60052120	1-5/8"	52	61.5	38	92	★
60052122	1-11/16"	52	65	38	92	★
60052124	1-3/4"	58	66	38	92	★
60052126	1-13/16"	58	68	38	92	★
60052128	1-7/8"	58	70	38	92	★
60052130	1-15/16"	58	72	38	92	★
60052200	2"	58	74	40	95	★
60052202	2-1/16"	58	75	40	95	★
60052204	2-1/8"	58	78	40	100	★
60052206	2-3/16"	62	80	40	100	★
60052208	2-1/4"	62	84	40	100	★
60052210	2-5/16"	62	86	40	105	★
60052212	2-3/8"	62	87	42	105	★
60052214	2-7/16"	62	89	42	110	★
60052216	2-1/2"	62	91	42	110	★
60052218	2-9/16"	62	93	42	125	★
60052220	2-5/8"	62	95	42	125	★
60052222	2-11/16"	62	97	42	125	★
60052224	2-3/4"	62	100	42	125	★
60052226	2-13/16"	62	102	45	125	★
60052228	2-7/8"	86	104	45	125	★
60052230	2-15/16"	86	105	45	135	★
60052300	3"	86	107	48	135	★
60052304	3-1/8"	86	111	48	135	★
60052308	3-1/4"	86	115	48	135	★
60052312	3-3/8"	86	119	52	140	★
60052316	3-1/2"	86	124	52	140	★
60052320	3-5/8"	86	127	52	140	★
60052324	3-3/4"	86	131	52	140	★
60052328	3-7/8"	86	135	58	140	★
60052400	4"	86	139	58	155	★
60052404	4-1/8"	95	143	58	155	★
60052408	4-1/4"	95	147	60	155	★
60052416	4-1/2"	95	154	62	155	★

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.





1"


Impact Sockets



加长型气动套筒，六角

6-Point Sockets - Deep

Order No.	size	D2 mm	D1 mm	L2 mm	L mm
60552016	16mm	54	32	16	100
60552017	17mm	54	34	17	100
60552018	18mm	54	35	18	100
60552019	19mm	54	36	19	100
60552020	20mm	54	37	20	100
60552021	21mm	54	38	21	100
60552022	22mm	54	40	22	100
60552023	23mm	54	41	23	100
60552024	24mm	54	42	24	100
60552025	25mm	54	43	25	100
60552026	26mm	54	44.5	26	100
60552027	27mm	54	46	27	100
60552028	28mm	54	47	28	100
60552029	29mm	54	48	29	100
60552030	30mm	54	50	30	100
60552031	31mm	54	51	31	100
60552032	32mm	54	52	32	100
60552033	33mm	54	53	33	100
60552034	34mm	54	55	34	100
60552035	35mm	54	56	35	100
60552036	36mm	54	57	36	100
60552037	37mm	54	59	37	100
60552038	38mm	54	60	38	100
60552039	39mm	54	61	38	100
60552040	40mm	54	62	38	100
60552041	41mm	54	63	38	100
60552042	42mm	54	65	38	100
60552043	43mm	54	66	38	100
60552044	44mm	54	67	38	100
60552045	45mm	54	68	38	100






1"

Impact Sockets

加长型气动套筒，六角

6-Point Sockets - Deep

Order No.	size	D2 mm	D1 mm	L2 mm	L mm
60552046	46mm	54	70	38	100
60552047	47mm	54	71.5	38	100
60552048	48mm	54	72.5	38	100
60552050	50mm	54	75	38	100
60552051	51mm	54	76	40	100
60552052	52mm	54	77	40	100
60552053	53mm	54	78	40	100
60552054	54mm	54	80	40	100
60552055	55mm	54	81	40	100
60552056	56mm	54	82	40	105
60552057	57mm	54	84	40	105
60552058	58mm	54	85	40	105
60552060	60mm	54	87	42	120
60552062	62mm	54	89	42	120
60552063	63mm	54	90	42	120
60552065	65mm	54	93	42	125
60552067	67mm	54	96	42	125
60552070	70mm	54	100	42	125
60552075	75mm	86	106	45	135
60552076	76mm	86	107	48	135
60552077	77mm	86	109	48	135
60552078	78mm	86	110	48	135
60552080	80mm	86	112	48	135
60552085	85mm	86	118	52	140
60552090	90mm	86	125	52	140
60552095	95mm	86	131	52	140
60552100	100mm	95	137	58	140
60552105	105mm	95	143	58	155
60552110	110mm	95	149	60	155
60552115	115mm	95	155	62	155



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.




1-1/2"

Impact Sockets



标准型气动套筒，六角

6-Point Sockets



Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
60460106	1-3/16"	86	56	21	78	★
60460108	1-1/4"	86	58	22	78	★
60460110	1-5/16"	86	60	22	78	★
60460112	1-3/8"	86	64	22	78	★
60460114	1-7/16"	86	64	24	78	★
60460116	1-1/2"	86	66	26	80	★
60460118	1-9/16"	86	68	28	80	★
60460120	1-5/8"	86	70	28	80	★
60460122	1-11/16"	86	73	28	82	★
60460124	1-3/4"	86	75	30	84	★
60460126	1-13/16"	86	76	30	84	★
60460128	1-7/8"	86	78	32	87	★
60460130	1-15/16"	86	80	32	87	★
60460200	2"	86	82	32	87	★
60460202	2-1/16"	86	83	34	87	★
60460204	2-1/8"	86	86	37	90	★
60460206	2-3/16"	86	88	37	90	★
60460208	2-1/4"	86	90	39	95	★
60460210	2-5/16"	86	93	39	95	★
60460212	2-3/8"	86	94	39	95	★
60460214	2-7/16"	86	96	42	100	★
60460216	2-1/2"	86	98	42	100	★
60460218	2-9/16"	86	100	42	100	★
60460220	2-5/8"	86	102	46	105	★
60460222	2-11/16"	86	104	46	105	★
60460224	2-3/4"	86	106	46	105	★
60460226	2-13/16"	86	108	49	108	★
60460228	2-7/8"	86	110	49	108	★
60460230	2-15/16"	86	112	49	108	★
60460300	3"	86	113	49	108	★
60460302	3-1/16"	86	115	53	115	★
60460304	3-1/8"	86	118	53	115	★

★: 特殊品项, 最小订购量/交货期需确认。





1-1/2"


Impact Sockets

标准型气动套筒，六角

6-Point Sockets

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
60460306	3-3/16"	86	120	53	115	★
60460308	3-1/4"	86	122	53	115	★
60460310	3-5/16"	86	124	56	118	★
60460312	3-3/8"	86	126	56	118	★
60460314	3-7/16"	86	128	56	118	★
60460316	3-1/2"	86	129	59	123	★
60460318	3-9/16"	86	131	59	123	★
60460320	3-5/8"	86	133	59	123	★
60460322	3-11/16"	86	135	61	123	★
60460324	3-3/4"	95	137	61	123	★
60460326	3-13/16"	95	137	65	130	★
60460328	3-7/8"	95	144	65	130	★
60460330	3-15/16"	95	144	65	130	★
60460400	4"	95	147	65	130	★
60460402	4-1/16"	95	147	68	130	★
60460404	4-1/8"	95	154	68	130	★
60460406	4-3/16"	95	154	68	130	★
60460408	4-1/4"	95	154	72	135	★
60460410	4-5/16"	95	157	72	135	★
60460412	4-3/8"	95	157	72	135	★
60460414	4-7/16"	95	157	72	135	★
60460416	4-1/2"	95	164	77	140	★
60460420	4-5/8"	95	164	77	140	★
60460424	4-3/4"	95	167	77	140	★
60460428	4-7/8"	127	174	77	140	★
60460500	5"	127	177	80	145	★
60460504	5-1/8"	127	184	80	145	★
60460508	5-1/4"	127	187	85	150	★
60460512	5-3/8"	127	194	85	150	★
60460516	5-1/2"	127	197	90	160	★
60460600	6"	127	214	90	165	★
60460616	6-1/2"	127	227	95	175	★

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



1-1/2"


Impact Sockets



标准型气动套筒，六角

6-Point Sockets

Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
60560030	30mm	86	56	21	78
60560032	32mm	86	58	22	78
60560033	33mm	86	60	22	78
60560034	34mm	86	61	22	78
60560035	35mm	86	64	22	78
60560036	36mm	86	64	24	78
60560037	37mm	86	65	24	78
60560038	38mm	86	66	26	80
60560040	40mm	86	68	28	80
60560041	41mm	86	70	28	80
60560042	42mm	86	71	28	82
60560043	43mm	86	73	28	82
60560045	45mm	86	75	30	84
60560046	46mm	86	76	30	84
60560047	47mm	86	77	32	87
60560048	48mm	86	79	32	87
60560050	50mm	86	81	32	87
60560052	52mm	86	83	34	87
60560054	54mm	86	86	37	90
60560055	55mm	86	87	37	90
60560056	56mm	86	88	37	92
60560058	58mm	86	92	39	95
60560060	60mm	86	94	39	95
60560061	61mm	86	95	42	100
60560062	62mm	86	96	42	100
60560063	63mm	86	97	42	100
60560065	65mm	86	100	42	100
60560068	68mm	86	104	46	105






1-1/2"

Impact Sockets

标准型气动套筒，六角

6-Point Sockets



Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
60560070	70mm	86	106	46	105
60560072	72mm	86	108	49	108
60560073	73mm	86	110	49	108
60560075	75mm	86	112	49	108
60560076	76mm	86	113	49	108
60560077	77mm	86	114	49	108
60560078	78mm	86	115	53	115
60560080	80mm	86	119	53	115
60560085	85mm	86	125	56	118
60560088	88mm	86	128	56	118
60560090	90mm	86	131	59	123
60560095	95mm	95	137	61	123
60560100	100mm	95	144	65	130
60560105	105mm	95	154	68	130
60560110	110mm	95	157	72	135
60560115	115mm	95	164	77	140
60560120	120mm	95	167	77	140
60560125	125mm	127	174	77	140
60560130	130mm	127	184	80	145
60560135	135mm	127	194	85	150
60560140	140mm	127	197	90	160
60560145	145mm	127	204	90	160
60560150	150mm	127	207	90	165
60560155	155mm	127	214	90	165
60560160	160mm	127	224	90	170
60560165	165mm	127	227	95	175
60560170	170mm	127	234	95	180
60560175	175mm	127	244	100	185
60560185	185mm	127	254	100	190

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.




1-1/2"

Impact Sockets



加长型气动套筒，六角

6-Point Sockets - Deep



Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
60462112	1-3/8"	86	64	22	115	★
60462114	1-7/16"	86	64	24	115	★
60462116	1-1/2"	86	66	26	115	★
60462118	1-9/16"	86	68	28	115	★
60462120	1-5/8"	86	70	28	115	★
60462122	1-11/16"	86	73	28	115	★
60462124	1-3/4"	86	75	30	115	★
60462126	1-13/16"	86	76	30	115	★
60462128	1-7/8"	86	78	32	115	★
60462130	1-15/16"	86	80	32	115	★
60462200	2"	86	82	34	135	★
60462202	2-1/16"	86	83	34	140	★
60462204	2-1/8"	86	86	37	140	★
60462206	2-3/16"	86	88	37	140	★
60462208	2-1/4"	86	90	39	150	★
60462210	2-5/16"	86	93	39	150	★
60462212	2-3/8"	86	94	39	150	★
60462214	2-7/16"	86	96	42	150	★
60462216	2-1/2"	86	98	42	150	★
60462218	2-9/16"	86	100	42	150	★
60462220	2-5/8"	86	102	46	150	★
60462222	2-11/16"	86	104	46	150	★
60462224	2-3/4"	86	106	46	160	★
60462226	2-13/16"	86	108	49	160	★
60462228	2-7/8"	86	110	49	160	★
60462230	2-15/16"	86	112	49	170	★

★: 特殊品项, 最小订购量/交货期需确认。



注意: 请使用时穿戴好相应防护措施, 不要在没有任何防护情况下使用。




1-1/2"

Impact Sockets

加长型气动套筒，六角

6-Point Sockets - Deep



Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
60462300	3"	86	113	49	170	★
60462302	3-1/16"	86	115	53	170	★
60462304	3-1/8"	86	118	53	170	★
60462306	3-3/16"	86	120	53	170	★
60462308	3-1/4"	86	122	53	170	★
60462310	3-5/16"	86	124	56	170	★
60462312	3-3/8"	86	126	56	170	★
60462314	3-7/16"	86	128	56	170	★
60462316	3-1/2"	86	129	59	170	★
60462318	3-9/16"	86	131	59	170	★
60462320	3-5/8"	86	133	59	170	★
60462322	3-11/16"	86	135	61	170	★
60462324	3-3/4"	95	137	61	180	★
60462326	3-13/16"	95	137	65	180	★
60462328	3-7/8"	95	144	65	180	★
60462330	3-15/16"	95	144	65	190	★
60462400	4"	95	147	65	190	★
60462402	4-1/16"	95	147	68	190	★
60462404	4-1/8"	95	154	68	190	★
60462406	4-3/16"	95	154	68	190	★
60462408	4-1/4"	95	154	72	190	★
60462410	4-5/16"	95	157	72	200	★
60462412	4-3/8"	95	157	72	200	★
60462414	4-7/16"	95	157	72	200	★
60462416	4-1/2"	95	164	77	210	★
60462420	4-5/8"	95	164	77	210	★
60462424	4-3/4"	95	167	77	210	★

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.




1-1/2"

Impact Sockets



加长型气动套筒，六角

6-Point Sockets - Deep



Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
60562035	35mm	86	64	22	115	★
60562036	36mm	86	64	24	115	★
60562037	37mm	86	65	24	115	★
60562038	38mm	86	66	26	115	★
60562040	40mm	86	68	28	115	★
60562041	41mm	86	70	28	115	★
60562042	42mm	86	71	28	115	★
60562043	43mm	86	73	28	115	★
60562045	45mm	86	75	30	115	★
60562046	46mm	86	76	30	115	★
60562047	47mm	86	77	32	115	★
60562048	48mm	86	79	32	115	★
60562050	50mm	86	81	34	135	★
60562052	52mm	86	83	34	140	★
60562054	54mm	86	86	37	140	★
60562055	55mm	86	87	37	140	★
60562056	56mm	86	88	37	140	★
60562057	57mm	86	90	39	150	★
60562058	58mm	86	92	39	150	★
60562060	60mm	86	94	39	150	★
60562062	62mm	86	96	42	150	★
60562063	63mm	86	97	42	150	★
60562065	65mm	86	100	42	150	★
60562068	68mm	86	104	46	150	★
60562070	70mm	86	106	46	160	★
60562072	72mm	86	108	49	160	★
60562073	73mm	86	110	49	160	★
60562075	75mm	86	112	49	170	★
60562076	76mm	86	113	49	170	★
60562077	77mm	86	114	53	170	★
60562078	78mm	86	115	53	170	★
60562080	80mm	86	119	53	170	★
60562085	85mm	86	125	56	170	★
60562090	90mm	86	131	59	170	★
60562095	95mm	95	137	61	180	★
60562100	100mm	95	144	65	190	★
60562105	105mm	95	154	68	190	★
60562110	110mm	95	157	72	200	★
60562115	115mm	95	164	77	210	★
60562120	120mm	95	167	77	210	★
60562125	125mm	127	174	77	210	★

★：特殊品项，最小订购量/交货期需确认。




2-1/2"

Impact Sockets

标准型气动套筒，六角

6-Point Sockets

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
60481200	2"	127	87	32	120	★
60481202	2-1/16"	127	89	32	120	★
60481204	2-1/8"	127	91	32	120	★
60481206	2-3/16"	127	93	35	120	★
60481208	2-1/4"	127	95	35	125	★
60481210	2-5/16"	127	97	37	125	★
60481212	2-3/8"	127	99	37	125	★
60481214	2-7/16"	127	101	37	125	★
60481216	2-1/2"	127	103	37	125	★
60481218	2-9/16"	127	105	40	130	★
60481220	2-5/8"	127	107	40	130	★
60481222	2-11/16"	127	108	40	130	★
60481224	2-3/4"	127	110	40	130	★
60481226	2-13/16"	127	113	42	130	★
60481228	2-7/8"	127	115	42	130	★
60481230	2-15/16"	127	118	42	140	★
60481300	3"	127	120	45	140	★
60481304	3-1/8"	127	124	45	140	★
60481308	3-1/4"	127	127	45	140	★
60481312	3-3/8"	127	131	52	140	★
60481314	3-7/16"	127	133	52	140	★
60481316	3-1/2"	127	135	52	140	★
60481320	3-5/8"	127	139	52	145	★
60481324	3-3/4"	127	143	52	145	★
60481328	3-7/8"	127	147	58	150	★
60481400	4"	127	151	58	150	★
60481404	4-1/8"	127	155	58	155	★
60481408	4-1/4"	127	159	60	160	★
60481412	4-3/8"	127	163	62	165	★
60481416	4-1/2"	127	167	62	165	★
60481420	4-5/8"	127	172	67	170	★
60481424	4-3/4"	127	176	67	170	★
60481428	4-7/8"	127	184	72	175	★
60481500	5"	127	184	72	175	★
60481504	5-1/8"	152	187	72	175	★
60481508	5-1/4"	152	194	72	175	★
60481512	5-3/8"	152	197	77	180	★
60481516	5-1/2"	152	204	77	180	★
60481520	5-5/8"	152	207	83	185	★
60481524	5-3/4"	152	214	83	185	★
60481528	5-7/8"	152	214	83	185	★
60481600	6"	152	217	83	185	★
60481604	6-1/8"	152	224	90	190	★
60481608	6-1/4"	152	227	90	190	★
60481612	6-3/8"	152	234	95	195	★
60481616	6-1/2"	152	234	95	195	★
60481620	6-5/8"	152	237	95	195	★
60481624	6-3/4"	152	244	95	195	★
60481628	6-7/8"	152	247	100	200	★
60481700	7"	152	254	100	200	★
60481704	7-1/8"	152	254	105	210	★
60481716	7-1/2"	152	264	105	210	★
60481720	7-5/8"	152	267	105	210	★
60481728	7-7/8"	152	274	110	220	★
60481800	8"	152	277	110	220	★
60481808	8-1/4"	152	284	110	220	★
60481810	8-5/16"	175	287	115	230	★
60481812	8-3/8"	175	287	115	230	★
60481816	8-1/2"	175	294	120	240	★
60481820	8-5/8"	175	297	120	240	★
60481824	8-3/4"	175	304	125	250	★
60481828	8-7/8"	175	307	125	250	★
60481900	9"	175	314	130	260	★



★: 特殊品项, 最小订购量/交货期需确认。




2-1/2"

Impact Sockets



标准型气动套筒，六角

6-Point Sockets



Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
60581060	60mm	127	99	37	125	★
60581065	65mm	127	105	40	130	★
60581070	70mm	127	110	40	130	★
60581075	75mm	127	118	42	140	★
60581077	77mm	127	122	45	140	★
60581080	80mm	127	124	45	140	★
60581085	85mm	127	130	52	140	★
60581090	90mm	127	136	52	145	★
60581095	95mm	127	143	52	145	★
60581100	100mm	127	149	58	150	★
60581105	105mm	127	155	58	155	★
60581110	110mm	127	161	60	160	★
60581115	115mm	127	167	62	165	★
60581120	120mm	127	176	67	170	★
60581125	125mm	127	184	72	175	★
60581130	130mm	152	187	72	175	★
60581135	135mm	152	194	77	180	★
60581140	140mm	152	204	77	180	★
60581145	145mm	152	207	83	185	★
60581150	150mm	152	214	83	185	★
60581155	155mm	152	224	90	190	★
60581160	160mm	152	227	90	190	★
60581165	165mm	152	234	95	195	★
60581170	170mm	152	244	95	195	★
60581175	175mm	152	247	100	200	★
60581180	180mm	152	254	100	200	★
60581185	185mm	152	257	105	210	★
60581190	190mm	152	264	105	210	★
60581200	200mm	152	274	110	220	★
60581210	210mm	152	287	110	220	★

★：特殊品项，最小订购量/交货期需确认。



Contents

Impact Sockets

气动万向头式延长杆 Wobble Extension Bars	1/4" Sq. Dr., Wobble Extension Bars 3/8" Sq. Dr., Wobble Extension Bars 1/2" Sq. Dr., Wobble Extension Bars 3/4" Sq. Dr., Wobble Extension Bars 1" Sq. Dr., Wobble Extension Bars	223 224 225 226 227
气动双头螺栓套筒 Stud Setter Sockets	3/8" Sq. Dr., Stud Setter Sockets 1/2" Sq. Dr., Stud Setter Sockets 3/4" Sq. Dr., Stud Setter Sockets	228 229 230
圆螺母专用套筒 Axial Nut Sockets	"GU" Type Axial Nut Sockets "KM" Type Axial Nut Sockets Axial Nut Sockets	231 232 233 ~ 234
特殊转换头 Bit Holders	Bit Holders Bit Holders - Magnet Bit Holders - Set Screw Bit Holders - Insert Magnet Bit Holders - Quick Releasing Chuck	235 ~ 236 237 238 239 240
快换转换头延长杆 Quick Change Adapters	Quick Change Adapters - 1/4", 3/8", 1/2", 3/4", 1" Dr.,	241
快换接头延长杆 Quick Change Extension Bars	Quick Change Extension Bars - 1/4", 3/8", 1/2", 3/4", 1" Dr.,	242
起子转换头延长杆 Hex Extensions	1/4" Sq. Dr., Hex Extensions 3/8" Sq. Dr., Hex Extensions 1/2" Sq. Dr., Hex Extensions	243 ~ 244 245 ~ 246 247 ~ 248
气动起子套筒 Hex Bit & Sockets	6.3mm - 1/4" Hex Bit Sockets 6.3mm - 1/4" Hex Bit Sockets - Magnet 6.3mm - 1/4" Hex Bit Sockets - Slide Magnet 11mm - 7/16" Hex 6-Point Bit Sockets 11mm - 7/16" Hex 12-Point Bit Sockets 11mm - 7/16" Hex Bit 16mm - 5/8" Hex Bit 22mm - 7/8" Hex Bit	249 ~ 251 252 ~ 254 255 ~ 256 257 ~ 258 259 ~ 260 261 ~ 262 263 ~ 264 265 ~ 268
套筒组合 Impact Socket Sets	Sockets Sets Universal Socket Sets Wheel Nut Socket Sets Hex Driver Sets Internal Torx Driver Sets External Torx Socket Sets	269 ~ 271 272 ~ 273 274 ~ 278 279 ~ 282 283 ~ 285 286
插销-O型环 Pin & O - Ring	Pin & O - Ring	287 ~ 288 289
手动工具 Hand Tools	Hand Tools Torque Multiplier	290 ~ 292

- 1、本目录2013年1月制定完成。
- 2、“★”特殊品项，最小订购量/交货期需确认。
- 3、事先声明，样本中登载的产品内容今后有可能随着不断的研究、开发、改良而改变相关数据，有些产品会被取代，请以实物为准，最终解释权归霹雳马国际贸易（上海）有限公司所有。



#5 Spline


Impact Sockets

5#花键套筒，六角

6-Point Sockets

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
67000028	7/8"	55	44	24	80	★
67000030	15/16"	55	44	24	80	★
67000100	1"	55	46	24	80	★
67000102	1-1/16"	55	48	24	80	★
67000104	1-1/8"	55	48	24	80	★
67000106	1-3/16"	55	51	24	80	★
67000108	1-1/4"	55	55	24	80	★
67000110	1-5/16"	55	55	24	80	★
67000112	1-3/8"	55	57	24	80	★
67000114	1-7/16"	55	60	24	80	★
67000116	1-1/2"	55	60	24	80	★
67000118	1-9/16"	55	67	24	80	★
67000120	1-5/8"	55	67	24	80	★
67000122	1-11/16"	55	67	30	80	★
67000124	1-3/4"	65	73	38	98	★
67000126	1-13/16"	65	73	38	98	★
67000128	1-7/8"	65	73	38	98	★
67000130	1-15/16"	65	73	38	98	★
67000200	2"	65	79	38	98	★
67000202	2-1/16"	65	79	38	98	★
67000204	2-1/8"	65	79	38	98	★
67000206	2-3/16"	65	83	38	98	★
67000208	2-1/4"	65	86	46	106	★
67000210	2-5/16"	65	86	46	106	★
67000212	2-3/8"	65	86	46	106	★
67000214	2-7/16"	65	86	46	117	★
67000216	2-1/2"	86	99	57	117	★
67000218	2-9/16"	86	99	57	117	★
67000220	2-5/8"	86	99	57	117	★
67000224	2-3/4"	86	99	57	117	★
67000226	2-13/16"	86	105	57	117	★
67000228	2-7/8"	86	105	57	117	★
67000230	2-15/16"	86	105	57	117	★
67000300	3"	86	111	75	135	★
67000304	3-1/8"	86	111	75	135	★

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.




#5 Spline

Impact Sockets



5#花键套筒，六角

6-Point Sockets



Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
67005022	22mm	55	44	24	80	★
67005024	24mm	55	44	24	80	★
67005025	25mm	55	46	24	80	★
67005027	27mm	55	48	24	80	★
67005029	29mm	55	48	24	80	★
67005030	30mm	55	51	24	80	★
67005032	32mm	55	55	24	80	★
67005033	33mm	55	55	24	80	★
67005035	35mm	55	57	24	80	★
67005037	37mm	55	60	24	80	★
67005038	38mm	55	60	24	80	★
67005040	40mm	55	67	24	80	★
67005041	41mm	55	67	24	80	★
67005043	43mm	55	67	30	80	★
67005045	45mm	65	73	38	98	★
67005046	46mm	65	73	38	98	★
67005048	48mm	65	73	38	98	★
67005050	50mm	65	75	38	98	★
67005051	51mm	65	79	38	98	★
67005053	53mm	65	79	38	98	★
67005054	54mm	65	79	38	98	★
67005056	56mm	65	83	38	98	★
67005057	57mm	65	86	46	106	★
67005059	59mm	65	86	46	106	★
67005030	60mm	65	86	46	106	★
67005062	62mm	65	86	46	106	★
67005064	64mm	86	99	57	117	★
67005065	65mm	86	99	57	117	★
67005067	67mm	86	99	57	117	★
67005070	70mm	86	99	57	117	★
67005072	72mm	86	105	57	117	★
67005075	75mm	86	105	57	117	★
67005076	76mm	86	111	75	135	★
67005080	80mm	86	111	75	135	★

★: 特殊品项, 最小订购量/交货期需确认。



注意: 请使用时穿戴好相应防护措施, 不要在没有任何防护情况下使用。




3/8"

Impact Sockets

标准型气动套筒，十二角

12-Point Sockets



Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
65810008	1/4"	19	11	5	30	★
65810010	5/16"	19	13	6	30	★
65810012	3/8"	19	15	6	30	★
65810014	7/16"	19	17.5	8	30	★
65810016	1/2"	20	20	9	30	★
65810018	9/16"	22	21.5	11	32	★
65810020	5/8"	22	24	11	32	★
65810022	11/16"	22	25.5	11	32	★
65810024	3/4"	22	27.5	13	34	★
65810026	13/16"	22	30	15	34	★
65810028	7/8"	23	32	15	34	★
65810030	15/16"	23	34	16	34	★
65810100	1"	23	35.5	16	36	★
65810102	1-1/16"	23	38	16	36	★
65815006	6mm	19	11	5	30	
65815007	7mm	19	12	5	30	
65815008	8mm	19	13	6	30	
65815009	9mm	19	15	6	30	
65815010	10mm	19	16.5	7	30	
65815011	11mm	19	17.5	8	30	
65815012	12mm	20	19	9	30	
65815013	13mm	22	20	9	30	
65815014	14mm	22	21.5	11	32	
65815015	15mm	22	22	11	32	
65815016	16mm	22	24	11	32	
65815017	17mm	22	25	11	32	
65815018	18mm	22	26	13	34	
65815019	19mm	22	27.5	13	34	
65815020	20mm	22	28	13	34	
65815021	21mm	22	30	15	34	
65815022	22mm	23	32	15	34	
65815023	23mm	23	33	15	34	
65815024	24mm	23	34	16	34	
65815025	25mm	23	35	16	36	
65815026	26mm	23	36	16	36	
65815027	27mm	23	38	16	36	

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



3/8"

Impact Sockets




加长型气动套筒，十二角

12-Point Sockets - Deep

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
65813008	1/4"	19	11	4	55	★
65813010	5/16"	19	13	4	55	★
65813012	3/8"	19	15	5	55	★
65813014	7/16"	19	17.5	6	55	★
65813016	1/2"	20	20	6	55	★
65813018	9/16"	22	21.5	7	55	★
65813020	5/8"	22	24	7	55	★
65813022	11/16"	22	25.5	7	55	★
65813024	3/4"	22	27.5	8	55	★
65812008	1/4"	19	11	5	63	★
65812010	5/16"	19	13	6	63	★
65812012	3/8"	19	15	6	65	★
65812014	7/16"	19	17.5	8	65	★
65812016	1/2"	20	20	9	65	★
65812018	9/16"	22	21.5	11	65	★
65812020	5/8"	22	24	11	65	★
65812022	11/16"	22	25.5	11	65	★
65812024	3/4"	22	27.5	13	65	★
65812026	13/16"	22	30	15	65	★
65812028	7/8"	23	32	15	65	★
65812030	15/16"	23	34	16	65	★
65812100	1"	23	35.5	16	65	★
65812102	1"-1/16"	23	38	16	65	★

★: 特殊品项，最小订购量/交货期需确认。





3/8"


Impact Sockets

加长型气动套筒，十二角

12-Point Sockets - Deep

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
65818006	6mm	19	11	4	55	★
65818007	7mm	19	12	4	55	★
65818008	8mm	19	13	4	55	★
65818009	9mm	19	15	5	55	★
65818010	10mm	19	16.5	5	55	★
65818011	11mm	19	17.5	6	55	★
65818012	12mm	19	19	6	55	★
65818013	13mm	22	20	6	55	★
65818014	14mm	22	21.5	7	55	★
65818015	15mm	22	22	7	55	★
65818016	16mm	22	24	7	55	★
65818017	17mm	22	25	7	55	★
65818018	18mm	22	26	8	55	★
65818019	19mm	22	27.5	8	55	★
65817006	6mm	19	11	5	63	★
65817007	7mm	19	12	5	63	★
65817008	8mm	19	13	6	63	★
65817009	9mm	19	15	6	65	★
65817010	10mm	19	16.5	7	65	★
65817011	11mm	19	17.5	8	65	★
65817012	12mm	20	19	9	65	★
65817013	13mm	22	20	9	65	★
65817014	14mm	22	21.5	11	65	★
65817015	15mm	22	22	11	65	★
65817016	16mm	22	24	11	65	★
65817017	17mm	22	25	11	65	★
65817018	18mm	22	26	13	65	★
65817019	19mm	22	27.5	13	65	★
65817020	20mm	22	28	13	65	★
65817021	21mm	22	30	15	65	★
65817022	22mm	23	32	15	65	★
65817023	23mm	23	33	15	65	★
65817024	24mm	23	34	16	65	★
65817025	25mm	23	35	16	65	★
65817026	26mm	23	36	16	65	★
65817027	27mm	23	38	16	65	★

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.




1/2"

Impact Sockets



标准型气动套筒，十二角

12-Point Sockets



Order No.	size	D2 mm	D1 mm	L2 mm	L mm
63820008	1/4"	25	13	5	38
63820010	5/16"	25	15	6	38
63820012	3/8"	25	17	6	38
63820014	7/16"	25	19	8	38
63820016	1/2"	25	21	9	38
63820018	9/16"	25	22.5	11	38
63820020	5/8"	28	25	11	38
63820022	11/16"	30	27	11	38
63820024	3/4"	30	29	13	40
63820026	13/16"	30	31	15	40
63820028	7/8"	30	32.5	15	40
63820030	15/16"	30	35	18	45
63820100	1"	30	37	18	45
63820102	1-1/16"	30	39	19	50
63820104	1-1/8"	30	41	19	50
63820106	1-3/16"	30	42.5	21	50
63820108	1-1/4"	30	45	22	50
63820110	1-5/16"	30	46.5	22	50
63820112	1-3/8"	30	49.5	22	50
63820114	1-7/16"	30	51	24	50
63820116	1-1/2"	38	53	24	50
63820118	1-9/16"	44	56	24	60
63820120	1-5/8"	44	58.5	27	60
63820122	1-11/16"	44	61	27	60
63820124	1-3/4"	44	63	27	60
63820126	1-13/16"	44	65	30	70
63820128	1-7/8"	44	67.5	30	70
63820130	1-15/16"	44	69	30	70
63820200	2"	52	71	32	70
63820202	2-1/16"	52	72.5	32	70
63820204	2-1/8"	52	75	32	70
63820206	2-3/16"	52	76.5	35	70
63820208	2-1/4"	52	78	35	70

★: 特殊品项, 最小订购量/交货期需确认。



注意: 请使用时穿戴好相应防护措施, 不要在任何防护情况下使用。



1/2"


Impact Sockets

标准型气动套筒，十二角

12-Point Sockets

Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
63825006	6mm	25	13	5	38
63825007	7mm	25	14	5	38
63825008	8mm	25	15	6	38
63825009	9mm	25	16	6	38
63825010	10mm	25	17.5	7	38
63825011	11mm	25	19	8	38
63825012	12mm	25	20	9	38
63825013	13mm	25	21	9	38
63825014	14mm	25	22.5	11	38
63825015	15mm	30	23.5	11	38
63825016	16mm	30	25	11	38
63825017	17mm	30	26.5	11	38
63825018	18mm	30	27.5	13	40
63825019	19mm	30	29	13	40
63825020	20mm	30	30	13	40
63825021	21mm	30	31	15	40
63825022	22mm	30	32.5	15	40
63825023	23mm	30	34	15	40
63825024	24mm	30	35	18	45
63825025	25mm	30	36	18	45
63825026	26mm	30	38	18	50
63825027	27mm	30	39	19	50
63825028	28mm	30	40	19	50
63825029	29mm	30	41	19	50
63825030	30mm	30	42.5	21	50
63825031	31mm	30	44	21	50
63825032	32mm	30	45	22	50
63825033	33mm	30	46.5	22	50
63825034	34mm	30	48	22	50
63825035	35mm	30	49.5	22	50
63825036	36mm	30	50.5	24	50
63825038	38mm	38	53	24	50
63825040	40mm	44	56	24	60
63825041	41mm	44	58.5	27	60
63825042	42mm	44	60	27	60
63825043	43mm	44	61	27	60
63825044	44mm	44	63	27	60
63825045	45mm	44	64	27	60
63825046	46mm	44	65	30	70
63825047	47mm	44	66.5	30	70
63825048	48mm	44	68	30	70
63825050	50mm	52	70	32	70
63825052	52mm	52	72.5	32	70
63825054	54mm	52	75	32	70
63825055	55mm	52	76	35	70

★：特殊品项，最小订购量/交货期需确认。





1/2"

Impact Sockets




加长型气动套筒，十二角

12-Point Socket, Deep

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
65822008	1/4"	25	13	5	83	★
65822010	5/16"	25	15	6	83	★
65822012	3/8"	25	17	6	83	★
65822014	7/16"	25	19	8	83	★
65822016	1/2"	25	21	9	83	★
65822018	9/16"	25	22.5	11	83	★
65822020	5/8"	28	25	11	83	★
65822022	11/16"	30	27	11	83	★
65822024	3/4"	30	29	13	83	★
65822026	13/16"	30	31	15	83	★
65822028	7/8"	30	32.5	15	90	★
65822030	15/16"	30	35	18	90	★
65822100	1"	30	37	18	90	★
65822102	1-1/16"	30	39	19	90	★
65822104	1-1/8"	30	41	19	90	★
65822106	1-3/16"	30	42.5	21	90	★
65822108	1-1/4"	30	45	22	90	★
65822110	1-5/16"	30	46.5	22	90	★
65822112	1-3/8"	30	49.5	22	90	★
65822114	1-7/16"	30	51	24	90	★
65822116	1-1/2"	38	53	24	90	★
65822118	1-9/16"	44	56	58	93	★
65822120	1-5/8"	44	58.5	58	93	★
65822122	1-11/16"	44	61	58	93	★
65822124	1-3/4"	44	63	58	93	★
65822126	1-13/16"	44	65	58	93	★
65822128	1-7/8"	44	67.5	58	93	★
65822130	1-15/16"	44	69	58	93	★
65822200	2"	52	71	58	93	★
65822202	2-1/16"	52	72.5	58	93	★
65822204	2-1/8"	52	75	58	93	★
65822206	2-3/16"	52	76.5	58	93	★
65822208	2-1/4"	52	78	58	93	★

★: 特殊品项, 最小订购量/交货期需确认。






1/2"

Impact Sockets

加长型气动套筒，十二角

12-Point Socket, Deep



Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
65827006	6mm	25	13	5	83	★
65827007	7mm	25	14	5	83	★
65827008	8mm	25	15	6	83	★
65827009	9mm	25	16	6	83	★
65827010	10mm	25	17.5	7	83	★
65827011	11mm	25	19	8	83	★
65827012	12mm	25	20	9	83	★
65827013	13mm	25	21	9	83	★
65827014	14mm	25	22.5	11	83	★
65827015	15mm	30	23.5	11	83	★
65827016	16mm	30	25	11	83	★
65827017	17mm	30	26.5	11	83	★
65827018	18mm	30	27.5	13	83	★
65827019	19mm	30	29	13	83	★
65827020	20mm	30	30	13	83	★
65827021	21mm	30	31	15	83	★
65827022	22mm	30	32.5	15	90	★
65827023	23mm	30	34	15	90	★
65827024	24mm	30	35	18	90	★
65827025	25mm	30	36	18	90	★
65827026	26mm	30	38	18	90	★
65827027	27mm	30	39	19	90	★
65827028	28mm	30	40	19	90	★
65827029	29mm	30	41	19	90	★
65827030	30mm	30	42.5	21	90	★
65827031	31mm	30	44	21	90	★
65827032	32mm	30	45	22	90	★
65827033	33mm	30	46.5	22	90	★
65827034	34mm	30	48	22	90	★
65827035	35mm	30	49.5	22	90	★
65827036	36mm	30	50.5	24	90	★
65827038	38mm	38	53	24	90	★
65827040	40mm	44	56	58	93	★
65827041	41mm	44	58.5	58	93	★
65827042	42mm	44	60	58	93	★
65827043	43mm	44	61	58	93	★
65827044	44mm	44	63	58	93	★
65827045	45mm	44	64	58	93	★
65827046	46mm	44	65	58	93	★
65827047	47mm	44	66.5	58	93	★
65827048	48mm	44	68	58	93	★
65827050	50mm	52	70	58	93	★
65827052	52mm	52	72.5	58	93	★
65827054	54mm	52	75	58	93	★
65827055	55mm	52	76	58	93	★

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



1/2"

Impact Sockets



接杆式气动长套筒，十二角

12-Point Sockets - Extended Length

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
65A21010	5/16"	25	15	10	125	★
65A21012	3/8"	25	17.5	12	125	★
65A21014	7/16"	25	18.5	12	125	★
65A21016	1/2"	25	21	12	125	★
65A21018	9/16"	25	22.5	12	125	★
65A21020	5/8"	28	25	13	125	★
65A21022	11/16"	30	27.5	13	125	★
65A21024	3/4"	30	28.5	13	125	★
65A21026	13/16"	30	31	13	125	★
65A21028	7/8"	30	32	14	125	★
65A21030	15/16"	30	35	15	125	★
65A21100	1"	30	38	16	125	★
65A21102	1-1/16"	30	38.5	17	125	★
65A22010	5/16"	25	15	10	150	★
65A22012	3/8"	25	17.5	12	150	★
65A22014	7/16"	25	18.5	12	150	★
65A22016	1/2"	25	21	12	150	★
65A22018	9/16"	25	22.5	12	150	★
65A22020	5/8"	28	25	13	150	★
65A22022	11/16"	30	27.5	13	150	★
65A22024	3/4"	30	28.5	13	150	★
65A22026	13/16"	30	31	13	150	★
65A22028	7/8"	30	32	14	150	★
65A22030	15/16"	30	35	15	150	★
65A22100	1"	30	38	16	150	★
65A22102	1-1/16"	30	38.5	17	150	★
65A23010	5/16"	25	15	10	175	★
65A23012	3/8"	25	17.5	12	175	★
65A23014	7/16"	25	18.5	12	175	★
65A23016	1/2"	25	21	12	175	★
65A23018	9/16"	25	22.5	12	175	★
65A23020	5/8"	28	25	13	175	★
65A23022	11/16"	30	27.5	13	175	★
65A23024	3/4"	30	28.5	13	175	★
65A23026	13/16"	30	31	13	175	★
65A23028	7/8"	30	32	14	175	★
65A23030	15/16"	30	35	15	175	★
65A23100	1"	30	38	16	175	★
65A23102	1-1/16"	30	38.5	17	175	★



★: 特殊品项, 最小订购量/交货期需确认。



注意: 请使用时穿戴好相应防护措施, 不要在没有任何防护情况下使用。



1/2"

Impact Sockets

接杆式气动长套筒，十二角

12-Point Sockets - Extended Length

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
65A24010	5/16"	25	15	10	200	★
65A24012	3/8"	25	17.5	12	200	★
65A24014	7/16"	25	18.5	12	200	★
65A24016	1/2"	25	21	12	200	★
65A24018	9/16"	25	22.5	12	200	★
65A24020	5/8"	28	25	13	200	★
65A24022	11/16"	30	27.5	13	200	★
65A24024	3/4"	30	28.5	13	200	★
65A24026	13/16"	30	31	13	200	★
65A24028	7/8"	30	32	14	200	★
65A24030	15/16"	30	35	15	200	★
65A24100	1"	30	38	16	200	★
65A24102	1-1/16"	30	38.5	17	200	★
65A25010	5/16"	25	15	10	250	★
65A25012	3/8"	25	17.5	12	250	★
65A25014	7/16"	25	18.5	12	250	★
65A25016	1/2"	25	21	12	250	★
65A25018	9/16"	25	22.5	12	250	★
65A25020	5/8"	28	25	13	250	★
65A25022	11/16"	30	27.5	13	250	★
65A25024	3/4"	30	28.5	13	250	★
65A25026	13/16"	30	31	13	250	★
65A25028	7/8"	30	32	14	250	★
65A25030	15/16"	30	35	15	250	★
65A25100	1"	30	38	16	250	★
65A25102	1-1/16"	30	38.5	17	250	★

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



1/2"

Impact Sockets



接杆式气动长套筒，十二角

12-Point Sockets - Extended Length

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
65B21008	8mm	25	15	10	125	★
65B21009	9mm	25	16	12	125	★
65B21010	10mm	25	17.5	12	125	★
65B21011	11mm	25	18.5	12	125	★
65B21012	12mm	25	20	12	125	★
65B21013	13mm	25	21	12	125	★
65B21014	14mm	25	22.5	12	125	★
65B21015	15mm	30	23.5	12	125	★
65B21016	16mm	30	25	13	125	★
65B21017	17mm	30	26	13	125	★
65B21018	18mm	30	27.5	13	125	★
65B21019	19mm	30	28.5	13	125	★
65B21020	20mm	30	30	13	125	★
65B21021	21mm	30	31	13	125	★
65B21022	22mm	30	32	14	125	★
65B21023	23mm	30	34	14	125	★
65B21024	24mm	30	35	15	125	★
65B21025	25mm	30	36	15	125	★
65B21026	26mm	30	38	16	125	★
65B21027	27mm	30	38.5	17	125	★
65B22008	8mm	25	15	10	150	★
65B22009	9mm	25	16	12	150	★
65B22010	10mm	25	17.5	12	150	★
65B22011	11mm	25	18.5	12	150	★
65B22012	12mm	25	20	12	150	★
65B22013	13mm	25	21	12	150	★
65B22014	14mm	25	22.5	12	150	★
65B22015	15mm	30	23.5	12	150	★
65B22016	16mm	30	25	13	150	★
65B22017	17mm	30	26	13	150	★
65B22018	18mm	30	27.5	13	150	★
65B22019	19mm	30	28.5	13	150	★
65B22020	20mm	30	30	13	150	★
65B22021	21mm	30	31	13	150	★
65B22022	22mm	30	32	14	150	★
65B22023	23mm	30	34	14	150	★
65B22024	24mm	30	35	15	150	★
65B22025	25mm	30	36	15	150	★
65B22026	26mm	30	38	16	150	★
65B22027	27mm	30	38.5	17	150	★



★: 特殊品项, 最小订购量/交货期需确认。



注意: 请使用时穿戴好相应防护措施, 不要在没有任何防护情况下使用。




1/2"

Impact Sockets

接杆式气动长套筒，十二角

12-Point Sockets - Extended Length

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
65B23008	8mm	25	15	10	175	★
65B23009	9mm	25	16	12	175	★
65B23010	10mm	25	17.5	12	175	★
65B23011	11mm	25	18.5	12	175	★
65B23012	12mm	25	20	12	175	★
65B23013	13mm	25	21	12	175	★
65B23014	14mm	25	22.5	12	175	★
65B23015	15mm	30	23.5	12	175	★
65B23016	16mm	30	25	13	175	★
65B23017	17mm	30	26	13	175	★
65B23018	18mm	30	27.5	13	175	★
65B23019	19mm	30	28.5	13	175	★
65B23020	20mm	30	30	13	175	★
65B23021	21mm	30	31	13	175	★
65B23022	22mm	30	32	14	175	★
65B23023	23mm	30	34	14	175	★
65B23024	24mm	30	35	15	175	★
65B23025	25mm	30	36	15	175	★
65B23026	26mm	30	38	16	175	★
65B23027	27mm	30	38.5	17	175	★
65B24008	8mm	25	15	10	200	★
65B24009	9mm	25	16	12	200	★
65B24010	10mm	25	17.5	12	200	★
65B24011	11mm	25	18.5	12	200	★
65B24012	12mm	25	20	12	200	★
65B24013	13mm	25	21	12	200	★
65B24014	14mm	25	22.5	12	200	★
65B24015	15mm	30	23.5	12	200	★
65B24016	16mm	30	25	13	200	★
65B24017	17mm	30	26	13	200	★
65B24018	18mm	30	27.5	13	200	★
65B24019	19mm	30	28.5	13	200	★
65B24020	20mm	30	30	13	200	★
65B24021	21mm	30	31	13	200	★
65B24022	22mm	30	32	14	200	★
65B24023	23mm	30	34	14	200	★
65B24024	24mm	30	35	15	200	★
65B24025	25mm	30	36	15	200	★
65B24026	26mm	30	38	16	200	★
65B24027	27mm	30	38.5	17	200	★
65B25008	8mm	25	15	10	250	★
65B25009	9mm	25	16	12	250	★
65B25010	10mm	25	17.5	12	250	★
65B25011	11mm	25	18.5	12	250	★
65B25012	12mm	25	20	12	250	★
65B25013	13mm	25	21	12	250	★
65B25014	14mm	25	22.5	12	250	★
65B25015	15mm	30	23.5	12	250	★
65B25016	16mm	30	25	13	250	★
65B25017	17mm	30	26	13	250	★
65B25018	18mm	30	27.5	13	250	★
65B25019	19mm	30	28.5	13	250	★
65B25020	20mm	30	30	13	250	★
65B25021	21mm	30	31	13	250	★
65B25022	22mm	30	32	14	250	★
65B25023	23mm	30	34	14	250	★
65B25024	24mm	30	35	15	250	★
65B25025	25mm	30	36	15	250	★
65B25026	26mm	30	38	16	250	★
65B25027	27mm	30	38.5	17	250	★



★: 特殊品项, 最小订购量/交货期需确认。




3/4"

Impact Sockets



标准型气动套筒，十二角

12-Point Sockets



Order No.	size	D2 mm	D1 mm	L2 mm	L mm
65840016	1/2"	44	24.5	9	50
65840018	9/16"	44	25.5	11	50
65840020	5/8"	44	28	11	50
65840022	11/16"	44	31.5	12	50
65840024	3/4"	44	33	13	50
65840026	13/16"	44	35	15	50
65840028	7/8"	44	37	15	50
65840030	15/16"	44	39	18	50
65840100	1"	44	41	18	50
65840102	1-1/16"	44	43	19	54
65840104	1-1/8"	44	44.5	21	54
65840106	1-3/16"	44	47	21	54
65840108	1-1/4"	44	49	22	56
65840110	1-5/16"	44	51	22	56
65840112	1-3/8"	44	53	22	56
65840114	1-7/16"	44	55	25	56
65840116	1-1/2"	44	57	25	58
65840118	1-9/16"	44	59	25	58
65840120	1-5/8"	44	61	27	58
65840122	1-11/16"	44	63.5	27	63
65840124	1-3/4"	44	64.5	27	63
65840126	1-13/16"	44	67	30	63
65840128	1-7/8"	44	68	30	68
65840130	1-15/16"	44	70	30	70
65840200	2"	54	72	32	72
65840202	2-1/16"	54	74	32	72
65840204	2-1/8"	54	77	32	72
65840206	2-3/16"	54	78.5	35	74
65840208	2-1/4"	54	80	35	74
65840210	2-5/16"	54	82	37	75
65840212	2-3/8"	54	84	37	75
65840214	2-7/16"	54	86	37	75
65840216	2-1/2"	54	88	37	75
65840218	2-9/16"	54	90	40	78
65840220	2-5/8"	54	92	40	80
65840222	2-11/16"	54	94	40	80
65840224	2-3/4"	54	96	40	80
65840226	2-13/16"	54	98	42	83
65840228	2-7/8"	54	100	42	83
65840230	2-15/16"	64	102	42	83
65840300	3"	64	104	45	85






3/4"

Impact Sockets

标准型气动套筒，十二角

12-Point Socket

Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
65845013	13mm	44	24.5	9	50
65845014	14mm	44	25.5	11	50
65845015	15mm	44	27	11	50
65845016	16mm	44	28	11	50
65845017	17mm	44	31	12	50
65845018	18mm	44	32	13	50
65845019	19mm	44	33	13	50
65845020	20mm	44	34	14	50
65845021	21mm	44	35	15	50
65845022	22mm	44	37	15	50
65845023	23mm	44	38	16	50
65845024	24mm	44	39	18	50
65845025	25mm	44	41	18	50
65845026	26mm	44	42	18	50
65845027	27mm	44	43	19	54
65845028	28mm	44	44	19	54
65845029	29mm	44	45	21	54
65845030	30mm	44	47	21	54
65845031	31mm	44	48	21	56
65845032	32mm	44	49	22	56
65845033	33mm	44	51	22	56
65845034	34mm	44	52	22	56
65845035	35mm	44	53	22	56
65845036	36mm	44	54	25	56
65845037	37mm	44	56	25	58
65845038	38mm	44	57	25	58
65845039	39mm	44	58	25	58
65845040	40mm	44	59	25	58
65845041	41mm	44	60	27	58
65845042	42mm	44	62	27	58
65845043	43mm	44	63.5	27	63
65845044	44mm	44	64.5	27	63
65845045	45mm	44	65.5	27	63
65845046	46mm	44	67	30	63
65845047	47mm	44	68	30	68
65845048	48mm	44	69	30	68
65845050	50mm	54	71	32	72
65845051	51mm	54	72	32	72
65845052	52mm	54	74	32	72
65845053	53mm	54	75	32	72
65845054	54mm	54	77	32	72
65845055	55mm	54	78	35	74
65845056	56mm	54	79	35	74
65845057	57mm	54	80	35	74
65845058	58mm	54	81	37	75
65845060	60mm	54	84	37	75
65845063	63mm	54	87	37	75
65845065	65mm	54	90	40	78
65845067	67mm	54	92	40	80
65845068	68mm	54	94	40	80
65845070	70mm	54	96	40	80
65845075	75mm	64	102	42	83






3/4"

Impact Sockets



加长型气动套筒，十二角

12-Point Sockets - Deep



Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
65842016	1/2"	44	24.5	13	95	★
65842018	9/16"	44	25.5	14	95	★
65842020	5/8"	44	28	16	95	★
65842022	11/16"	44	31.5	17	95	★
65842024	3/4"	44	33	19	95	★
65842026	13/16"	44	35	22	95	★
65842028	7/8"	44	37	22	95	★
65842030	15/16"	44	39	24	95	★
65842100	1"	44	41	25	95	★
65842102	1-1/16"	44	43	27	95	★
65842104	1-1/8"	44	44.5	29	95	★
65842106	1-3/16"	44	47	30	95	★
65842108	1-1/4"	44	49	32	95	★
65842110	1-5/16"	44	51	34	95	★
65842112	1-3/8"	44	53	35	95	★
65842114	1-7/16"	44	55	37	95	★
65842116	1-1/2"	44	57	38	95	★
65842118	1-9/16"	44	59	38	95	★
65842120	1-5/8"	44	61	38	95	★
65842122	1-11/16"	44	63.5	38	95	★
65842124	1-3/4"	44	64.5	38	95	★
65842126	1-13/16"	44	67	38	100	★
65842128	1-7/8"	44	68	38	100	★
65842130	1-15/16"	44	70	38	100	★
65842200	2"	54	72	40	100	★
65842202	2-1/16"	54	74	40	100	★
65842204	2-1/8"	54	77	40	100	★
65842206	2-3/16"	54	78.5	40	105	★
65842208	2-1/4"	54	80	40	105	★
65842210	2-5/16"	54	82	40	105	★
65842212	2-3/8"	54	84	42	105	★
65842214	2-7/16"	54	86	42	105	★
65842216	2-1/2"	54	88	42	105	★
65842218	2-9/16"	54	90	66	105	★
65842220	2-5/8"	54	92	66	105	★
65842222	2-11/16"	54	94	66	105	★
65842224	2-3/4"	54	96	66	105	★
65842226	2-13/16"	54	98	68	108	★
65842228	2-7/8"	54	100	68	108	★
65842230	2-15/16"	64	102	68	108	★
65842300	3"	64	104	70	110	★

★: 特殊品项, 最小订购量/交货期需确认。




3/4"

Impact Sockets

加长型气动套筒，十二角

12-Point Sockets - Deep

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
65847013	13mm	44	24.5	13	95	★
65847014	14mm	44	25.5	14	95	★
65847015	15mm	44	27	15	95	★
65847016	16mm	44	28	16	95	★
65847017	17mm	44	31	17	95	★
65847018	18mm	44	32	18	95	★
65847019	19mm	44	33	19	95	★
65847020	20mm	44	34	20	95	★
65847021	21mm	44	35	21	95	★
65847022	22mm	44	37	22	95	★
65847023	23mm	44	38	23	95	★
65847024	24mm	44	39	24	95	★
65847025	25mm	44	41	25	95	★
65847026	26mm	44	42	26	95	★
65847027	27mm	44	43	27	95	★
65847028	28mm	44	44	28	95	★
65847029	29mm	44	45	29	95	★
65847030	30mm	44	47	30	95	★
65847031	31mm	44	48	31	95	★
65847032	32mm	44	49	32	95	★
65847033	33mm	44	51	33	95	★
65847034	34mm	44	52	34	95	★
65847035	35mm	44	53	35	95	★
65847036	36mm	44	54	36	95	★
65847037	37mm	44	56	37	95	★
65847038	38mm	44	57	38	95	★
65847039	39mm	44	58	38	95	★
65847040	40mm	44	59	38	95	★
65847041	41mm	44	60	38	95	★
65847042	42mm	44	62	38	95	★
65847043	43mm	44	63.5	38	95	★
65847044	44mm	44	64.5	38	95	★
65847045	45mm	44	65.5	38	95	★
65847046	46mm	44	67	38	100	★
65847047	47mm	44	68	38	100	★
65847048	48mm	44	69	38	100	★
65847050	50mm	54	71	38	100	★
65847051	51mm	54	72	40	100	★
65847052	52mm	54	74	40	100	★
65847053	53mm	54	75	40	100	★
65847054	54mm	54	77	40	100	★
65847055	55mm	54	78	40	105	★
65847056	56mm	54	79	40	105	★
65847057	57mm	54	80	40	105	★
65847058	58mm	54	81	40	105	★
65847060	60mm	54	84	42	105	★
65847063	63mm	54	87	42	105	★
65847065	65mm	54	90	66	105	★
65847067	67mm	54	92	66	105	★
65847068	68mm	54	94	66	105	★
65847070	70mm	54	96	66	105	★
65847075	75mm	64	102	68	108	★



★: 特殊品项, 最小订购量/交货期需确认。




1"

Impact Sockets



标准型气动套筒，十二角

12-Point Sockets



Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
65850020	5/8"	54	32	11	60	★
65850022	11/16"	54	34	12	60	★
65850024	3/4"	54	36	13	60	★
65850026	13/16"	54	38	15	60	★
65850028	7/8"	54	39	15	60	★
65850030	15/16"	54	42	18	60	★
65850100	1"	54	44	18	60	★
65850102	1-1/16"	54	46	19	60	★
65850104	1-1/8"	54	48	19	62	★
65850106	1-3/16"	54	50	21	62	★
65850108	1-1/4"	54	52	22	62	★
65850110	1-5/16"	54	54	22	62	★
65850112	1-3/8"	54	56	22	65	★
65850114	1-7/16"	54	58	25	67	★
65850116	1-1/2"	54	60	25	67	★
65850118	1-9/16"	54	62	25	70	★
65850120	1-5/8"	54	63.5	27	70	★
65850122	1-11/16"	54	66	27	74	★
65850124	1-3/4"	54	67.5	27	74	★
65850126	1-13/16"	58	70	30	76	★
65850128	1-7/8"	58	72	32	76	★
65850130	1-15/16"	58	74	32	80	★
65850200	2"	62	76	35	80	★
65850202	2-1/16"	62	77.5	35	84	★
65850204	2-1/8"	62	80	35	84	★

★: 特殊品项, 最小订购量/交货期需确认。





1"


Impact Sockets

标准型气动套筒，十二角

12-Point Sockets

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
65850206	2-3/16"	62	81.5	35	84	★
65850208	2-1/4"	62	84	40	84	★
65850210	2-5/16"	62	86	40	87	★
65850212	2-3/8"	62	87	42	87	★
65850214	2-7/16"	62	89	42	87	★
65850216	2-1/2"	62	91	42	87	★
65850218	2-9/16"	62	93	42	90	★
65850220	2-5/8"	62	95	42	92	★
65850222	2-11/16"	62	97	42	92	★
65850224	2-3/4"	62	100	42	96	★
65850226	2-13/16"	62	102	45	96	★
65850228	2-7/8"	86	104	45	96	★
65850230	2-15/16"	86	105	45	98	★
65850300	3"	86	107	48	100	★
65850304	3-1/8"	86	111	48	100	★
65850308	3-1/4"	86	115	48	100	★
65850312	3-3/8"	86	119	52	105	★
65850316	3-1/2"	86	124	52	105	★
65850320	3-5/8"	86	127	52	105	★
65850324	3-3/4"	86	131	52	115	★
65850328	3-7/8"	86	135	58	115	★
65850400	4"	86	139	58	115	★
65850404	4-1/8"	95	143	58	115	★
65850408	4-1/4"	95	147	60	115	★
65850416	4-1/2"	95	154	62	115	★

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.




1"

Impact Sockets



标准型气动套筒，十二角

12-Point Sockets



Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
65855016	16mm	54	32	11	60	★
65855017	17mm	54	34	12	60	★
65855018	18mm	54	35	13	60	★
65855019	19mm	54	36	13	60	★
65855020	20mm	54	37	14	60	★
65855021	21mm	54	38	15	60	★
65855022	22mm	54	40	15	60	★
65855023	23mm	54	41	16	60	★
65855024	24mm	54	42	18	60	★
65855025	25mm	54	43	18	60	★
65855026	26mm	54	44.5	18	60	★
65855027	27mm	54	46	19	60	★
65855028	28mm	54	47	19	62	★
65855029	29mm	54	48	19	62	★
65855030	30mm	54	50	21	62	★
65855031	31mm	54	51	21	62	★
65855032	32mm	54	52	22	62	★
65855033	33mm	54	53	22	62	★
65855034	34mm	54	55	22	62	★
65855035	35mm	54	56	22	65	★
65855036	36mm	54	57	25	67	★
65855037	37mm	54	59	25	67	★
65855038	38mm	54	60	25	67	★
65855039	39mm	54	61	25	70	★
65855040	40mm	54	62	25	70	★
65855041	41mm	54	63	27	70	★
65855042	42mm	54	65	27	74	★
65855043	43mm	54	66	27	74	★
65855044	44mm	54	67	27	74	★
65855045	45mm	54	68	27	74	★

★：特殊品项，最小订购量/交货期需确认。






1"

Impact Sockets

标准型气动套筒，十二角

12-Point Sockets



Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
65855046	46mm	58	70	30	76	★
65855047	47mm	58	71.5	32	76	★
65855048	48mm	58	72.5	32	76	★
65855050	50mm	62	75	35	80	★
65855051	51mm	62	76	35	80	★
65855052	52mm	62	77	35	84	★
65855053	53mm	62	78	35	84	★
65855054	54mm	62	80	35	84	★
65855055	55mm	62	81	35	84	★
65855056	56mm	62	82	40	84	★
65855057	57mm	62	84	40	84	★
65855058	58mm	62	85	40	87	★
65855060	60mm	62	87	42	87	★
65855062	62mm	62	89	42	87	★
65855063	63mm	62	90	42	87	★
65855065	65mm	62	93	42	90	★
65855067	67mm	62	96	42	92	★
65855070	70mm	62	100	42	96	★
65855075	75mm	86	106	45	98	★
65855076	76mm	86	107	48	100	★
65855077	77mm	86	109	48	100	★
65855078	78mm	86	110	48	100	★
65855080	80mm	86	112	48	100	★
65855085	85mm	86	118	52	105	★
65855090	90mm	86	125	52	105	★
65855095	95mm	86	131	52	115	★
65855100	100mm	86	137	58	115	★
65855105	105mm	95	143	58	115	★
65855110	110mm	95	149	60	115	★
65855115	115mm	95	155	62	115	★

★：特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.




1"

Impact Sockets



加长型气动套筒，十二角

12-Point Sockets - Deep



Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
65852020	5/8"	54	32	16	100	★
65852022	11/16"	54	34	17	100	★
65852024	3/4"	54	36	19	100	★
65852026	13/16"	54	38	22	100	★
65852028	7/8"	54	39	22	100	★
65852030	15/16"	54	42	24	100	★
65852100	1"	54	44	25	100	★
65852102	1-1/16"	54	46	27	100	★
65852104	1-1/8"	54	48	29	100	★
65852106	1-3/16"	54	50	30	100	★
65852108	1-1/4"	54	52	32	100	★
65852110	1-5/16"	54	54	34	100	★
65852112	1-3/8"	54	56	35	100	★
65852114	1-7/16"	54	58	37	100	★
65852116	1-1/2"	54	60	38	100	★
65852118	1-9/16"	54	62	38	100	★
65852120	1-5/8"	54	63.5	38	100	★
65852122	1-11/16"	54	66	38	100	★
65852124	1-3/4"	54	67.5	38	100	★
65852126	1-13/16"	62	70	38	100	★
65852128	1-7/8"	62	72	38	100	★
65852130	1-15/16"	62	74	38	100	★
65852200	2"	62	76	40	100	★
65852202	2-1/16"	62	77.5	40	100	★
65852204	2-1/8"	62	80	40	100	★

★: 特殊品项，最小订购量/交货期需确认。






1"

Impact Sockets

加长型气动套筒，十二角
12-Point Sockets - Deep

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
65852206	2-3/16"	62	81.5	40	100	★
65852208	2-1/4"	62	84	40	105	★
65852210	2-5/16"	62	86	40	105	★
65852212	2-3/8"	62	87	42	120	★
65852214	2-7/16"	62	89	42	120	★
65852216	2-1/2"	62	91	42	120	★
65852218	2-9/16"	62	93	42	125	★
65852220	2-5/8"	62	95	42	125	★
65852222	2-11/16"	62	97	42	125	★
65852224	2-3/4"	62	100	42	125	★
65852226	2-13/16"	62	102	45	125	★
65852228	2-7/8"	86	104	45	125	★
65852230	2-15/16"	86	105	45	135	★
65852300	3"	86	107	48	135	★
65852304	3-1/8"	86	111	48	135	★
65852308	3-1/4"	86	115	48	135	★
65852312	3-3/8"	86	119	52	140	★
65852316	3-1/2"	86	124	52	140	★
65852320	3-5/8"	86	127	52	140	★
65852324	3-3/4"	86	131	52	140	★
65852328	3-7/8"	86	135	58	140	★
65852400	4"	86	139	58	155	★
65852404	4-1/8"	95	143	58	155	★
65852408	4-1/4"	95	147	60	155	★
65852416	4-1/2"	95	154	62	155	★

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.




1"

Impact Sockets



加长型气动套筒，十二角

12-Point Sockets - Deep



Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
65857016	16mm	54	32	16	100	★
65857017	17mm	54	34	17	100	★
65857018	18mm	54	35	18	100	★
65857019	19mm	54	36	19	100	★
65857020	20mm	54	37	20	100	★
65857021	21mm	54	38	21	100	★
65857022	22mm	54	40	22	100	★
65857023	23mm	54	41	23	100	★
65857024	24mm	54	42	24	100	★
65857025	25mm	54	43	25	100	★
65857026	26mm	54	44.5	26	100	★
65857027	27mm	54	46	27	100	★
65857028	28mm	54	47	28	100	★
65857029	29mm	54	48	29	100	★
65857030	30mm	54	50	30	100	★
65857031	31mm	54	51	31	100	★
65857032	32mm	54	52	32	100	★
65857033	33mm	54	53	33	100	★
65857034	34mm	54	55	34	100	★
65857035	35mm	54	56	35	100	★
65857036	36mm	54	57	36	100	★
65857037	37mm	54	59	37	100	★
65857038	38mm	54	60	38	100	★
65857039	39mm	54	61	38	100	★
65857040	40mm	54	62	38	100	★
65857041	41mm	54	63	38	100	★
65857042	42mm	54	65	38	100	★
65857043	43mm	54	66	38	100	★
65857044	44mm	54	67	38	100	★
65857045	45mm	54	68	38	100	★

★: 特殊品项, 最小订购量/交货期需确认。





1"


Impact Sockets

加长型气动套筒，十二角

12-Point Sockets - Deep

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
65857046	46mm	58	70	38	100	★
65857047	47mm	58	71.5	38	100	★
65857048	48mm	58	72.5	38	100	★
65857050	50mm	62	75	38	100	★
65857051	51mm	62	76	40	100	★
65857052	52mm	62	77	40	100	★
65857053	53mm	62	78	40	100	★
65857054	54mm	62	80	40	100	★
65857055	55mm	62	81	40	100	★
65857056	56mm	62	82	40	105	★
65857057	57mm	62	84	40	105	★
65857058	58mm	62	85	40	105	★
65857060	60mm	62	87	42	120	★
65857062	62mm	62	89	42	120	★
65857063	63mm	62	90	42	120	★
65857065	65mm	62	93	42	125	★
65857067	67mm	62	96	42	125	★
65857070	70mm	62	100	42	125	★
65857075	75mm	86	106	45	135	★
65857076	76mm	86	107	48	135	★
65857077	77mm	86	109	48	135	★
65857078	78mm	86	110	48	135	★
65857080	80mm	86	112	48	135	★
65857085	85mm	86	118	52	140	★
65857090	90mm	86	125	52	140	★
65857095	95mm	86	131	52	140	★
65857100	100mm	86	137	58	140	★
65857105	105mm	95	143	58	155	★
65857110	110mm	95	149	60	155	★
65857115	115mm	95	155	62	155	★

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



1/4"


Impact Sockets

磁性加长气动套筒，六角

6-Point Sockets - Deep - With Slide Magnetic

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
6040R006	3/16"	13	8.5	3	50	★
6040R007	7/32"	13	9.5	3	50	★
6040R008	1/4"	13	10.3	3	50	★
6040R009	9/32"	13	11.3	3	50	★
6040R010	5/16"	13	12.5	3	50	★
6040R011	11/32"	13	13.8	4	50	★
6040R012	3/8"	13	15	4	50	★
6040R014	7/16"	13	16.3	5	50	★
6040R016	1/2"	13	18.8	5	50	★
6040R018	9/16"	13	20	6	50	★
6050R050	5mm	13	8.8	3	50	
6050R055	5.5mm	13	9.5	3	50	
6050R060	6mm	13	10	3	50	
6050R070	7mm	13	11.3	3	50	
6050R080	8mm	13	12.5	3	50	
6050R090	9mm	13	13.8	4	50	
6050R100	10mm	13	15	4	50	
6050R110	11mm	13	16.3	5	50	
6050R120	12mm	13	17	5	50	
6050R130	13mm	13	18.8	5	50	
6050R140	14mm	13	20	6	50	
6050R150	15mm	13	21	6	50	

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



3/8"


Impact Sockets



磁性气动套筒，六角

6-Point Sockets - With Magnetic

Order No.	size	D2 mm	D1 mm	L2 mm	L mm
6041P008	1/4"	19	12	3	30
6041P010	5/16"	19	14	3	30
6041P012	3/8"	19	15.7	4	30
6041P014	7/16"	19	18	5	30
6041P016	1/2"	19	20	5	30
6041P018	9/16"	22	21.5	6	30
6041P020	5/8"	22	24	6	30
6041P022	11/16"	22	25.5	6	30
6041P024	3/4"	22	27.5	7	30
6051P006	6mm	19	11.5	3	30
6051P007	7mm	19	12.5	3	30
6051P008	8mm	19	14	3	30
6051P009	9mm	19	15	4	30
6051P010	10mm	19	16.5	4	30
6051P011	11mm	19	17.5	5	30
6051P012	12mm	19	19	5	30
6051P013	13mm	22	20	5	30
6051P014	14mm	22	21.5	6	30
6051P015	15mm	22	22	6	30
6051P016	16mm	22	24	6	30
6051P017	17mm	22	25	6	30
6051P018	18mm	22	26	7	30
6051P019	19mm	22	27.5	7	30






3/8"

Impact Sockets

磁性加长气动套筒，六角

6-Point Sockets - With Slide Magnetic

Order No.	size	D2 mm	D1 mm	L2 mm	L mm
6041R008	1/4"	19	12	3	55
6041R010	5/16"	19	14	3	55
6041R012	3/8"	19	15.7	4	55
6041R014	7/16"	19	18	5	55
6041R016	1/2"	19	20	5	55
6041R018	9/16"	22	21.5	6	55
6041R020	5/8"	22	24	6	55
6041R022	11/16"	22	25.5	6	55
6041R024	3/4"	22	27.5	7	55
6051R006	6mm	19	11.5	3	55
6051R007	7mm	19	12.5	3	55
6051R008	8mm	19	14	3	55
6051R009	9mm	19	15	4	55
6051R010	10mm	19	16.5	4	55
6051R011	11mm	19	17.5	5	55
6051R012	12mm	19	19	5	55
6051R013	13mm	22	20	5	55
6051R014	14mm	22	21.5	6	55
6051R015	15mm	22	22	6	55
6051R016	16mm	22	24	6	55
6051R017	17mm	22	25	6	55
6051R018	18mm	22	26	7	55
6051R019	19mm	22	27.5	7	55



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



3/8"


Impact Sockets



磁性接杆式长套筒，六角

6-Point Sockets - Extended Length - With Magnetic

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
6061Q008	1/4"	19	11	3	125	★
6061Q010	5/16"	19	13	4	125	★
6061Q012	3/8"	19	15	4	125	★
6061Q014	7/16"	19	17.5	5	125	★
6061Q016	1/2"	19	20	6	125	★
6061Q018	9/16"	22	21	6	125	★
6061Q020	5/8"	22	24	7	125	★
6061Q022	11/16"	22	25	8	125	★
6061Q024	3/4"	22	27	8	125	★
6061Q026	13/16"	22	30	9	125	★
6061Q028	7/8"	23	31	9	125	★
6061R008	1/4"	19	11	3	150	★
6061R010	5/16"	19	13	4	150	★
6061R012	3/8"	19	15	4	150	★
6061R014	7/16"	19	17.5	5	150	★
6061R016	1/2"	19	20	6	150	★
6061R018	9/16"	22	21	6	150	★
6061R020	5/8"	22	24	7	150	★
6061R022	11/16"	22	25	8	150	★
6061R024	3/4"	22	27	8	150	★
6061R026	13/16"	22	30	9	150	★
6061R028	7/8"	23	31	9	150	★
6061S008	1/4"	19	11	3	175	★
6061S010	5/16"	19	13	4	175	★
6061S012	3/8"	19	15	4	175	★
6061S014	7/16"	19	17.5	5	175	★
6061S016	1/2"	19	20	6	175	★
6061S018	9/16"	22	21	6	175	★
6061S020	5/8"	22	24	7	175	★
6061S022	11/16"	22	25	8	175	★
6061S024	3/4"	22	27	8	175	★
6061S026	13/16"	22	30	9	175	★
6061S028	7/8"	23	31	9	175	★
6061T008	1/4"	19	11	3	200	★
6061T010	5/16"	19	13	4	200	★
6061T012	3/8"	19	15	4	200	★
6061T014	7/16"	19	17.5	5	200	★
6061T016	1/2"	19	20	6	200	★
6061T018	9/16"	22	21	6	200	★
6061T020	5/8"	22	24	7	200	★
6061T022	11/16"	22	25	8	200	★
6061T024	3/4"	22	27	8	200	★
6061T026	13/16"	22	30	9	200	★
6061T028	7/8"	23	31	9	200	★
6061V008	1/4"	19	11	3	250	★
6061V010	5/16"	19	13	4	250	★
6061V012	3/8"	19	15	4	250	★
6061V014	7/16"	19	17.5	5	250	★
6061V016	1/2"	19	20	6	250	★
6061V018	9/16"	22	21	6	250	★
6061V020	5/8"	22	24	7	250	★
6061V022	11/16"	22	25	8	250	★
6061V024	3/4"	22	27	8	250	★
6061V026	13/16"	22	30	9	250	★
6061V028	7/8"	23	31	9	250	★



★: 特殊品项, 最小订购量/交货期需确认。



3/8"


Impact Sockets

磁性接杆式长套筒，六角

6-Point Sockets - Extended Length - With Magnetic

Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
6071Q006	6mm	19	11	3	125
6071Q007	7mm	19	12	3	125
6071Q008	8mm	19	13	4	125
6071Q009	9mm	19	15	4	125
6071Q010	10mm	19	16	4	125
6071Q011	11mm	19	17.5	5	125
6071Q012	12mm	19	18.5	5	125
6071Q013	13mm	22	20	6	125
6071Q014	14mm	22	21	6	125
6071Q015	15mm	22	22	7	125
6071Q016	16mm	22	24	7	125
6071Q017	17mm	22	25	7	125
6071Q018	18mm	22	26	8	125
6071Q019	19mm	22	27	8	125
6071Q020	20mm	22	28	8	125
6071Q021	21mm	22	30	9	125
6071Q022	22mm	23	31	9	125
6071R006	6mm	19	11	3	150
6071R007	7mm	19	12	3	150
6071R008	8mm	19	13	4	150
6071R009	9mm	19	15	4	150
6071R010	10mm	19	16	4	150
6071R011	11mm	19	17.5	5	150
6071R012	12mm	19	18.5	5	150
6071R013	13mm	22	20	6	150
6071R014	14mm	22	21	6	150
6071R015	15mm	22	22	7	150
6071R016	16mm	22	24	7	150
6071R017	17mm	22	25	7	150
6071R018	18mm	22	26	8	150
6071R019	19mm	22	27	8	150
6071R020	20mm	22	28	8	150
6071R021	21mm	22	30	9	150
6071R022	22mm	23	31	9	150

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



3/8"


Impact Sockets



磁性接杆式长套筒，六角

6-Point Sockets - Extended Length - With Magnetic

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
6071S006	6mm	19	11	3	175	★
6071S007	7mm	19	12	3	175	★
6071S008	8mm	19	13	4	175	★
6071S009	9mm	19	15	4	175	★
6071S010	10mm	19	16	4	175	★
6071S011	11mm	19	17.5	5	175	★
6071S012	12mm	19	18.5	5	175	★
6071S013	13mm	22	20	6	175	★
6071S014	14mm	22	21	6	175	★
6071S015	15mm	22	22	7	175	★
6071S016	16mm	22	24	7	175	★
6071S017	17mm	22	25	7	175	★
6071S018	18mm	22	26	8	175	★
6071S019	19mm	22	27	8	175	★
6071S020	20mm	22	28	8	175	★
6071S021	21mm	22	30	9	175	★
6071S022	22mm	23	31	9	175	★
6071T006	6mm	19	11	3	200	★
6071T007	7mm	19	12	3	200	★
6071T008	8mm	19	13	4	200	★
6071T009	9mm	19	15	4	200	★
6071T010	10mm	19	16	4	200	★
6071T011	11mm	19	17.5	5	200	★
6071T012	12mm	19	18.5	5	200	★
6071T013	13mm	22	20	6	200	★
6071T014	14mm	22	21	6	200	★
6071T015	15mm	22	22	7	200	★
6071T016	16mm	22	24	7	200	★
6071T017	17mm	22	25	7	200	★
6071T018	18mm	22	26	8	200	★
6071T019	19mm	22	27	8	200	★
6071T020	20mm	22	28	8	200	★
6071T021	21mm	22	30	9	200	★
6071T022	22mm	23	31	9	200	★
6071V006	6mm	19	11	3	250	★
6071V007	7mm	19	12	3	250	★
6071V008	8mm	19	13	4	250	★
6071V009	9mm	19	15	4	250	★
6071V010	10mm	19	16	4	250	★
6071V011	11mm	19	17.5	5	250	★
6071V012	12mm	19	18.5	5	250	★
6071V013	13mm	22	20	6	250	★
6071V014	14mm	22	21	6	250	★
6071V015	15mm	22	22	7	250	★
6071V016	16mm	22	24	7	250	★
6071V017	17mm	22	25	7	250	★
6071V018	18mm	22	26	8	250	★
6071V019	19mm	22	27	8	250	★
6071V020	20mm	22	28	8	250	★
6071V021	21mm	22	30	9	250	★
6071V022	22mm	23	31	9	250	★






1/2"

Impact Sockets

磁性气动套筒，六角

6-Point Sockets, With Magnetic

Order No.	size	D2 mm	D1 mm	L2 mm	L mm
6042P010	5/16"	25	15	3.5	38
6042P012	3/8"	25	17.4	4	38
6042P014	7/16"	25	19	5	38
6042P016	1/2"	25	21	5	38
6042P018	9/16"	25	23	6	38
6042P020	5/8"	30	25	6	38
6042P022	11/16"	30	27	6	38
6042P024	3/4"	30	29	7	38
6042P026	13/16"	30	31	8	38
6042P028	7/8"	30	33	8	38
6042P030	15/16"	30	35	10	45
6042P100	1"	30	37	10	45
6052P008	8mm	25	15	3	38
6052P009	9mm	25	16	4	38
6052P010	10mm	25	17.5	4	38
6052P011	11mm	25	18.7	5	38
6052P012	12mm	25	20	5	38
6052P013	13mm	25	21	5	38
6052P014	14mm	25	22.5	6	38
6052P015	15mm	30	23.7	6	38
6052P016	16mm	30	25	6	38
6052P017	17mm	30	26.5	6	38
6052P018	18mm	30	27.5	7	38
6052P019	19mm	30	29	7	38
6052P020	20mm	30	30	7	38
6052P021	21mm	30	31	8	38
6052P022	22mm	30	32.5	8	38
6052P024	24mm	30	35	10	45



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



1/2"

Impact Sockets




磁性加长型套筒，六角

6-Point Sockets - Deep, With Slide Magnetic

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
6042R010	5/16"	25	15	3.5	78	★
6042R012	3/8"	25	17.4	4	78	★
6042R014	7/16"	25	19	5	78	★
6042R016	1/2"	25	21	5	78	★
6042R018	9/16"	25	23	6	78	★
6042R020	5/8"	30	25	6	78	★
6042R022	11/16"	30	27	6	78	★
6042R024	3/4"	30	29	7	78	★
6042R026	13/16"	30	31	8	78	★
6042R028	7/8"	30	33	8	78	★
6042R030	15/16"	30	35	10	78	★
6042R100	1"	30	37	10	78	★
6052R008	8mm	25	15	3	78	
6052R009	9mm	25	16	4	78	
6052R010	10mm	25	17.5	4	78	
6052R011	11mm	25	18.7	5	78	
6052R012	12mm	25	20	5	78	
6052R013	13mm	25	21	5	78	
6052R014	14mm	25	22.5	6	78	
6052R015	15mm	30	23.7	6	78	
6052R016	16mm	30	25	6	78	
6052R017	17mm	30	26.5	6	78	
6052R018	18mm	30	27.5	7	78	
6052R019	19mm	30	29	7	78	
6052R020	20mm	30	30	7	78	
6052R021	21mm	30	31	8	78	
6052R022	22mm	30	32.5	8	78	
6052R024	24mm	30	35	10	78	

★: 特殊品项，最小订购量/交货期需确认。





1/2"


Impact Sockets

磁性接杆式长套筒，六角

6-Point Sockets - Extended Length, With Magnetic

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
6062Q010	5/16"	25	15	4	125	★
6062Q012	3/8"	25	17.5	4	125	★
6062Q014	7/16"	25	18.5	5	125	★
6062Q016	1/2"	25	21	6	125	★
6062Q018	9/16"	25	22.5	6	125	★
6062Q020	5/8"	28	25	7	125	★
6062Q022	11/16"	30	27.5	8	125	★
6062Q024	3/4"	30	28.5	8	125	★
6062Q026	13/16"	30	31	9	125	★
6062Q028	7/8"	30	32	9	125	★
6062Q030	15/16"	30	35	10	125	★
6062Q100	1"	30	38	11	125	★
6062Q102	1-1/16"	30	38.5	12	125	★
6062R010	5/16"	25	15	4	150	★
6062R012	3/8"	25	17.5	4	150	★
6062R014	7/16"	25	18.5	5	150	★
6062R016	1/2"	25	21	6	150	★
6062R018	9/16"	25	22.5	6	150	★
6062R020	5/8"	28	25	7	150	★
6062R022	11/16"	30	27.5	8	150	★
6062R024	3/4"	30	28.5	8	150	★
6062R026	13/16"	30	31	9	150	★
6062R028	7/8"	30	32	9	150	★
6062R030	15/16"	30	35	10	150	★
6062R100	1"	30	38	11	150	★
6062R102	1-1/16"	30	38.5	12	150	★
6062S010	5/16"	25	15	4	175	★
6062S012	3/8"	25	17.5	4	175	★
6062S014	7/16"	25	18.5	5	175	★
6062S016	1/2"	25	21	6	175	★
6062S018	9/16"	25	22.5	6	175	★
6062S020	5/8"	28	25	7	175	★
6062S022	11/16"	30	27.5	8	175	★
6062S024	3/4"	30	28.5	8	175	★
6062S026	13/16"	30	31	9	175	★
6062S028	7/8"	30	32	9	175	★
6062S030	15/16"	30	35	10	175	★
6062S100	1"	30	38	11	175	★
6062S102	1-1/16"	30	38.5	12	175	★

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



1/2"

Impact Sockets




磁性接杆式长套筒，六角

6-Point Sockets - Extended Length, With Magnetic

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
6062T010	5/16"	25	15	4	200	★
6062T012	3/8"	25	17.5	4	200	★
6062T014	7/16"	25	18.5	5	200	★
6062T016	1/2"	25	21	6	200	★
6062T018	9/16"	25	22.5	6	200	★
6062T020	5/8"	28	25	7	200	★
6062T022	11/16"	30	27.5	8	200	★
6062T024	3/4"	30	28.5	8	200	★
6062T026	13/16"	30	31	9	200	★
6062T028	7/8"	30	32	9	200	★
6062T030	15/16"	30	35	10	200	★
6062T100	1"	30	38	11	200	★
6062T102	1-1/16"	30	38.5	12	200	★
6062V010	5/16"	25	15	4	250	★
6062V012	3/8"	25	17.5	4	250	★
6062V014	7/16"	25	18.5	5	250	★
6062V016	1/2"	25	21	6	250	★
6062V018	9/16"	25	22.5	6	250	★
6062V020	5/8"	28	25	7	250	★
6062V022	11/16"	30	27.5	8	250	★
6062V024	3/4"	30	28.5	8	250	★
6062V026	13/16"	30	31	9	250	★
6062V028	7/8"	30	32	9	250	★
6062V030	15/16"	30	35	10	250	★
6062V100	1"	30	38	11	250	★
6062V102	1-1/16"	30	38.5	12	250	★

★：特殊品项，最小订购量/交货期需确认。





1/2"


Impact Sockets

磁性接杆式长套筒，六角

6-Point Sockets - Extended Length, With Magnetic

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
6072Q008	8mm	25	15	4	125	★
6072Q009	9mm	25	16	4	125	★
6072Q010	10mm	25	17.5	4	125	★
6072Q011	11mm	25	18.5	5	125	★
6072Q012	12mm	25	20	5	125	★
6072Q013	13mm	25	21	6	125	★
6072Q014	14mm	25	22.5	6	125	★
6072Q015	15mm	30	23.5	7	125	★
6072Q016	16mm	30	25	7	125	★
6072Q017	17mm	30	26	8	125	★
6072Q018	18mm	30	27.5	8	125	★
6072Q019	19mm	30	28.5	8	125	★
6072Q020	20mm	30	30	8	125	★
6072Q021	21mm	30	31	9	125	★
6072Q022	22mm	30	32	9	125	★
6072Q023	23mm	30	34	9	125	★
6072Q024	24mm	30	35	10	125	★
6072Q025	25mm	30	36	10	125	★
6072Q026	26mm	30	38	11	125	★
6072Q027	27mm	30	38.5	12	125	★
6072R008	8mm	25	15	4	150	★
6072R009	9mm	25	16	4	150	★
6072R010	10mm	25	17.5	4	150	★
6072R011	11mm	25	18.5	5	150	★
6072R012	12mm	25	20	5	150	★
6072R013	13mm	25	21	6	150	★
6072R014	14mm	25	22.5	6	150	★
6072R015	15mm	30	23.5	7	150	★
6072R016	16mm	30	25	7	150	★
6072R017	17mm	30	26	8	150	★
6072R018	18mm	30	27.5	8	150	★
6072R019	19mm	30	28.5	8	150	★
6072R020	20mm	30	30	8	150	★
6072R021	21mm	30	31	9	150	★
6072R022	22mm	30	32	9	150	★
6072R023	23mm	30	34	9	150	★
6072R024	24mm	30	35	10	150	★
6072R025	25mm	30	36	10	150	★
6072R026	26mm	30	38	11	150	★
6072R027	27mm	30	38.5	12	150	★

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



1/2"

Impact Sockets




磁性接杆式长套筒，六角

6-Point Sockets - Extended Length, With Magnetic

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
6072S008	8mm	25	15	4	175	★
6072S009	9mm	25	16	4	175	★
6072S010	10mm	25	17.5	4	175	★
6072S011	11mm	25	18.5	5	175	★
6072S012	12mm	25	20	5	175	★
6072S013	13mm	25	21	6	175	★
6072S014	14mm	25	22.5	6	175	★
6072S015	15mm	30	23.5	7	175	★
6072S016	16mm	30	25	7	175	★
6072S017	17mm	30	26	8	175	★
6072S018	18mm	30	27.5	8	175	★
6072S019	19mm	30	28.5	8	175	★
6072S020	20mm	30	30	8	175	★
6072S021	21mm	30	31	9	175	★
6072S022	22mm	30	32	9	175	★
6072S023	23mm	30	34	9	175	★
6072S024	24mm	30	35	10	175	★
6072S025	25mm	30	36	10	175	★
6072S026	26mm	30	38	11	175	★
6072S027	27mm	30	38.5	12	175	★
6072T008	8mm	25	15	4	200	★
6072T009	9mm	25	16	4	200	★
6072T010	10mm	25	17.5	4	200	★
6072T011	11mm	25	18.5	5	200	★
6072T012	12mm	25	20	5	200	★
6072T013	13mm	25	21	6	200	★
6072T014	14mm	25	22.5	6	200	★
6072T015	15mm	30	23.5	7	200	★
6072T016	16mm	30	25	7	200	★
6072T017	17mm	30	26	8	200	★
6072T018	18mm	30	27.5	8	200	★
6072T019	19mm	30	28.5	8	200	★
6072T020	20mm	30	30	8	200	★
6072T021	21mm	30	31	9	200	★
6072T022	22mm	30	32	9	200	★
6072T023	23mm	30	34	9	200	★
6072T024	24mm	30	35	10	200	★
6072T025	25mm	30	36	10	200	★
6072T026	26mm	30	38	11	200	★
6072T027	27mm	30	38.5	12	200	★

★：特殊品项，最小订购量/交货期需确认。



注意：请使用穿戴好相应防护措施，不要在没有任何防护情况下使用。



1/2"


Impact Sockets

磁性接杆式长套筒，六角

6-Point Sockets - Extended Length - With Magnetic

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
6072V008	8mm	25	15	4	250	★
6072V009	9mm	25	16	4	250	★
6072V010	10mm	25	17.5	4	250	★
6072V011	11mm	25	18.5	5	250	★
6072V012	12mm	25	20	5	250	★
6072V013	13mm	25	21	6	250	★
6072V014	14mm	25	22.5	6	250	★
6072V015	15mm	30	23.5	7	250	★
6072V016	16mm	30	25	7	250	★
6072V017	17mm	30	26	8	250	★
6072V018	18mm	30	27.5	8	250	★
6072V019	19mm	30	28.5	8	250	★
6072V020	20mm	30	30	8	250	★
6072V021	21mm	30	31	9	250	★
6072V022	22mm	30	32	9	250	★
6072V023	23mm	30	34	9	250	★
6072V024	24mm	30	35	10	250	★
6072V025	25mm	30	36	10	250	★
6072V026	26mm	30	38	11	250	★
6072V027	27mm	30	38.5	12	250	★

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



3/8"

Impact Sockets




磁性气动套筒，十二角

12-Point Sockets - With Magnetic

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
6581Q008	1/4"	19	11	3	30	★
6581Q010	5/16"	19	13	3	30	★
6581Q012	3/8"	19	15	4	30	★
6581Q014	7/16"	19	17.5	5	30	★
6581Q016	1/2"	20	20	5	30	★
6581Q018	9/16"	22	21.5	6	32	★
6581Q020	5/8"	22	24	6	32	★
6581Q022	11/16"	22	25.5	6	32	★
6581Q024	3/4"	22	27.5	7	34	★
6581P006	6mm	19	11	3	30	★
6581P007	7mm	19	12	3	30	★
6581P008	8mm	19	13	3	30	★
6581P009	9mm	19	15	4	30	★
6581P010	10mm	19	16.5	4	30	★
6581P011	11mm	19	17.5	5	30	★
6581P012	12mm	20	19	5	30	★
6581P013	13mm	22	20	5	30	★
6581P014	14mm	22	21.5	6	32	★
6581P015	15mm	22	22	6	32	★
6581P016	16mm	22	24	6	32	★
6581P017	17mm	22	25	6	32	★
6581P018	18mm	22	26	7	34	★
6581P019	19mm	22	27.5	7	34	★

★: 特殊品项，最小订购量/交货期需确认。





3/8"


Impact Sockets

磁性气动套筒，十二角

12-Point Sockets - With Slide Magnetic

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
6581S008	1/4"	19	11	4	55	★
6581S010	5/16"	19	13	4	55	★
6581S012	3/8"	19	15	5	55	★
6581S014	7/16"	19	17.5	6	55	★
6581S016	1/2"	20	20	6	55	★
6581S018	9/16"	22	21.5	7	55	★
6581S020	5/8"	22	24	7	55	★
6581S022	11/16"	22	25.5	7	55	★
6581S024	3/4"	22	27.5	8	55	★
6581R006	6mm	19	11	4	55	★
6581R007	7mm	19	12	4	55	★
6581R008	8mm	19	13	4	55	★
6581R009	9mm	19	15	4	55	★
6581R010	10mm	19	16.5	5	55	★
6581R011	11mm	19	17.5	6	55	★
6581R012	12mm	20	19	6	55	★
6581R013	13mm	22	20	6	55	★
6581R014	14mm	22	21.5	6	55	★
6581R015	15mm	22	22	7	55	★
6581R016	16mm	22	24	7	55	★
6581R017	17mm	22	25	7	55	★
6581R018	18mm	22	26	8	55	★
6581R019	19mm	22	27.5	8	55	★

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



1/2"


Impact Sockets

磁性加长型气动套筒，十二角

12-Point Sockets - Deep, With Slide Magnetic

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
6582S010	5/16"	25	15	6	83	★
6582S012	3/8"	25	17	6	83	★
6582S014	7/16"	25	19	8	83	★
6582S016	1/2"	25	21	9	83	★
6582S018	9/16"	25	22.5	11	83	★
6582S020	5/8"	28	25	11	83	★
6582S022	11/16"	30	27	11	83	★
6582S024	3/4"	30	29	13	83	★
6582S026	13/16"	30	31	15	83	★
6582S028	7/8"	30	32.5	15	90	★
6582S030	15/16"	30	35	18	90	★
6582S100	1"	30	37	18	90	★
6582R008	8mm	25	15	6	83	★
6582R009	9mm	25	16	6	83	★
6582R010	10mm	25	17.5	7	83	★
6582R011	11mm	25	19	8	83	★
6582R012	12mm	25	20	9	83	★
6582R013	13mm	25	21	9	83	★
6582R014	14mm	25	22.5	11	83	★
6582R015	15mm	30	23.5	11	83	★
6582R016	16mm	30	25	11	83	★
6582R017	17mm	30	26.5	11	83	★
6582R018	18mm	30	27.5	13	83	★
6582R019	19mm	30	29	13	83	★
6582R020	20mm	30	30	13	83	★
6582R021	21mm	30	31	15	83	★
6582R022	22mm	30	32.5	15	90	★
6582R024	24mm	30	35	18	90	★

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



1/2"


Impact Sockets



磁性接杆式长套筒，十二角

12-Point Sockets - Extended Length, With Magnetic

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
65A2Q010	5/16"	25	15	4	125	★
65A2Q012	3/8"	25	17.5	4	125	★
65A2Q014	7/16"	25	18.5	5	125	★
65A2Q016	1/2"	25	21	6	125	★
65A2Q018	9/16"	25	22.5	6	125	★
65A2Q020	5/8"	28	25	7	125	★
65A2Q022	11/16"	30	27.5	8	125	★
65A2Q024	3/4"	30	28.5	8	125	★
65A2Q026	13/16"	30	31	9	125	★
65A2Q028	7/8"	30	32	9	125	★
65A2Q030	15/16"	30	35	10	125	★
65A2Q100	1"	30	38	11	125	★
65A2Q102	1-1/16"	30	38.5	12	125	★
65A2R010	5/16"	25	15	4	150	★
65A2R012	3/8"	25	17.5	4	150	★
65A2R014	7/16"	25	18.5	5	150	★
65A2R016	1/2"	25	21	6	150	★
65A2R018	9/16"	25	22.5	6	150	★
65A2R020	5/8"	28	25	7	150	★
65A2R022	11/16"	30	27.5	8	150	★
65A2R024	3/4"	30	28.5	8	150	★
65A2R026	13/16"	30	31	9	150	★
65A2R028	7/8"	30	32	9	150	★
65A2R030	15/16"	30	35	10	150	★
65A2R100	1"	30	38	11	150	★
65A2R102	1-1/16"	30	38.5	12	150	★
65A2S010	5/16"	25	15	4	175	★
65A2S012	3/8"	25	17.5	4	175	★
65A2S014	7/16"	25	18.5	5	175	★
65A2S016	1/2"	25	21	6	175	★
65A2S018	9/16"	25	22.5	6	175	★
65A2S020	5/8"	28	25	7	175	★
65A2S022	11/16"	30	27.5	8	175	★
65A2S024	3/4"	30	28.5	8	175	★
65A2S026	13/16"	30	31	9	175	★
65A2S028	7/8"	30	32	9	175	★
65A2S030	15/16"	30	35	10	175	★
65A2S100	1"	30	38	11	175	★
65A2S102	1-1/16"	30	38.5	12	175	★



★: 特殊品项, 最小订购量/交货期需确认。



注意: 请使用时穿戴好相应防护措施, 不要在没有任何防护情况下使用。



1/2"


Impact Sockets

磁性接杆式长套筒，十二角

12-Point Sockets - Extended Length, With Magnetic

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
65A2T010	5/16"	25	15	4	200	★
65A2T012	3/8"	25	17.5	4	200	★
65A2T014	7/16"	25	18.5	5	200	★
65A2T016	1/2"	25	21	6	200	★
65A2T018	9/16"	25	22.5	6	200	★
65A2T020	5/8"	28	25	7	200	★
65A2T022	11/16"	30	27.5	8	200	★
65A2T024	3/4"	30	28.5	8	200	★
65A2T026	13/16"	30	31	9	200	★
65A2T028	7/8"	30	32	9	200	★
65A2T030	15/16"	30	35	10	200	★
65A2T100	1"	30	38	11	200	★
65A2T102	1-1/16"	30	38.5	12	200	★
65A2V010	5/16"	25	15	4	250	★
65A2V012	3/8"	25	17.5	4	250	★
65A2V014	7/16"	25	18.5	5	250	★
65A2V016	1/2"	25	21	6	250	★
65A2V018	9/16"	25	22.5	6	250	★
65A2V020	5/8"	28	25	7	250	★
65A2V022	11/16"	30	27.5	8	250	★
65A2V024	3/4"	30	28.5	8	250	★
65A2V026	13/16"	30	31	9	250	★
65A2V028	7/8"	30	32	9	250	★
65A2V030	15/16"	30	35	10	250	★
65A2V100	1"	30	38	11	250	★
65A2V102	1-1/16"	30	38.5	12	250	★

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



1/2"

Impact Sockets




磁性接杆式长套筒，十二角

12-Point Sockets - Extended Length, With Magnetic

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
65B2Q008	8mm	25	15	4	125	★
65B2Q009	9mm	25	16	4	125	★
65B2Q010	10mm	25	17.5	4	125	★
65B2Q011	11mm	25	18.5	5	125	★
65B2Q012	12mm	25	20	5	125	★
65B2Q013	13mm	25	21	6	125	★
65B2Q014	14mm	25	22.5	6	125	★
65B2Q015	15mm	30	23.5	7	125	★
65B2Q016	16mm	30	25	7	125	★
65B2Q017	17mm	30	26	8	125	★
65B2Q018	18mm	30	27.5	8	125	★
65B2Q019	19mm	30	28.5	8	125	★
65B2Q020	20mm	30	30	8	125	★
65B2Q021	21mm	30	31	9	125	★
65B2Q022	22mm	30	32	9	125	★
65B2Q023	23mm	30	34	9	125	★
65B2Q024	24mm	30	35	10	125	★
65B2Q025	25mm	30	36	10	125	★
65B2Q026	26mm	30	38	11	125	★
65B2Q027	27mm	30	38.5	12	125	★
65B2R008	8mm	25	15	4	150	★
65B2R009	9mm	25	16	4	150	★
65B2R010	10mm	25	17.5	4	150	★
65B2R011	11mm	25	18.5	5	150	★
65B2R012	12mm	25	20	5	150	★
65B2R013	13mm	25	21	6	150	★
65B2R014	14mm	25	22.5	6	150	★
65B2R015	15mm	30	23.5	7	150	★
65B2R016	16mm	30	25	7	150	★
65B2R017	17mm	30	26	8	150	★
65B2R018	18mm	30	27.5	8	150	★
65B2R019	19mm	30	28.5	8	150	★
65B2R020	20mm	30	30	8	150	★
65B2R021	21mm	30	31	9	150	★
65B2R022	22mm	30	32	9	150	★
65B2R023	23mm	30	34	9	150	★
65B2R024	24mm	30	35	10	150	★
65B2R025	25mm	30	36	10	150	★
65B2R026	26mm	30	38	11	150	★
65B2R027	27mm	30	38.5	12	150	★

★：特殊品项，最小订购量/交货期需确认。



注意：请使用时穿戴好相应防护措施，不要在没有任何防护情况下使用。




1/2"

Impact Sockets

磁性接杆式长套筒，十二角

12-Point Sockets - Extended Length, With Magnetic

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
65B2S008	8mm	25	15	4	175	★
65B2S009	9mm	25	16	4	175	★
65B2S010	10mm	25	17.5	4	175	★
65B2S011	11mm	25	18.5	5	175	★
65B2S012	12mm	25	20	5	175	★
65B2S013	13mm	25	21	6	175	★
65B2S014	14mm	25	22.5	6	175	★
65B2S015	15mm	30	23.5	7	175	★
65B2S016	16mm	30	25	7	175	★
65B2S017	17mm	30	26	8	175	★
65B2S018	18mm	30	27.5	8	175	★
65B2S019	19mm	30	28.5	8	175	★
65B2S020	20mm	30	30	8	175	★
65B2S021	21mm	30	31	9	175	★
65B2S022	22mm	30	32	9	175	★
65B2S023	23mm	30	34	9	175	★
65B2S024	24mm	30	35	10	175	★
65B2S025	25mm	30	36	10	175	★
65B2S026	26mm	30	38	11	175	★
65B2S027	27mm	30	38.5	12	175	★
65B2T008	8mm	25	15	4	200	★
65B2T009	9mm	25	16	4	200	★
65B2T010	10mm	25	17.5	4	200	★
65B2T011	11mm	25	18.5	5	200	★
65B2T012	12mm	25	20	5	200	★
65B2T013	13mm	25	21	6	200	★
65B2T014	14mm	25	22.5	6	200	★
65B2T015	15mm	30	23.5	7	200	★
65B2T016	16mm	30	25	7	200	★
65B2T017	17mm	30	26	8	200	★
65B2T018	18mm	30	27.5	8	200	★
65B2T019	19mm	30	28.5	8	200	★
65B2T020	20mm	30	30	8	200	★
65B2T021	21mm	30	31	9	200	★
65B2T022	22mm	30	32	9	200	★
65B2T023	23mm	30	34	9	200	★
65B2T024	24mm	30	35	10	200	★
65B2T025	25mm	30	36	10	200	★
65B2T026	26mm	30	38	11	200	★
65B2T027	27mm	30	38.5	12	200	★
65B2V008	8mm	25	15	4	250	★
65B2V009	9mm	25	16	4	250	★
65B2V010	10mm	25	17.5	4	250	★
65B2V011	11mm	25	18.5	5	250	★
65B2V012	12mm	25	20	5	250	★
65B2V013	13mm	25	21	6	250	★
65B2V014	14mm	25	22.5	6	250	★
65B2V015	15mm	30	23.5	7	250	★
65B2V016	16mm	30	25	7	250	★
65B2V017	17mm	30	26	8	250	★
65B2V018	18mm	30	27.5	8	250	★
65B2V019	19mm	30	28.5	8	250	★
65B2V020	20mm	30	30	8	250	★
65B2V021	21mm	30	31	9	250	★
65B2V022	22mm	30	32	9	250	★
65B2V023	23mm	30	34	9	250	★
65B2V024	24mm	30	35	10	250	★
65B2V025	25mm	30	36	10	250	★
65B2V026	26mm	30	38	11	250	★
65B2V027	27mm	30	38.5	12	250	★



★：特殊品项，最小订购量/交货期需确认。



1/2"


Impact Sockets



薄壁气动套筒，六角

6-Point Sockets - Thin Wall

Order No.	size	D2 mm	D1 mm	L2 mm	L mm
61020010	5/16"	25	13	6	38
61020012	3/8"	25	15	6	38
61020014	7/16"	25	17	8	38
61020016	1/2"	25	18.7	9	38
61020018	9/16"	25	21	11	38
61020020	5/8"	28	23	11	38
61020022	11/16"	30	24.5	11	38
61020024	3/4"	30	26	13	38
61020026	13/16"	30	28	15	38
61020028	7/8"	30	30	15	38
61020030	15/16"	30	32	18	45
61020100	1"	30	34	18	50
61020102	1-1/16"	30	36	19	50
61020104	1-1/8"	30	38	19	50
61020106	1-3/16"	30	40	21	50
61020108	1-1/4"	30	42	22	50
61120008	8mm	25	13	6	38
61120009	9mm	25	14.5	6	38
61120010	10mm	25	15.5	7	38
61120011	11mm	25	16.7	8	38
61120012	12mm	25	18	9	38
61120013	13mm	25	19.2	9	38
61120014	14mm	25	21	11	38
61120015	15mm	30	21.7	11	38
61120016	16mm	30	23	11	38
61120017	17mm	30	24	11	38
61120018	18mm	30	25	13	38
61120019	19mm	30	26	13	38
61120021	21mm	30	28	15	38
61120022	22mm	30	29.5	15	38
61120023	23mm	30	30.5	15	38
61120024	24mm	30	32	18	45
61120026	26mm	30	35	18	50
61120027	27mm	30	36	19	50
61120030	30mm	30	40	21	50
61120032	32mm	30	42	22	50
6112B015	15mm	24	21.7	12.8	38
6112B016	16mm	24	23	12.8	38
6112B017	17mm	24	24.3	12.8	38
6112B018	18mm	25.5	25.5	12.8	38
6112B019	19mm	26.6	26.6	14	38
6112B021	21mm	29	29	14.5	38



特别提示：薄壁系列套筒不在“霹雳马”产品保证范围以内

Extra thin wall sockets are not covered by the ACTION warranty



注意：请使用时穿戴好相应防护措施，不要在没有任何防护情况下使用。



1/2"

Impact Sockets

薄壁加长型气动套筒，六角

6-Point Sockets - Thin Wall Deep


Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
61022010	5/16"	25	13	13	78	★
61022012	3/8"	25	15	14	78	★
61022014	7/16	25	17	14	78	★
61022016	1/2"	25	18.7	14	78	★
61022018	9/16"	25	21	17	78	★
61022020	5/8"	28	23	17	78	★
61022022	11/16"	30	24.5	17	78	★
61022024	3/4"	30	26	19	78	★
61022026	13/16"	30	28	24	78	★
61022028	7/8"	30	30	24	78	★
61022030	15/16"	30	32	24	78	★
61022100	1"	30	34	24	78	★
61022102	1-1/16"	30	36	24	78	★
61022104	1-1/8"	30	38	24	78	★
61022106	1-3/16"	30	40	24	78	★
61022108	1-1/4"	30	42	24	78	★
61A22008	8mm	25	13	13	78	★
61A22009	9mm	25	14.5	14	78	★
61A22010	10mm	25	15.5	14	78	★
61A22011	11mm	25	16.7	14	78	★
61A22012	12mm	25	18	14	78	★
61A22013	13mm	25	19.2	14	78	★
61A22014	14mm	25	21	17	78	★
61A22015	15mm	30	21.7	17	78	★
61A22016	16mm	30	23	17	78	★
61A22017	17mm	30	24	17	78	★
61A22018	18mm	30	25	17	78	★
61A22019	19mm	30	26	19	78	★
61A22021	21mm	30	28	24	78	★
61A22022	22mm	30	29.5	24	78	★
61A22023	23mm	30	30.5	24	78	★
61A22024	24mm	30	32	24	78	★
61A22026	26mm	30	35	24	78	★
61A22027	27mm	30	36	24	78	★
61A22030	30mm	30	40	24	78	★
61A22032	32mm	30	42	24	78	★
61122008	8mm	22	14	13	78	
61122009	9mm	22	14.5	14	78	
61122010	10mm	22	15.5	14	78	
61122011	11mm	22	16.7	14	78	
61122012	12mm	22	18	14	78	
61122013	13mm	24	19.2	14	78	
61122014	14mm	24	21	17	78	
61122015	15mm	24	21.7	17	78	
61122016	16mm	24	23	17	78	
61122017	17mm	24	24	17	78	
61122018	18mm	25	25	17	78	
61122019	19mm	26	26	19	78	
61122020	20mm	27.5	27.5	19	78	
61122021	21mm	28	28	24	78	
61122022	22mm	29.5	29.5	24	78	
61122023	23mm	30.5	30.5	24	78	
61122024	24mm	32	32	24	78	
61122025	25mm	33	33	24	78	
61122026	26mm	35	35	24	78	
61122027	27mm	36	36	24	78	
61122028	28mm	37.5	37.5	24	78	
61122029	29mm	38	38.5	54	78	
61122030	30mm	38	40	54	78	
61122031	31mm	38	41	54	78	
61122032	32mm	38	42	54	78	

★：特殊品项，最小订购量/交货期需确认。



特别提示：薄壁系列套筒不在“霹雳马”产品保证范围以内

Extra thin wall sockets are not covered by the ACTION warranty





3/4"

Impact Sockets



薄壁气动套筒，六角

6-Point Sockets - Thin Wall


Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
6104C024	3/4"	35	28.6	13	50	★
6104C026	13/16"	35	31.8	15	52	★
6104C028	7/8"	35	33.3	15	52	★
6104C030	15/16"	35	34.9	16	52	★
6104C100	1"	36.5	36.5	16	52	★
6104C102	1-1/16"	38	38.1	19	52	★
6104C104	1-1/8"	41.3	41.3	21	52	★
6104C106	1-3/16"	41.3	41.3	21	52	★
6104C108	1-1/4"	44.5	44.5	22	52	★
6104C110	1-5/16"	44.5	47.6	22	56	★

薄壁加长气动套筒，六角

6-Point Sockets - Thin Wall Deep

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
61041108	1-1/4"	44	46.5	32	95	★
61041110	1-5/16"	44	47.5	34	95	★
61041112	1-3/8"	44	51	35	95	★
61041116	1-1/2"	44	54	38	95	★
61041120	1-5/8"	44	57	38	95	★
61042102	1-1/16"	43	40	43	108	★
61042104	1-1/8"	43	42	43	108	★
61042108	1-1/4"	45	45	43	108	★
61141017	17mm	44	25.5	17	95	
61141019	19mm	44	28.5	19	95	
61141022	22mm	44	33.5	22	95	
61141024	24mm	44	36.5	24	95	
61141027	27mm	44	40.5	27	95	
61141030	30mm	44	43.5	30	95	
61141032	32mm	44	46.5	32	95	
61141033	33mm	44	47.5	33	95	
61141035	35mm	44	51	35	95	
61141036	36mm	44	52	36	95	
61141038	38mm	44	54	38	95	
61141041	41mm	44	57	38	95	
61142027	27mm	43	40	43	108	★
61142032	32mm	45	45	43	108	★
61142041	41mm	45	54.5	43	108	★

★: 特殊品项, 最小订购量/交货期需确认。



特别提示: 薄壁系列套筒不在“霹雳马”产品保证范围以内
Extra thin wall sockets are not covered by the ACTION warranty




1"

Impact Sockets

薄壁加长型气动套筒，六角

6-Point Sockets - Thin Wall Deep



Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
61052102	1-1/16"	51	42.5	43	108	★
61052104	1-1/8"	51	43	43	108	★
61052108	1-1/4"	51	47	43	108	★
61052110	1-5/16"	51	49	43	108	★
61052116	1-1/2"	54	54	43	108	★
61052124	1-3/4"	54	62	43	108	★
61151019	19mm	54	33	19	100	★
61151022	23mm	54	35	22	100	★
61151023	23mm	54	37	23	100	★
61151024	24mm	54	38	24	100	★
61151026	26mm	54	41	26	100	★
61151027	27mm	54	42	27	100	★
61151028	28mm	54	43	28	100	★
61151029	29mm	54	44	29	100	★
61151030	30mm	54	45	30	100	★
61151032	32mm	54	47	32	100	★
61151033	33mm	54	49	33	100	★
61151034	34mm	54	49	34	100	★
61151035	35mm	54	51	35	100	★
61151036	36mm	54	52	36	100	★
61151038	38mm	54	54	38	100	★
61151041	41mm	54	57	38	100	★
61152027	27mm	51	42.5	43	108	★
61152032	32mm	51	47	43	108	★
61152033	33mm	51	49	43	108	★
61152038	38mm	54	54	43	108	★
61152041	41mm	54	57	43	108	★

★: 特殊品项，最小订购量/交货期需确认。



特别提示：薄壁系列套筒不在“霹雳马”产品保证范围以内
Extra thin wall sockets are not covered by the ACTION warranty



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



#5 Spline

Impact Sockets




5#花键薄壁加长套筒，六角

6-Point Sockets - Thin Wall Deep

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
67101102	1-1/16"	54	42.5	25	106	★
67101104	1-1/8"	54	43	25	106	★
67101108	1-1/4"	54	47	25	106	★
67101110	1-5/16"	54	49	25	106	★
67101112	1-3/8"	54	51	25	108	★
67101116	1-1/2"	54	54	25	108	★
67101120	1-5/8"	57	57	25	108	★
67106027	27mm	54	42.5	25	106	★
67106032	32mm	54	47	25	106	★
67106033	33mm	54	49	25	106	★
67106035	35mm	54	51	25	108	★
67106038	38mm	54	54	25	108	★
67106041	41mm	57	57	25	108	★

★: 特殊品项，最小订购量/交货期需确认。



特别提示：薄壁系列套筒不在“霹雳马”产品保证范围以内
Extra thin wall sockets are not covered by the ACTION warranty



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



1/2"


Impact Sockets



薄壁气动套筒，十二角

12-Point Sockets - Thin Wall

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
65E20010	5/16"	25	13	6	38	★
65E20012	3/8"	25	15	6	38	★
65E20014	7/16"	25	17	8	38	★
65E20016	1/2"	25	18.7	9	38	★
65E20018	9/16"	25	21	11	38	★
65E20020	5/8"	28	23	11	38	★
65E20022	11/16"	30	24.5	11	38	★
65E20024	3/4"	30	26	13	40	★
65E20026	13/16"	30	28	15	40	★
65E20028	7/8"	30	30	15	40	★
65E20030	15/16"	30	32	18	45	★
65E20100	1"	30	34	18	45	★
65E20102	1-1/16"	30	36	19	50	★
65E20104	1-1/8"	30	38	19	50	★
65E20106	1-3/16"	30	40	21	50	★
65E20108	1-1/4"	30	42	22	50	★
65E25008	8mm	25	13	6	38	★
65E25009	9mm	25	14.5	6	38	★
65E25010	10mm	25	15.5	7	38	★
65E25011	11mm	25	16.7	8	38	★
65E25012	12mm	25	18	9	38	★
65E25013	13mm	25	19.2	9	38	★
65E25014	14mm	25	21	11	38	★
65E25015	15mm	30	21.7	11	38	★
65E25016	16mm	30	23	11	38	★
65E25017	17mm	30	24	11	38	★
65E25018	18mm	30	25	13	40	★
65E25019	19mm	30	26	13	40	★
65E25021	21mm	30	28	15	40	★
65E25022	22mm	30	29.5	15	40	★
65E25023	23mm	30	30.5	15	40	★
65E25024	24mm	30	32	18	45	★
65E25026	26mm	30	35	18	50	★
65E25027	27mm	30	36	19	50	★
65E25030	30mm	30	40	21	50	★
65E25032	32mm	30	42	22	50	★
65E25033	33mm	30	44.5	22	50	★



★: 特殊品项，最小订购量/交货期需确认。



特别提示：薄壁系列套筒不在“霹雳马”产品保证范围以内
Extra thin wall sockets are not covered by the ACTION warranty

CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



1/2"

Impact Sockets




薄壁加长型气动套筒，十二角

12-Point Sockets - Thin Wall Deep

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
65E22010	5/16"	25	13	6	83	★
65E22012	3/8"	25	15	6	83	★
65E22014	7/16"	25	17	8	83	★
65E22016	1/2"	25	18.7	9	83	★
65E22018	9/16"	25	21	11	83	★
65E22020	5/8"	28	23	11	83	★
65E22022	11/16"	30	24.5	11	83	★
65E22024	3/4"	30	26	13	83	★
65E22026	13/16"	30	28	15	83	★
65E22028	7/8"	30	30	15	90	★
65E22030	15/16"	30	32	18	90	★
65E22100	1"	30	34	18	90	★
65E22102	1-1/16"	30	36	19	90	★
65E22104	1-1/8"	30	38	19	90	★
65E22106	1-3/16"	30	40	21	90	★
65E22108	1-1/4"	30	42	22	90	★
65E27008	8mm	25	13	6	83	★
65E27009	9mm	25	14.5	6	83	★
65E27010	10mm	25	15.5	7	83	★
65E27011	11mm	25	16.7	8	83	★
65E27012	12mm	25	18	9	83	★
65E27013	13mm	25	19.2	9	83	★
65E27014	14mm	25	21	11	83	★
65E27015	15mm	30	21.7	11	83	★
65E27016	16mm	30	23	11	83	★
65E27017	17mm	30	24	11	83	★
65E27018	18mm	30	25	13	83	★
65E27019	19mm	30	26	13	83	★
65E27021	21mm	30	28	15	83	★
65E27022	22mm	30	29.5	15	90	★
65E27023	23mm	30	30.5	15	90	★
65E27024	24mm	30	32	18	90	★
65E27026	26mm	30	35	18	90	★
65E27027	27mm	30	36	19	90	★
65E27030	30mm	30	40	21	90	★
65E27032	32mm	30	42	22	90	★
65E27033	33mm	30	44.5	22	90	★

★：特殊品项，最小订购量/交货期需确认。



特别提示：薄壁系列套筒不在“霹雳马”产品保证范围以内

Extra thin wall sockets are not covered by the ACTION warranty



注意：请使用穿戴好相应防护措施，不要在没有任何防护情况下使用。



1/4"


Impact Sockets

万向气动套筒，六角

6-Point Universal Sockets

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
62400008	1/4"	15	10.3	6	43	★
62400010	5/16"	15	12.5	8	43	★
62400012	3/8"	15	15	8	43	★
62400014	7/16"	15	16.5	8	43	★
62400016	1/2"	16	18.8	8	48	★
62400018	9/16"	16	19.8	8	48	★
62500050	5mm	15	8.8	5	43	
62500055	5.5mm	15	9.5	6	43	
62500060	6mm	15	10	6	43	
62500070	7mm	15	11.5	8	43	
62500080	8mm	15	12.5	8	43	
62500090	9mm	15	14	8	43	
62500100	10mm	15	15	8	43	
62500110	11mm	15	16.5	8	43	
62500120	12mm	16	16.8	8	48	
62500130	13mm	16	18.8	8	48	
62500140	14mm	16	19.8	8	48	
62500150	15mm	16	20.8	8	48	

★：特殊品项，最小订购量/交货期需确认。



特别提示：万向系列套筒不在“霹雳马”产品保证范围以内。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



3/8"

Impact Sockets




万向气动套筒，六角

6-Point Universal Socket

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
62210010	5/16"	24	14	9	53	★
62210012	3/8"	24	15	9	53	★
62210014	7/16"	24	17	9	53	★
62210016	1/2"	24	18	11	53	★
62210018	9/16"	24	21	11	53	★
62210020	5/8"	24	23	11	53	★
62210022	11/16"	24	25	11	53	★
62210024	3/4"	24	27	11	53	★
62210026	13/16"	24	30	11	53	★
62210028	7/8"	24	32	11	53	★
62210030	15/16"	24	34	11	53	★
62210100	1"	24	36	11	53	★
62310009	9mm	24	15	9	53	
62310010	10mm	24	15	9	53	
62310011	11mm	24	17	9	53	
62310012	12mm	24	19	12	53	
62310013	13mm	24	19	13	53	
62310014	14mm	24	21	13	53	
62310015	15mm	24	22	13	53	
62310016	16mm	24	23	13	53	
62310017	17mm	24	25	13	53	
62310018	18mm	24	25	13	53	
62310019	19mm	24	27	13	53	
62310020	20mm	24	30	13	53	
62310021	21mm	24	30	13	53	
62310022	22mm	24	32	13	53	

★：特殊品项，最小订购量/交货期需确认。



特别提示：万向系列套筒不在“霹雳马”产品保证范围以内。



注意：请使用时穿戴好相应防护措施，不要在没有任何防护情况下使用。


**3/8"****Impact Sockets**

万向加长型气动套筒，六角

6-Point Universal Sockets - Deep

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
62211010	5/16"	24	14	12	74	★
62211012	3/8"	24	15	20	78	★
62211014	7/16"	24	17	20	80	★
62211016	1/2"	24	18	20	80	★
62211018	9/16"	24	19	20	80	★
62211020	5/8"	24	23	20	80	★
62211022	11/16"	24	25	20	80	★
62211024	3/4"	24	27	25	80	★
62211026	13/16"	24	30	25	80	★
62211028	7/8"	24	32	25	80	★
62211030	15/16"	24	34	25	80	★
62211100	1"	24	36	25	80	★
62311009	9mm	24	15	20	78	
62311010	10mm	24	15	20	78	
62311011	11mm	24	17	20	80	
62311012	12mm	24	19	20	80	
62311013	13mm	24	19	20	80	
62311014	14mm	24	21	20	80	
62311015	15mm	24	22	20	80	
62311016	16mm	24	23	20	80	
62311017	17mm	24	25	20	80	
62311018	18mm	24	25	20	80	
62311019	19mm	24	27	25	80	
62311020	20mm	24	30	25	80	
62311021	21mm	24	30	25	80	
62311022	22mm	24	32	25	80	
62317008	8mm	19	12.5	9	250	★
62317009	9mm	19	13.5	9	250	★
62317010	10mm	19	14.5	9	250	★
62317011	11mm	19	16.2	9	250	★
62317012	12mm	19	16.8	9	250	★
62317013	13mm	19	19	11	250	★
62317014	14mm	19	21	11	250	★
62317015	15mm	19	22	11	250	★

★：特殊品项，最小订购量/交货期需确认。



特别提示：万向系列套筒不在“霹雳马”产品保证范围以内。

**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.



1/2"

Impact Sockets




万向气动套筒，六角

6-Point Universal Sockets

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
62220012	3/8"	28	15	13	65	★
62220014	7/16"	28	17	13	65	★
62220016	1/2"	28	19	13	65	★
62220018	9/16"	28	22	13	65	★
62220020	5/8"	28	23	13	65	★
62220022	11/16"	32	26	13	65	★
62220024	3/4"	32	28	13	65	★
62220026	13/16"	32	30	13	65	★
62220028	7/8"	32	32	13	65	★
62220030	15/16"	32	34	13	65	★
62220100	1"	32	36	13	65	★
62220102	1-1/16"	32	38	13	65	★
62220104	1-1/8"	32	40	18	70	★
62220106	1-3/16"	32	42	20	72	★
62220108	1-1/4"	32	44	20	72	★
62320010	10mm	28	15	13	65	
62320011	11mm	28	17	13	65	
62320012	12mm	28	19	13	65	
62320013	13mm	28	20	13	65	
62320014	14mm	28	22	13	65	
62320015	15mm	28	23	13	65	
62320016	16mm	28	23	13	65	
62320017	17mm	32	26	13	65	
62320018	18mm	32	26	13	65	
62320019	19mm	32	28	13	65	
62320020	20mm	32	30	13	65	
62320021	21mm	32	30	13	65	
62320022	22mm	32	32	13	65	
62320023	23mm	32	32	13	65	
62320024	24mm	32	34	13	65	

★：特殊品项，最小订购量/交货期需确认。



特别提示：万向系列套筒不在“霹雳马”产品保证范围以内。



注意：请使用时穿戴好相应防护措施，不要在没有任何防护情况下使用。



1/2"

Impact Sockets

万向加长型气动套筒，六角


6-Point Universal Sockets - Deep

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
62221012	3/8"	28	15	14	90	★
62221014	7/16"	28	17	20	90	★
62221016	1/2"	28	19	20	90	★
62221018	9/16"	28	22	20	90	★
62221020	5/8"	28	23	20	90	★
62221022	11/16"	32	26	20	90	★
62221024	3/4"	32	28	25	90	★
62221026	13/16"	32	30	25	90	★
62221028	7/8"	32	32	25	90	★
62221030	15/16"	32	34	25	90	★
62221100	1"	32	36	25	90	★
62221102	1-1/16"	32	38	25	90	★
62221104	1-1/8"	32	40	25	90	★
62221106	1-3/16"	32	42	25	90	★
62221108	1-1/4"	32	44	25	90	★
62321010	10mm	28	15	14	90	
62321011	11mm	28	17	20	90	
62321012	12mm	28	19	20	90	
62321013	13mm	28	20	20	90	
62321014	14mm	28	22	20	90	
62321015	15mm	28	23	20	90	
62321016	16mm	28	23	20	90	
62321017	17mm	32	26	20	90	
62321018	18mm	32	26	20	90	
62321019	19mm	32	28	25	90	
62321020	20mm	32	30	25	90	
62321021	21mm	32	30	25	90	
62321022	22mm	32	32	25	90	
62321023	23mm	32	32	25	90	
62321024	24mm	32	34	25	90	
62327009	9mm	25	15	9	200	★
62327010	10mm	25	15	9	200	★
62327011	11mm	25	17	9	200	★
62327012	12mm	25	19	11	200	★
62327013	13mm	25	19	11	200	★
62327014	14mm	25	21	11	200	★
62327015	15mm	25	22	11	200	★
62327016	16mm	25	23	11	200	★
62327017	17mm	25	26	13	200	★
62327018	18mm	25	26	13	200	★
62327019	19mm	25	28	13	200	★

★: 特殊品项，最小订购量/交货期需确认。

⚠ 特别提示：万向系列套筒不在“霹雳马”产品保证范围以内。

⚠ **CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.





3/4"

Impact Sockets




万向气动套筒，六角

6-Point Universal Sockets

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
62240024	3/4"	44	32	13	95	★
62240026	13/16"	44	35	14	95	★
62240028	7/8"	44	37	14	95	★
62240030	15/16"	44	39	15	95	★
62240100	1"	44	41	16	100	★
62240102	1-1/16"	44	43	17	100	★
62240104	1-1/8"	44	44	18	100	★
62240106	1-3/16"	44	47	18	100	★
62240108	1-1/4"	44	49	20	105	★
62240110	1-5/16"	44	51	21	105	★
62240112	1-3/8"	44	53	22	105	★
62240114	1-7/16"	44	54	23	110	★
62240116	1-1/2"	44	57	24	110	★
62240118	1-9/16"	44	60	24	110	★
62240120	1-5/8"	44	60	27	115	★
62240122	1-11/16"	44	63.5	27	115	★
62240124	1-3/4"	44	64.5	30	115	★
62240126	1-13/16"	44	66.5	30	115	★
62240128	1-7/8"	44	68	30	115	★
62340019	19mm	44	32	13	95	★
62340020	20mm	44	34	14	95	★
62340021	21mm	44	35	14	95	★
62340022	22mm	44	37	14	95	★
62340023	23mm	44	38	14	95	★
62340024	24mm	44	39	15	95	★
62340025	25mm	44	41	16	100	★
62340026	26mm	44	42	16	100	★
62340027	27mm	44	43	17	100	★
62340028	28mm	44	44	18	100	★
62340029	29mm	44	46	18	100	★
62340030	30mm	44	47	18	100	★
62340031	31mm	44	48	19	105	★
62340032	32mm	44	49	20	105	★
62340033	33mm	44	51	21	105	★
62340034	34mm	44	52	22	105	★
62340035	35mm	44	53	22	105	★
62340036	36mm	44	54	23	110	★
62340037	37mm	44	56	24	110	★
62340038	38mm	44	57	24	110	★
62340039	39mm	44	59	24	110	★
62340040	40mm	44	60	24	110	★
62340041	41mm	44	60	27	115	★
62340042	42mm	44	62	27	115	★
62340043	43mm	44	63.5	27	115	★
62340044	44mm	44	64.5	30	115	★
62340045	45mm	44	66	30	115	★
62340046	46mm	44	66.5	30	115	★

★：特殊品项，最小订购量/交货期需确认。



特别提示：万向系列套筒不在“霹雳马”产品保证范围以内。



注意：请使用时穿戴好相应防护措施，不要在没有任何防护情况下使用。



1"

Impact Sockets

万向气动套筒，六角


6-Point Universal Sockets

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
65550028	7/8"	58	39	20	132	★
65550030	15/16"	58	40	20	132	★
65550100	1"	58	42	20	132	★
65550102	1-1/16"	58	44	20	132	★
65550104	1-1/8"	58	46	20	132	★
65550106	1-3/16"	58	50	20	132	★
65550108	1-1/4"	58	52	20	132	★
65550110	1-5/16"	58	55	21	132	★
65550112	1-3/8"	58	55	23	132	★
65550114	1-7/16"	58	56	23	132	★
65550116	1-1/2"	58	59	24	137	★
65550118	1-9/16"	58	62	24	137	★
65550120	1-5/8"	58	63	26	137	★
65550122	1-11/16"	58	66	26	137	★
65550124	1-3/4"	58	68	30	142	★
65550126	1-13/16"	58	69	30	142	★
65550128	1-7/8"	58	73	30	142	★
65550130	1-15/16"	58	74	31	142	★
65550200	2"	58	76	31	142	★
65555024	24mm	58	40	20	132	★
65555026	26mm	58	42	20	132	★
65555027	27mm	58	44	20	132	★
65555029	29mm	58	48	20	132	★
65555030	30mm	58	50	20	132	★
65555032	32mm	58	52	20	132	★
65555033	33mm	58	53	21	132	★
65555034	34mm	58	55	21	132	★
65555035	35mm	58	55	23	132	★
65555036	36mm	58	56	23	132	★
65555038	38mm	58	59	24	137	★
65555041	41mm	58	63	26	137	★
65555042	42mm	58	64	26	137	★
65555043	43mm	58	66	26	137	★
65555044	44mm	58	67	26	137	★
65555045	45mm	58	68	30	142	★
65555046	46mm	58	69	30	142	★
65555047	47mm	58	72	30	142	★
65555048	48mm	58	73	30	142	★
65555050	50mm	58	74	31	142	★

★：特殊品项，最小订购量/交货期需确认。

⚠ 特别提示：万向系列套筒不在“霹雳马”产品保证范围以内。

⚠ **CAUTION:** Always wear safety goggles when using Impact equipment. Do not hold socket while in use.





3/8"

Impact Sockets




万向气动套筒，十二角

12-Point Universal Sockets

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
62610010	5/16"	24	14	9	53	★
62610012	3/8"	24	15	9	53	★
62610014	7/16"	24	17	9	53	★
62610016	1/2"	24	19	11	53	★
62610018	9/16"	24	21	11	53	★
62610020	5/8"	24	23	11	53	★
62610022	11/16"	24	25	11	53	★
62610024	3/4"	24	27	11	53	★
62610026	13/16"	24	30	11	53	★
62610028	7/8"	24	32	11	53	★
62610030	15/16"	24	34	11	53	★
62610100	1"	24	36	11	53	★
62710008	8mm	24	14	9	53	★
62710009	9mm	24	15	9	53	★
62710010	10mm	24	15	9	53	★
62710011	11mm	24	17	9	53	★
62710012	12mm	24	19	11	53	★
62710013	13mm	24	19	11	53	★
62710014	14mm	24	21	11	53	★
62710015	15mm	24	22	11	53	★
62710016	16mm	24	23	11	53	★
62710017	17mm	24	25	11	53	★
62710018	18mm	24	25	11	53	★
62710019	19mm	24	27	11	53	★
62710020	20mm	24	30	11	53	★
62710021	21mm	24	30	11	53	★
62710022	22mm	24	32	11	53	★
62710023	23mm	24	34	11	53	★
62710024	24mm	24	35	11	53	★

★: 特殊品项, 最小订购量/交货期需确认。



特别提示: 万向系列套筒不在“霹雳马”产品保证范围以内。



注意: 请使用时穿戴好相应防护措施, 不要在没有任何防护情况下使用。



3/8"


Impact Sockets

万向加长型气动套筒，十二角

12-Point Universal Sockets - Deep

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
62611008	8mm	24	14	12	74	★
62611010	5/16"	24	14	12	74	★
62611012	3/8"	24	15	20	78	★
62611014	7/16"	24	17	20	80	★
62611016	1/2"	24	19	20	80	★
62611018	9/16"	24	21	20	80	★
62611020	5/8"	24	23	20	80	★
62611022	11/16"	24	25	20	80	★
62611024	3/4"	24	27	25	80	★
62611026	13/16"	24	30	25	80	★
62611028	7/8"	24	32	25	80	★
62611030	15/16"	24	34	25	80	★
62611100	1"	24	36	25	80	★
62711009	9mm	24	15	20	78	★
62711010	10mm	24	15	20	78	★
62711011	11mm	24	17	20	80	★
62711012	12mm	24	19	20	80	★
62711013	13mm	24	19	20	80	★
62711014	14mm	24	21	20	80	★
62711015	15mm	24	22	20	80	★
62711016	16mm	24	23	20	80	★
62711017	17mm	24	25	20	80	★
62711018	18mm	24	25	20	80	★
62711019	19mm	24	27	25	80	★
62711020	20mm	24	30	25	80	★
62711021	21mm	24	30	25	80	★
62711022	22mm	24	32	25	80	★
62711023	23mm	24	34	25	80	★
62711024	24mm	24	35	25	80	★

★: 特殊品项, 最小订购量/交货期需确认。



特别提示: 万向系列套筒不在“霹雳马”产品保证范围以内。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



1/2"

Impact Sockets




万向气动套筒，十二角

12-Point Universal Sockets

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
62620012	3/8"	28	15	13	65	★
62620014	7/16"	28	17	13	65	★
62620016	1/2"	28	19	13	65	★
62620018	9/16"	28	22	13	65	★
62620020	5/8"	28	23	13	65	★
62620022	11/16"	32	26	13	65	★
62620024	3/4"	32	28	13	65	★
62620026	13/16"	32	30	13	65	★
62620028	7/8"	32	32	13	65	★
62620030	15/16"	32	34	13	65	★
62620100	1"	32	36	13	65	★
62620102	1-1/16"	32	38	13	65	★
62620104	1-1/8"	32	40	18	70	★
62620106	1-3/16"	32	42	20	72	★
62620108	1-1/4"	32	44	20	72	★
62720010	10mm	28	15	13	65	★
62720011	11mm	28	17	13	65	★
62720012	12mm	28	19	13	65	★
62720013	13mm	28	20	13	65	★
62720014	14mm	28	22	13	65	★
62720015	15mm	28	23	13	65	★
62720016	16mm	28	23	13	65	★
62720017	17mm	32	26	13	65	★
62720018	18mm	32	26	13	65	★
62720019	19mm	32	28	13	65	★
62720020	20mm	32	30	13	65	★
62720021	21mm	32	30	13	65	★
62720022	22mm	32	32	13	65	★
62720023	23mm	32	32	13	65	★
62720024	24mm	32	34	13	65	★

★：特殊品项，最小订购量/交货期需确认。



特别提示：万向系列套筒不在“霹雳马”产品保证范围以内。



注意：请使用时穿戴好相应防护措施，不要在没有任何防护情况下使用。



1/2"


Impact Sockets

万向加长型气动套筒，十二角

12-Point Universal Sockets - Deep

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
62621012	3/8"	28	15	14	90	★
62621014	7/16"	28	17	20	90	★
62621016	1/2"	28	19	20	90	★
62621018	9/16"	28	22	20	90	★
62621020	5/8"	28	23	20	90	★
62621022	11/16"	32	26	20	90	★
62621024	3/4"	32	28	25	90	★
62621026	13/16"	32	30	25	90	★
62621028	7/8"	32	32	25	90	★
62621030	15/16"	32	34	25	90	★
62621100	1"	32	36	25	90	★
62621102	1-1/16"	32	38	25	90	★
62621104	1-1/8"	32	40	25	90	★
62621106	1-3/16"	32	42	25	90	★
62621108	1-1/4"	32	44	25	90	★
62721010	10mm	28	15	14	90	★
62721011	11mm	28	17	20	90	★
62721012	12mm	28	19	20	90	★
62721013	13mm	28	20	20	90	★
62721014	14mm	28	22	20	90	★
62721015	15mm	28	23	20	90	★
62721016	16mm	28	23	20	90	★
62721017	17mm	32	26	20	90	★
62721018	18mm	32	26	20	90	★
62721019	19mm	32	28	25	90	★
62721020	20mm	32	30	25	90	★
62721021	21mm	32	30	25	90	★
62721022	22mm	32	32	25	90	★
62721023	23mm	32	32	25	90	★
62721024	24mm	32	34	25	90	★

★：特殊品项，最小订购量/交货期需确认。



特别提示：万向系列套筒不在“霹雳马”产品保证范围以内。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.




1/4"

Surface Drive Impact Sockets



大圆弧气动套筒，六角

6-Point Sockets



Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
63400006	3/16"	13	8.5	5	23	★
63400007	7/32"	13	9.5	5	23	★
63400008	1/4"	13	10.3	6	23	★
63400009	9/32"	13	11.3	6	23	★
63400010	5/16"	13	12.5	7	23	★
63400011	11/32"	13	13.8	7	23	★
63400012	3/8"	13	15	7	23	★
63400014	7/16"	13	16.3	8	23	★
63400016	1/2"	13	18.8	8	23	★
63400018	9/16"	13	20	8	23	★
63405040	4mm	13	7.6	4	23	★
63405045	4.5mm	13	8.2	5	23	★
63405050	5mm	13	8.8	5	23	★
63405055	5.5mm	13	9.5	5	23	★
63405060	6mm	13	10	6	23	★
63405070	7mm	13	11.3	6	23	★
63405080	8mm	13	12.5	7	23	★
63405090	9mm	13	13.8	7	23	★
63405100	10mm	13	15	7	23	★
63405110	11mm	13	16.3	8	23	★
63405120	12mm	13	17	8	23	★
63405130	13mm	13	18.8	8	23	★
63405140	14mm	13	20	8	23	★
63405150	15mm	13	21	8	23	★

★: 特殊品项，最小订购量/交货期需确认。






1/4"

Surface Drive Impact Sockets

大圆弧加长气动套筒，六角

6-Point Sockets - Deep



Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
63402006	3/16"	13	8.5	6	50	★
63402007	7/32"	13	9.5	6	50	★
63402008	1/4"	13	10.3	7	50	★
63402009	9/32"	13	11.3	7	50	★
63402010	5/16"	13	12.5	9	50	★
63402011	11/32"	13	13.8	9	50	★
63402012	3/8"	13	15	9	50	★
63402014	7/16"	13	16.3	9	50	★
63402016	1/2"	13	18.8	9	50	★
63402018	9/16"	13	20	9	50	★
63407040	4mm	13	7.6	4	50	★
63407045	4.5mm	13	8.2	6	50	★
63407050	5mm	13	8.8	6	50	★
63407055	5.5mm	13	9.5	6	50	★
63407060	6mm	13	10	7	50	★
63407070	7mm	13	11.3	7	50	★
63407080	8mm	13	12.5	9	50	★
63407090	9mm	13	13.8	9	50	★
63407100	10mm	13	15	9	50	★
63407110	11mm	13	16.3	9	50	★
63407120	12mm	13	17	9	50	★
63407130	13mm	13	18.8	9	50	★
63407140	14mm	13	20	9	50	★
63407150	15mm	13	21	9	50	★

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



3/8"

Surface Drive Impact Sockets




大圆弧气动套筒，六角

6-Point Sockets

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
63410008	1/4"	19	11.5	4	32	★
63410010	5/16"	19	13.8	8	32	★
63410012	3/8"	19	15.5	8	32	★
63410014	7/16"	19	17.5	9	32	★
63410016	1/2"	22	20	9	32	★
63410018	9/16"	22	22	11	32	★
63410020	5/8"	22	24	11	32	★
63410022	11/16"	22	26	11	32	★
63410024	3/4"	22	28	11	32	★
63415008	8mm	19	13.8	8	32	
63415009	9mm	19	15	8	32	
63415010	10mm	19	16	8	32	
63415011	11mm	19	17.5	9	32	
63415012	12mm	19	19	9	32	
63415013	13mm	22	20	9	32	
63415014	14mm	22	22	9	32	
63415015	15mm	22	22	11	32	
63415016	16mm	22	24	11	32	
63415017	17mm	22	25	11	32	
63415018	18mm	22	26	11	32	
63415019	19mm	22	28	11	32	

★: 特殊品项，最小订购量/交货期需确认。





3/8"


Surface Drive Impact Sockets

大圆弧加长气动套筒，六角

6-Point Sockets - Deep

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
63412010	5/16"	19	13.8	12	80	★
63412012	3/8"	19	15.5	12	80	★
63412014	7/16"	19	17.5	25	80	★
63412016	1/2"	22	20	25	80	★
63412018	9/16"	22	22	25	80	★
63412020	5/8"	22	24	25	80	★
63412022	11/16"	22	26	25	80	★
63412024	3/4"	22	28	25	80	★
63417008	8mm	19	13.8	12	80	
63417009	9mm	19	15	12	80	
63417010	10mm	19	16	12	80	
63417011	11mm	19	17.5	25	80	
63417012	12mm	19	19	25	80	
63417013	13mm	22	20	25	80	
63417014	14mm	22	22	25	80	
63417015	15mm	22	22	25	80	
63417016	16mm	22	24	25	80	
63417017	17mm	22	25	25	80	
63417018	18mm	22	26	25	80	
63417019	19mm	22	28	25	80	

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.




1/2"

Surface Drive Impact Sockets



大圆弧气动套筒，六角
6-Point Sockets



Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
63420012	3/8"	25	17	12	38	★
63420014	7/16"	25	18.7	12	38	★
63420016	1/2"	25	21	12	38	★
63420018	9/16"	25	23	12	38	★
63420020	5/8"	30	25	12	38	★
63420022	11/16"	30	27	13	38	★
63420024	3/4"	30	28.7	13	38	★
63420026	13/16"	30	30	13	38	★
63420028	7/8"	30	32	13	38	★
63420030	15/16"	30	35	20	45	★
63420100	1"	30	38	22	50	★
63420102	1-1/16"	30	38.7	22	50	★
63420104	1-1/8"	30	40	22	50	★
63420106	1-3/16"	30	42	22	50	★
63420108	1-1/4"	30	44	22	50	★
63425010	10mm	25	17.5	12	38	
63425011	11mm	25	18.7	12	38	
63425012	12mm	25	20	12	38	
63425013	13mm	25	21	12	38	
63425014	14mm	25	22.5	12	38	
63425015	15mm	30	23.7	12	38	
63425016	16mm	30	25	12	38	
63425017	17mm	30	26	13	38	
63425018	18mm	30	27.5	13	38	
63425019	19mm	30	28.7	13	38	
63425020	20mm	30	30	13	38	
63425021	21mm	30	30	13	38	
63425022	22mm	30	32	13	38	
63425023	23mm	30	32	13	38	
63425024	24mm	30	35	20	45	
63425026	26mm	30	38	22	50	
63425027	27mm	30	38.7	22	50	
63425029	29mm	30	40	22	50	
63425030	30mm	30	42	22	50	
63425032	32mm	30	44	22	50	

★：特殊品项，最小订购量/交货期需确认。





1/2"


Surface Drive Impact Sockets

大圆弧加长气动套筒，六角

6-Point Sockets - Deep

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
63422012	3/8"	25	17	14	83	★
63422014	7/16"	25	18.7	14	83	★
63422016	1/2"	25	21	14	83	★
63422018	9/16"	25	23	17	83	★
63422020	5/8"	30	25	17	83	★
63422022	11/16"	30	27	17	83	★
63422024	3/4"	30	28.7	19	83	★
63422026	13/16"	30	30	24	83	★
63422028	7/8"	30	32	24	90	★
63422030	15/16"	30	35	24	90	★
63422100	1"	30	38	24	90	★
63422102	1-1/16"	30	38.7	24	90	★
63422104	1-1/8"	30	40	24	90	★
63422106	1-3/16"	30	42	24	90	★
63422108	1-1/4"	30	44	24	90	★
63427010	10mm	25	17.5	14	83	
63427011	11mm	25	18.7	14	83	
63427012	12mm	25	20	14	83	
63427013	13mm	25	21	14	83	
63427014	14mm	25	22.5	17	83	
63427015	15mm	30	23.7	17	83	
63427016	16mm	30	25	17	83	
63427017	17mm	30	26	17	83	
63427018	18mm	30	27.5	17	83	
63427019	19mm	30	28.7	19	83	
63427020	20mm	30	30	19	83	
63427021	21mm	30	30	24	83	
63427022	22mm	30	32	24	90	
63427023	23mm	30	32	24	90	
63427024	24mm	30	35	24	90	
63427026	26mm	30	38	24	90	
63427027	27mm	30	38.7	24	90	
63427029	29mm	30	40	24	90	
63427030	30mm	30	42	24	90	
63427032	32mm	30	44	24	90	

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



3/4"


Surface Drive Impact Sockets



大圆弧气动套筒，六角

6-Point Sockets

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
63445021	21mm	44	33	15	50	★
63445022	22mm	44	34	15	50	★
63445024	24mm	44	36	18	50	★
63445027	27mm	44	40	19	54	★
63445030	30mm	44	43	21	54	★
63445032	32mm	44	46	22	56	★
63445033	33mm	44	48	22	56	★
63445036	36mm	44	50	25	56	★



大圆弧加长气动套筒，六角

6-Point Sockets - Deep

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
63447021	21mm	44	33	21	95	★
63447022	22mm	44	34	22	95	★
63447024	24mm	44	36	24	95	★
63447027	27mm	44	40	27	95	★
63447030	30mm	44	43	30	95	★
63447032	32mm	44	46	32	95	★
63447033	33mm	44	48	33	95	★
63447036	36mm	44	50	36	95	★

★：特殊品项，最小订购量/交货期需确认。





1/2"


Surface Drive Impact Sockets

薄壁大圆弧气动套筒，六角

6-Point Sockets - Thin Wall

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
63423010	5/16"	25	13	6	38	★
63423012	3/8"	25	15	6	38	★
63423014	7/16"	25	17	8	38	★
63423016	1/2"	25	18.7	9	38	★
63423018	9/16"	25	21	11	38	★
63423020	5/8"	28	23	11	38	★
63423022	11/16"	30	24.5	11	38	★
63423024	3/4"	30	26	13	38	★
63423026	13/16"	30	28	15	38	★
63423028	7/8"	30	30	15	38	★
63423030	15/16"	30	32	18	45	★
63423100	1"	30	34	18	50	★
63423102	1-1/16"	30	36	19	50	★
63423104	1-1/8"	30	38	19	50	★
63423106	1-3/16"	30	40	21	50	★
63423108	1-1/4"	30	42	22	50	★
63426008	8mm	25	13	6	38	★
63426009	9mm	25	14.5	6	38	★
63426010	10mm	25	15.5	7	38	★
63426011	11mm	25	16.7	8	38	★
63426012	12mm	25	18	9	38	★
63426013	13mm	25	19.2	9	38	★
63426014	14mm	25	21	11	38	★
63426015	15mm	30	21.7	11	38	★
63426016	16mm	30	23	11	38	★
63426017	17mm	30	24	11	38	★
63426018	18mm	30	25	13	38	★
63426019	19mm	30	26	13	38	★
63426021	21mm	30	28	15	38	★
63426022	22mm	30	29.5	15	38	★
63426023	23mm	30	30.5	15	38	★
63426024	24mm	30	32	18	45	★
63426026	26mm	30	35	18	50	★
63426027	27mm	30	36	19	50	★
63426030	30mm	30	40	21	50	★
63426032	32mm	30	42	22	50	★

★: 特殊品项，最小订购量/交货期需确认。



特别提示：薄壁系列套筒不在“霹雳马”产品保证范围以内

Extra thin wall sockets are not covered by the ACTION warranty



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



1/2"

Surface Drive Impact Sockets




薄壁大圆弧加长气动套筒，六角

6-Point Sockets - Thin Wall Deep

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
6342V010	10mm	25	15.5	14	83	★
6342V011	11mm	25	16.7	14	83	★
6342V012	12mm	25	18	14	83	★
6342V013	13mm	25	19.2	14	83	★
6342V014	14mm	25	21	24	83	★
6342V015	15mm	30	21.7	24	83	★
6342V016	16mm	30	23	24	83	★
6342V017	17mm	30	24	24	83	★
6342V018	18mm	30	25	24	83	★
6342V019	19mm	30	26	24	83	★
6342V021	21mm	30	28	24	83	★
6342V022	22mm	30	29.5	24	90	★
6342V023	23mm	30	30.5	24	90	★
6342V024	24mm	30	32	24	90	★
6342V026	26mm	30	35	24	90	★
6342V027	27mm	30	36	24	90	★
6342V030	30mm	30	40	24	90	★
6342V032	32mm	30	42	24	90	★

★：特殊品项，最小订购量/交货期需确认。



特别提示：薄壁系列套筒不在“霹雳马”产品保证范围以内

Extra thin wall sockets are not covered by the ACTION warranty

CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



1/4"


Surface Drive Impact Sockets

磁性大圆弧气动套筒，六角

6-Point Sockets - With Magnetic

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
6340Q006	3/16"	13	8.5	3	23	★
6340Q007	7/32"	13	9.5	3	23	★
6340Q008	1/4"	13	10.3	3	23	★
6340Q009	9/32"	13	11.3	3	23	★
6340Q010	5/16"	13	12.5	3	23	★
6340Q011	11/32"	13	13.8	4	23	★
6340Q012	3/8"	13	15	4	23	★
6340Q014	7/16"	13	16.3	5	23	★
6340Q016	1/2"	13	18.8	5	23	★
6340Q018	9/16"	13	20	6	23	★
6340P050	5mm	13	8.8	3	23	★
6340P055	5.5mm	13	9.5	3	23	★
6340P060	6mm	13	10	3	23	★
6340P070	7mm	13	11.3	3	23	★
6340P080	8mm	13	12.5	3	23	★
6340P090	9mm	13	13.8	4	23	★
6340P100	10mm	13	15	4	23	★
6340P110	11mm	13	16.3	5	23	★
6340P120	12mm	13	17	5	23	★
6340P130	13mm	13	18.8	5	23	★
6340P140	14mm	13	20	6	23	★
6340P150	15mm	13	21	6	23	★

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



1/4"

Surface Drive Impact Sockets




磁性大圆弧加长气动套筒，六角

6-Point Sockets - Deep - With Slide Magnetic

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
6340S006	3/16"	13	8.5	6	50	★
6340S007	7/32"	13	9.5	6	50	★
6340S008	1/4"	13	10.3	7	50	★
6340S009	9/32"	13	11.3	7	50	★
6340S010	5/16"	13	12.5	9	50	★
6340S011	11/32"	13	13.8	9	50	★
6340S012	3/8"	13	15	9	50	★
6340S014	7/16"	13	16.3	9	50	★
6340S016	1/2"	13	18.8	9	50	★
6340S018	9/16"	13	20	9	50	★
6340R050	5mm	13	8.8	6	50	★
6340R055	5.5mm	13	9.5	6	50	★
6340R060	6mm	13	10	7	50	★
6340R070	7mm	13	11.3	7	50	★
6340R080	8mm	13	12.5	9	50	★
6340R090	9mm	13	13.8	9	50	★
6340R100	10mm	13	15	9	50	★
6340R110	11mm	13	16.3	9	50	★
6340R120	12mm	13	17	9	50	★
6340R130	13mm	13	18.8	9	50	★
6340R140	14mm	13	20	9	50	★
6340R150	15mm	13	21	9	50	★

★: 特殊品项，最小订购量/交货期需确认。





3/8"


Impact Sockets

内四方专用套筒

4-Point Female Sockets

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
6311A006	3/16"	19	12	5	25	★
6311A008	1/4"	19	14	5	25	★
6311A009	9/32"	19	15	7	25	★
6311A010	5/16"	19	16	7	25	★
6311A011	11/32"	19	17.5	7	25	★
6311A012	3/8"	19	19	7	25	★
63115005	5mm	19	12	5	25	
63115006	6mm	19	14	5	25	
63115007	7mm	19	15	7	25	
63115008	8mm	19	16	7	25	
63115009	9mm	19	17.5	7	25	
63115010	10mm	19	19	7	25	

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.




1/2"

Impact Sockets



内四方气动套筒

4-Point Female Sockets



Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
63120009	9/32"	25	17.5	8	40	★
63120010	5/16"	25	19	9	40	★
63120012	3/8"	25	21	10	40	★
63120014	7/16"	25	23	11	40	★
63120016	1/2"	30	26	12	40	★
63120018	9/16"	30	27.5	20	40	★
63120020	5/8"	30	30	20	40	★
63120022	11/16"	30	33	20	40	★
63120024	3/4"	30	36	20	45	★
63120026	13/16"	30	40	20	45	★
63120028	7/8"	30	42	20	45	★
63120030	15/16"	30	44	22	50	★
63120106	1-3/16"	30	53	22	50	★
63120108	1-1/4"	30	56	22	50	★
63120114	1-7/16"	38	63	24	55	★
63125007	7mm	25	17.5	8	40	
63125008	8mm	25	19	9	40	
63125009	9mm	25	20	9	40	
63125010	10mm	25	21.5	10	40	
63125011	11mm	25	23	11	40	
63125012	12mm	25	24	12	40	
63125013	13mm	30	26	12	40	
63125014	14mm	30	27.5	20	40	
63125015	15mm	30	28.5	20	40	
63125016	16mm	30	30	20	40	
63125017	17mm	30	32	20	40	
63125018	18mm	30	34	20	45	
63125019	19mm	30	36	20	45	
63125020	20mm	30	38	20	45	
63125021	21mm	30	40	20	45	
63125022	22mm	30	42	20	45	
63125024	24mm	30	44	22	50	
63125030	30mm	30	53	22	50	
63125032	32mm	30	56	22	50	
63125036	36mm	38	62	24	55	

★: 特殊品项, 最小订购量/交货期需确认。



注意: 请使用时穿戴好相应防护措施, 不要在没有任何防护情况下使用。




3/4"

Impact Sockets

内四方气动套筒

4-Point Sockets

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
63040026	13/16"	42	42	22	52	★
6304G026	13/16"	51	42	34	62	★
6304F026	13/16"	44	42	24	95	★
63040030	15/16"	44	44	22	52	★
63045016	16mm	40	40	24	52	
63045017	17mm	40	40	24	52	
63045019	19mm	40	40	24	52	
63045020	20mm	42	42	24	52	
63045021	21mm	42	42	24	52	
63045022	22mm	44	44	24	52	
63045024	24mm	44	47	24	52	
63045027	27mm	44	49	24	52	
63045030	30mm	44	54	24	52	
63246170	17mm	44	40	16	67	★
63246190	19mm	44	40	16	67	★
63246200	20mm	44	44	16	67	★
63246210	21mm	44	44	16	67	★



4-Point Rectangle Socket for rail track screw.

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
6304H001	19mm x 21mm	44	45	25	60	★
6304H002	19mm x 21mm	44	45	32	100	★
6304H011	21mm x 28mm	44	50	25	60	★
6304H012	21mm x 28mm	44	50	32	100	★



★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



1"

Impact Sockets



内四方气动套筒


4-Point Sockets

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
63050026	13/16"	52	52	24	57	★
6305G026	13/16"	57	48	24	68	★
6305F026	13/16"	54	46	28	95	★
63050030	15/16"	52	52	24	57	★
63055017	17mm	52	52	24	57	★
63055019	19mm	52	52	24	57	★
63055020	20mm	52	52	24	57	★
63055021	21mm	52	52	24	57	★
6315L017	17mm	52	40	30	100	★
6315L019	19mm	52	43	30	100	★
6315L021	21mm	52	44	30	100	★
6315L022	22mm	52	44	30	100	★
63150026	13/16"	52	44	24	57	★
63150100	1"	54	52	30	60	★
63155017	17mm	52	40	24	57	★
63155018	18mm	52	42	24	57	★
63155019	19mm	52	43	24	57	★
63155020	20mm	52	44	24	57	★
63155021	21mm	52	44	24	57	★
63155022	22mm	52	44	24	57	★
63155023	23mm	54	48	27	60	★
63155024	24mm	54	50	27	60	★
63155027	27mm	54	53	27	60	★
63155030	30mm	54	60	27	60	★
63155032	32mm	54	63	37	70	★
63155036	36mm	54	68	37	70	★
63155041	41mm	54	75	39	75	★
63256170	17mm	52	40	16	76	★
63256175	17.5mm	52	40	16	76	★
63256190	19mm	52	43	16	76	★
63256195	19.5mm	52	43	16	76	★
63256200	20mm	52	44	16	76	★
63256210	21mm	52	44	16	76	★
63256215	21.5mm	52	44	16	76	★

4-Point Rectangle Socket for rail track screw.

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
6305H051	7/8" x 1-1/8"	54	48	25	89	★
6305H001	19mm x 21mm	54	47	25	70	★
6305H002	19mm x 21mm	54	47	32	110	★
6305H011	21mm x 28mm	62	62	25	70	★
6305H012	21mm x 28mm	62	62	32	110	★

★: 特殊品项, 最小订购量/交货期需确认。





3/8"

Impact Sockets




外四方气动套筒

4-Point Male Sockets

Order No.	size	D2	L1	L	★
		mm	mm	mm	
69841006	3/16"	19	7	30	★
69841008	1/4"	19	7	30	★
69841009	9/32"	19	7	30	★
69841010	5/16"	19	7	30	★
69841011	11/32"	19	7	30	★
69841012	3/8"	19	7	30	★
69841505	5mm	19	7	30	★
69841506	6mm	19	7	30	★
69841507	7mm	19	7	30	★
69841508	8mm	19	7	30	★
69841509	9mm	19	7	30	★
69841510	10mm	19	7	30	★

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



1/2"

Impact Sockets




外四方气动套筒

4-Point Male Sockets

Order No.	size	D2 mm	L1 mm	L mm	
69842008	1/4"	25	8	38	★
69842009	9/32"	25	8	38	★
69842010	5/16"	25	8	38	★
69842012	3/8"	25	8	38	★
69842014	7/16"	25	8	38	★
69842016	1/2"	25	8	38	★
69842018	9/16"	26	8	38	★
69842020	5/8"	29	8	38	★
69842506	6mm	25	8	38	★
69842507	7mm	25	8	38	★
69842508	8mm	25	8	38	★
69842509	9mm	25	8	38	★
69842510	10mm	25	8	38	★
69842511	11mm	25	8	38	★
69842512	12mm	25	8	38	★
69842513	13mm	25	8	38	★
69842514	14mm	26	8	38	★
69842515	15mm	29	8	38	★
69842516	16mm	29	8	38	★

★: 特殊品项, 最小订购量/交货期需确认。





1/2"


Impact Sockets

气动套筒，八角

8-Point Sockets - Double Square

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
6362A012	3/8"	22	19	6	38	★
6362A014	7/16"	24	21	8	38	★
6362A016	1/2"	24	24	9	38	★
6362A018	9/16"	26	26	11	38	★
6362A020	5/8"	28	28	11	38	★
6362A022	11/16"	30	30	11	38	★
6362A024	3/4"	34	34	13	40	★
6362A026	13/16"	36	36	15	40	★
6362A028	7/8"	38	38	15	40	★
6362A030	15/16"	38	42	18	45	★
6362A100	1"	38	44	18	45	★
6362A102	1-1/16"	46.5	46.5	19	50	★
6362A104	1-1/8"	49	49	19	50	★
6362A106	1-3/16"	51	51	21	50	★
6362A108	1-1/4"	54	54	22	50	★
6362R010	10mm	22	20	7	38	★
6362R011	11mm	24	21	8	38	★
6362R012	12mm	24	24	9	38	★
6362R013	13mm	25	25	9	38	★
6362R014	14mm	26	26	11	38	★
6362R015	15mm	28	28	11	38	★
6362R016	16mm	28	28	11	38	★
6362R017	17mm	30	30	11	38	★
6362R018	18mm	32	32	13	40	★
6362R019	19mm	34	34	13	40	★
6362R020	20mm	36	35	13	40	★
6362R021	21mm	36	36	15	40	★
6362R022	22mm	38	38	15	40	★
6362R023	23mm	38	40	15	40	★
6362R024	24mm	38	42	18	45	★
6362R025	25mm	38	44	18	45	★
6362R026	26mm	38	45	18	50	★
6362R027	27mm	46.5	46.5	19	50	★
6362R028	28mm	49	49	19	50	★
6362R029	29mm	50	50	19	50	★
6362R030	30mm	51	51	21	50	★
6362R031	31mm	52	52	21	50	★
6362R032	32mm	54	54	22	50	★

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.




1/2"

Impact Sockets



加长气动套筒，八角

8-Point Sockets - Double Square - Deep



Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
6362C012	3/8"	22	19	6	83	★
6362C014	7/16"	24	21	8	83	★
6362C016	1/2"	24	24	9	83	★
6362C018	9/16"	26	26	11	83	★
6362C020	5/8"	28	28	11	83	★
6362C022	11/16"	30	30	11	83	★
6362C024	3/4"	34	34	13	83	★
6362C026	13/16"	36	36	15	83	★
6362C028	7/8"	38	38	15	90	★
6362C030	15/16"	38	42	18	90	★
6362C100	1"	38	44	18	90	★
6362C102	1-1/16"	46.5	46.5	19	90	★
6362C104	1-1/8"	49	49	19	90	★
6362C106	1-3/16"	51	51	21	90	★
6362C108	1-1/4"	54	54	22	90	★
6362T010	10mm	22	20	7	83	★
6362T011	11mm	24	21	8	83	★
6362T012	12mm	24	24	9	83	★
6362T013	13mm	25	25	9	83	★
6362T014	14mm	26	26	11	83	★
6362T015	15mm	28	28	11	83	★
6362T016	16mm	28	28	11	83	★
6362T017	17mm	30	30	11	83	★
6362T018	18mm	32	32	13	83	★
6362T019	19mm	34	34	13	83	★
6362T020	20mm	36	35	13	83	★
6362T021	21mm	36	36	15	83	★
6362T022	22mm	38	38	15	90	★
6362T023	23mm	38	40	15	90	★
6362T024	24mm	38	42	18	90	★
6362T025	25mm	38	44	18	90	★
6362T026	26mm	38	45	18	90	★
6362T027	27mm	46.5	46.5	19	90	★
6362T028	28mm	49	49	19	90	★
6362T029	29mm	50	50	19	90	★
6362T030	30mm	51	51	21	90	★
6362T031	31mm	52	52	21	90	★
6362T032	32mm	54	54	22	90	★

★: 特殊品项, 最小订购量/交货期需确认。



注意: 请使用时穿戴好相应防护措施, 不要在没有任何防护情况下使用。



3/4"


Impact Sockets

气动套筒，八角

8-Point Sockets - Double Square

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
63640024	3/4"	40	40	13	50	★
63640026	13/16"	42	42	15	50	★
63640028	7/8"	44.5	44	15	50	★
63640030	15/16"	44.5	46	18	52	★
63640100	1"	44.5	50	18	52	★
63640102	1-1/16"	44.5	53	19	54	★
63640104	1-1/8"	44.5	56	19	54	★
63640106	1-3/16"	44.5	58	21	54	★
63640108	1-1/4"	44.5	61	22	56	★
63640110	1-5/16"	44.5	63.5	22	56	★
63640112	1-3/8"	44.5	66	22	56	★
63640114	1-7/16"	44.5	68	24	56	★
63640116	1-1/2"	44.5	70	24	58	★
63645019	19mm	40	40	13	50	★
63645020	20mm	41	41	13	50	★
63645021	21mm	42	42	15	50	★
63645022	22mm	44	44	15	50	★
63645023	23mm	44.5	44.5	15	50	★
63645024	24mm	44.5	46	18	52	★
63645025	25mm	44.5	49.5	18	52	★
63645026	26mm	44.5	51	18	52	★
63645027	27mm	44.5	53	19	54	★
63645028	28mm	44.5	55	19	54	★
63645029	29mm	44.5	57	19	54	★
63645030	30mm	44.5	58	21	54	★
63645031	31mm	44.5	60	21	56	★
63645032	32mm	44.5	61	22	56	★
63645033	33mm	44.5	63.5	22	56	★
63645034	34mm	44.5	65	22	56	★
63645035	35mm	44.5	66	22	56	★
63645036	36mm	44.5	67.5	24	56	★
63645037	37mm	44.5	69	24	58	★
63645038	38mm	44.5	70	24	58	★

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.




3/4"

Impact Sockets



加长型气动套筒，八角

8-Point Sockets - Double Square - Deep



Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
63642024	3/4"	40	40	13	95	★
63642026	13/16"	42	42	15	95	★
63642028	7/8"	44	44	15	95	★
63642030	15/16"	44.5	46	18	95	★
63642100	1"	44.5	50	18	95	★
63642102	1-1/16"	44.5	53	19	95	★
63642104	1-1/8"	44.5	56	19	95	★
63642106	1-3/16"	44.5	58	21	95	★
63642108	1-1/4"	44.5	61	22	95	★
63642110	1-5/16"	44.5	63.5	22	95	★
63642112	1-3/8"	44.5	66	22	95	★
63642114	1-7/16"	44.5	68	24	95	★
63642116	1-1/2"	44.5	70	24	95	★
63647019	19mm	40	40	13	95	★
63647020	20mm	41	41	13	95	★
63647021	21mm	42	42	15	95	★
63647022	22mm	44	44	15	95	★
63647023	23mm	44.5	44.5	15	95	★
63647024	24mm	44.5	46	18	95	★
63647025	25mm	44.5	49.5	18	95	★
63647026	26mm	44.5	51	18	95	★
63647027	27mm	44.5	53	19	95	★
63647028	28mm	44.5	55	19	95	★
63647029	29mm	44.5	57	19	95	★
63647030	30mm	44.5	58	21	95	★
63647031	31mm	44.5	60	21	95	★
63647032	32mm	44.5	61	22	95	★
63647033	33mm	44.5	63.5	22	95	★
63647034	34mm	44.5	65	22	95	★
63647035	35mm	44.5	66	22	95	★
63647036	36mm	44.5	67.5	24	95	★
63647037	37mm	44.5	69	24	95	★
63647038	38mm	44.5	70	24	95	★

★: 特殊品项，最小订购量/交货期需确认。





1"


Impact Sockets

气动套筒，八角

8-Point Sockets - Double Square

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
63650024	3/4"	54	45	13	60	★
63650026	13/16"	54	47	15	60	★
63650028	7/8"	54	49.5	15	60	★
63650030	15/16"	54	52	18	60	★
63650100	1"	54	54	18	60	★
63650102	1-1/16"	54	56.5	19	60	★
63650104	1-1/8"	54	59	19	62	★
63650106	1-3/16"	54	61	21	62	★
63650108	1-1/4"	54	61	22	62	★
63650110	1-5/16"	54	66	22	62	★
63650112	1-3/8"	58	68.5	22	65	★
63650114	1-7/16"	58	71	24	67	★
63650116	1-1/2"	58	73	24	67	★
63650118	1-9/16"	58	75	24	70	★
63650120	1-5/8"	58	78	27	70	★
63650122	1-11/16"	62	81.5	27	74	★
63650124	1-3/4"	62	84	27	74	★
63650126	1-13/16"	62	86	30	76	★
63650128	1-7/8"	62	88.5	30	76	★
63650130	1-15/16"	62	92	30	80	★
63650200	2"	62	94	32	80	★
63650202	2-1/16"	62	96	32	84	★
63650204	2-1/8"	62	98	32	84	★
63650206	2-3/16"	62	101	35	84	★
63650208	2-1/4"	62	103	35	84	★

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.




1"

Impact Sockets



气动套筒，八角

8-Point Sockets - Double Square



Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
63655019	19mm	54	45	13	60	★
63655020	20mm	54	46.5	13	60	★
63655021	21mm	54	48	15	60	★
63655022	22mm	54	49.5	15	60	★
63655023	23mm	54	50.5	15	60	★
63655024	24mm	54	52	18	60	★
63655025	25mm	54	54	18	60	★
63655026	26mm	54	55	18	60	★
63655027	27mm	54	56.5	19	60	★
63655028	28mm	54	58	19	62	★
63655029	29mm	54	59.5	19	62	★
63655030	30mm	54	61	21	62	★
63655031	31mm	54	62	21	62	★
63655032	32mm	54	64	22	62	★
63655033	33mm	54	66	22	62	★
63655034	34mm	54	67	22	62	★
63655035	35mm	58	68.5	22	65	★
63655036	36mm	58	70	24	67	★
63655037	37mm	58	72	24	67	★
63655038	38mm	58	73	24	67	★
63655039	39mm	58	74	24	70	★
63655040	40mm	58	76	24	70	★
63655041	41mm	58	78	27	70	★
63655042	42mm	58	80	27	74	★
63655043	43mm	62	81.5	27	74	★
63655044	44mm	62	83.5	27	74	★
63655045	45mm	62	85	27	74	★
63655046	46mm	62	86	30	76	★
63655047	47mm	62	87.5	30	76	★
63655048	48mm	62	89	30	76	★
63655050	50mm	62	93	32	80	★
63655051	51mm	62	94	32	80	★
63655052	52mm	62	96	32	84	★
63655053	53mm	62	97	32	84	★
63655054	54mm	62	98	32	84	★
63655055	55mm	62	100	35	84	★
63655056	56mm	62	102	35	84	★

★: 特殊品项, 最小订购量/交货期需确认。





1"


Impact Sockets

加长型气动套筒，八角

8-Point Sockets - Double Square - Deep

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
63652024	3/4"	54	45	13	100	★
63652026	13/16"	54	47	15	100	★
63652028	7/8"	54	49.5	15	100	★
63652030	15/16"	54	52	18	100	★
63652100	1"	54	54	18	100	★
63652102	1-1/16"	54	56.5	19	100	★
63652104	1-1/8"	54	59	19	100	★
63652106	1-3/16"	54	61	21	100	★
63652108	1-1/4"	54	64	22	100	★
63652110	1-5/16"	54	66	22	100	★
63652112	1-3/8"	58	68.5	22	100	★
63652114	1-7/16"	58	71	24	100	★
63652116	1-1/2"	58	73	24	100	★
63652118	1-9/16"	58	75	24	100	★
63652120	1-5/8"	58	78	27	100	★
63652122	1-11/16"	62	81.5	27	100	★
63652124	1-3/4"	62	84	27	100	★
63652126	1-13/16"	62	86	30	100	★
63652128	1-7/8"	62	88.5	30	100	★
63652130	1-15/16"	62	92	30	100	★
63652200	2"	62	94	32	100	★
63652202	2-1/16"	62	96	32	100	★
63652204	2-1/8"	62	98	32	100	★
63652206	2-3/16"	62	101	35	100	★
63652208	2-1/4"	62	103	35	105	★

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.




1"

Impact Sockets



加长型气动套筒，八角

8-Point Sockets - Double Square - Deep



Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
63657019	19mm	54	45	13	100	★
63657020	20mm	54	46.5	13	100	★
63657021	21mm	54	48	15	100	★
63657022	22mm	54	49.5	15	100	★
63657023	23mm	54	50.5	15	100	★
63657024	24mm	54	52	18	100	★
63657025	25mm	54	54	18	100	★
63657026	26mm	54	55	18	100	★
63657027	27mm	54	56.5	19	100	★
63657028	28mm	54	58	19	100	★
63657029	29mm	54	59.5	19	100	★
63657030	30mm	54	61	21	100	★
63657031	31mm	54	62	21	100	★
63657032	32mm	54	64	22	100	★
63657033	33mm	54	66	22	100	★
63657034	34mm	54	67	22	100	★
63657035	35mm	58	68.5	22	100	★
63657036	36mm	58	70	24	100	★
63657037	37mm	58	72	24	100	★
63657038	38mm	58	73	24	100	★
63657039	39mm	58	74	24	100	★
63657040	40mm	58	76	24	100	★
63657041	41mm	58	78	27	100	★
63657042	42mm	58	80	27	100	★
63657043	43mm	62	81.5	27	100	★
63657044	44mm	62	83.5	27	100	★
63657045	45mm	62	85	27	100	★
63657046	46mm	62	86	30	100	★
63657047	47mm	62	87.5	30	100	★
63657048	48mm	62	89	30	100	★
63657050	50mm	62	93	32	100	★
63657051	51mm	62	94	32	100	★
63657052	52mm	62	96	32	100	★
63657053	53mm	62	97	32	100	★
63657054	54mm	62	98	32	100	★
63657055	55mm	62	100	35	100	★
63657056	56mm	62	102	35	105	★

★：特殊品项，最小订购量/交货期需确认。



注意：请使用时穿戴好相应防护措施，不要在没有任何防护情况下使用。



1/2"

Impact Sockets

双头气动套筒，六角

6-Point Flip Sockets

Order No.	size	D2 mm	D1 mm	L1 mm	L2 mm	L mm	
66020220	11/16" x 3/4"	26.5	28	11	14	58	★
66020240	3/4" x 13/16"	28	30	11	14	58	★
66120240	3/4" x 13/16"	28	30	14	18	70	★
66025171	17mm x 19mm	26	28	11	14	58	★
66025173	17mm x 21mm	26	30	11	14	58	★
66025191	19mm x 21mm	28	30	11	14	58	★

双头加长型气动套筒，六角

6-Point Flip Sockets - Deep


Order No.	size	D2 mm	D1 mm	L1 mm	L2 mm	L mm	
66022240	3/4" x 13/16"	23	30	15	22	76	★
66027171	17mm x 19mm	26	28	15	22	76	★
66027173	17mm x 21mm	26	30	15	22	76	★
66027191	19mm x 21mm	28	30	15	22	76	★

超薄双头加长型气动套筒，六角

6-Point Flip Sockets - Thin Wall Deep

Order No.	size	D2 mm	D1 mm	L1 mm	L2 mm	L mm	
66722240	3/4" x 13/16"	26	28	15	22	76	★
66727191	19mm x 21mm	26	28	15	22	76	★

★：特殊品项，最小订购量/交货期需确认。



特别提示：薄壁系列套筒不在“霹雳马”产品保证范围以内

Extra thin wall sockets are not covered by the ACTION warranty

CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



1/2"

Impact Sockets




轮胎专用，深孔型套筒，六角

6-Point, Spindle Nut Impact Sockets

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
61921030	30mm	43	43	21.5	89	★
61921032	32mm	43	45	21.5	89	★
61921034	34mm	43	48	21.5	89	★
61921035	35mm	43	50	21.5	89	★
61921036	36mm	43	52	21.5	89	★

★: 特殊品项，最小订购量/交货期需确认。






1/2"

Impact Sockets

轿车轮毂专用套筒，六角

6-Point, Wheel Nut Impact Socket

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
61127017	17mm	25	24	20	110	★
61127019	19mm	25	26	21	110	★
61127021	21mm	25	27.5	23	110	★
61127022	22mm	25	29.5	24	110	★



轿车轮毂专用套筒，十二角

12-Point, Wheel Nut Impact Socket

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
63928014	14mm	25	21	17	110	★
63928017	17mm	25	24	20	110	★
63928019	19mm	25	26	21	110	★
63928021	21mm	25	27.5	23	110	★
63928022	22mm	25	29.5	24	110	★

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



1/2"


Impact Sockets



轿车轮毂专用套筒，六角（带防护内塞）

**6-Point, Wheel Nut Impact Socket
With Plastic Stop**


Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
61128017	17mm	25	24	12	105	★
61128019	19mm	25	26	13	105	★
61128021	21mm	25	27.5	15	105	★
61128022	22mm	25	29.5	16	105	★



轿车轮毂专用套筒，六角（带塑料胶套和防护内塞）

**6-Point, Wheel Nut Impact Socket
With Plastic Sleeve & Stop**

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
61126017	17mm - Blue	30	27	14	85	
61126019	19mm - Yellow	30	29	15	85	
61126021	21mm - Red	30	31	17	85	
61126022	22mm - Green	30	32.5	18	85	
6112J017	17mm - Blue	25	27	24	130	★
6112J019	19mm - Yellow	30	29	24	130	★
6112J021	21mm - Red	30	31	24	130	★
6112J022	22mm - Green	30	32.5	24	130	★
6112J522	11/16" - Blue	25	27	24	130	★
6112J524	3/4" - Yellow	30	29	24	130	★
6112J526	13/16" - Red	30	31	24	130	★
6112J528	7/8" - Green	30	32.5	24	130	★



★: 特殊品项，最小订购量/交货期需确认。



注意：请使用时穿戴好相应防护措施，不要在没有任何防护情况下使用。




1/2"

Impact Sockets

轮胎专用磨损螺母拆卸套筒，大圆弧

Wheel Lug Nut Removing Socket - External Tapered


Order No.	size	D2 mm	D1 mm	L1 mm	L mm	
697K2012	12.2mm	25	14	11	55	★




轮胎专用磨损螺母拆卸套筒

Wheel Lug Nut Removing Sockets

Order No.	size	D2 mm	D1 mm	L1 mm	L mm	
69782088	13.5mm	22	22	17	38	★
69782089	15.5mm	24	24	17	38	★
69782090	17mm	24	24	17	38	★
69782091	18.5mm	25	25	17	38	★
69782092	20mm	26	26	22	38	★
69782093	21.5mm	28.5	28.5	22	38	★
69782094	23mm	30	30	22	38	★
69782095	24.5mm	31	31	22	38	★
69782096	26mm	32	32	22	38	★
69782097	27.5mm	34	34	22	38	★
69782098	29.5mm	36	36	22	38	★
69782099	31.5mm	38	38	22	38	★



★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



1/2"


Impact Sockets



轮胎专用磨损螺母拆卸套筒加长型

Wheel Lug Nut Removing Sockets - Deep

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
69782500	13.5mm	25	22	21	55	★
69782504	15.5mm	25	22.5	21	55	★
69782507	17mm	25	23	21	55	★
69782508	17.5mm	25	23	21	55	★
69782510	18.5mm	25	25	21	55	★
69782511	19mm	25	25	21	55	★
69782513	20mm	25	26	21	55	★
69782514	20.5mm	30	27	21	55	★
69782516	21.5mm	30	28	21	55	★
69782518	22.2mm	30	29	21	55	★
69782519	22.5mm	30	29	21	55	★
69782520	23mm	30	30	21	55	★
69782522	24mm	30	30	21	55	★
69782523	24.5mm	30	30.5	21	55	★
69782525	25.5mm	30	31	21	55	★
69782526	26mm	30	32	21	55	★
69782529	27.5mm	30	34	21	55	★
69782533	29.5mm	30	36	21	55	★
69782537	31.5mm	30	38	21	55	★




轮胎专用磨损螺母拆卸套筒薄壁型

Wheel Lug Nut Removing Sockets - Thin Wall Deep

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
69782206	17mm	25	21.6	25	55	★
69782209	18.5mm	25	23.7	25	55	★
69782212	20mm	25	25.5	25	55	★
69782215	21.5mm	30	27	25	55	★
69782218	23mm	30	28	25	55	★
69782221	24.5mm	30	30	25	55	★
69782224	26mm	30	30	25	55	★
69782227	27.5mm	30	33	25	55	★

★: 特殊品项, 最小订购量/交货期需确认。





3/4"


Impact Sockets

卡车齿轮座专用套筒，六角

6-Point Truck Pinion Sockets

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
6044N200	2"	58	67.5	26	105	★
6044N204	2-1/8"	60	71.5	26	105	★
6044N208	2-1/4"	64	76	26	105	★
6044N212	2-3/8"	67	80	26	105	★
6044N216	2-1/2"	70.5	83	26	105	★
6044N220	2-5/8"	73.5	87	26	105	★
6044N224	2-3/4"	77	91.5	26	105	★
6054N055	55mm	61	72.5	26	105	★
6054N056	65mm	71	84.5	26	105	★

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



3/4"


Impact Sockets




超长轮胎螺栓专用套筒

6-Point Extra Long Socket For Wheel Nuts

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
60444102	1-1/16"	44	42	40	230	★
60444104	1-1/8"	44	43	40	230	★
60444108	1-1/4"	44	47	40	230	★
60444116	1-1/2"	44	54	40	230	★
60549033	33mm	44	48	40	230	★




Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
61145027	27mm	44	42	27	270	
61145030	30mm	44	45	30	270	
61145032	32mm	44	47	32	270	
61145033	33mm	44	48	32	270	
61145036	36mm	44	53.5	32	270	
61146024	24mm	44	38.5	24	400	★
61146027	27mm	44	42	27	400	★
61146030	30mm	44	45	30	400	★
61146032	32mm	44	47	32	400	★
61146033	33mm	44	48	32	400	★
61146036	36mm	44	53.5	32	400	★



Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
63044026	13/16"	44	43	40	230	★

★: 特殊品项, 最小订购量/交货期需确认。






3/4"

Impact Sockets

汽车方向盘传动轴专用气动套筒，六角

6-Point Budd Wheel Sockets - Control Depth Hex


Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
61840116	1-1/2"	57	57	14	97	★
61841116	1-1/2"	60	60	66	102	★



四方型及六角型双层气动套筒

Combination Budd Wheel Sockets

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
61440116	1-1/2" x 13/16" Sq.	57	57	14	97	★
61540035	35mm x 17mm Sq.	52	54	13	90	★
61540041	41mm x 21mm Sq.	54	58	14	97	★



Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
61640116	1-1/2" x 13/16" Sq.	57	57	14	97	★
61740032	32mm x 17mm Sq.	52	50	12	90	★
61740035	35mm x 17mm Sq.	52	54	13	90	★
61740038	35mm x 20mm Sq.	54	56	14	95	★
61740041	41mm x 21mm Sq.	54	58	14	97	★
61745041	41mm x 19mm Sq.	54	56	14	95	★
61746041	41mm x 20mm Sq.	54	57	14	95	★

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



1"

Impact Sockets




中孔式超长型特殊专用气动套筒

6-Point Extra Long Socket For Wheel Nuts

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
60454108	1-1/4"	54	51	32	270	★
60559024	24mm	54	42	24	270	★
60559026	26mm	54	44	26	270	★
60559027	27mm	54	45	27	270	★
60559029	29mm	54	47	29	270	★
60559030	30mm	54	50	30	270	★
60559032	32mm	54	52	32	270	★
60559033	33mm	54	52	32	270	★
6115H023	23mm	54	37.5	23	400	★
6115H024	24mm	54	38.5	24	400	★
6115H026	26mm	54	41	26	400	★
6115H027	27mm	54	42.5	27	400	★
6115H029	29mm	54	45	29	400	★
6115H030	30mm	54	46	30	400	★
6115H032	32mm	54	48.5	32	400	★
6115H033	33mm	54	50	32	400	★
6115H034	34mm	54	51	32	400	★
6115H036	36mm	54	53.5	32	400	★
6115H038	38mm	54	55	32	400	★

★: 特殊品项, 最小订购量/交货期需确认。






1"

Impact Sockets

汽车方向盘传动轴专用气动套筒，六角

6-Point Budd Wheel Sockets - Control Depth Hex


Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
61850116	1-1/2"	54	57	14	90	★
61851116	1-1/2"	60	60	14	98	★
61852116	1-1/2"	60	60	64	102	★



四方型六角型双层气动套筒

Combination Budd Wheel Sockets

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
61450116	1-1/2" x 13/16" Sq.	57	57	14	100	★
61550035	35mm x 17mm Sq.	52	54	13	94	★
61550038	38mm x 19mm Sq.	54	56	14	94	★
61551038	38mm x 20mm Sq.	54	56	14	96	★
61550041	41mm x 21mm Sq.	54	58	14	100	★



Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
61650116	1-1/2" x 13/16" Sq.	57	57	14	100	★
61750035	35mm x 17mm Sq.	52	54	13	94	★
61750038	38mm x 19mm Sq.	54	56	14	94	★
61751038	38mm x 20mm Sq.	54	56	14	96	★
61750041	41mm x 21mm Sq.	54	58	14	100	★
61755041	41mm x 19mm Sq.	54	56	14	99	★
61756041	41mm x 20mm Sq.	54	57	14	99	★



★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



#5 Spline


Impact Sockets



轮胎专用特殊气动套筒，四角

4-Point Sockets

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
67200026	13/16" Sq.	55	44	24	68	★
67200030	15/16" Sq.	55	44	24	68	★
67245017	17mm Sq.	55	52	24	77	★
67245021	21mm Sq.	55	52	24	77	★



加长型气动套筒，六角

6-Point Budd Wheel Sockets - Control Depth Hex

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
67040116	1-1/2"	60	60	14	102	★
67042116	1-1/2"	60	60	22	105	★



花键四、六角套筒

Combination Budd Wheel Sockets

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
67011116	1-1/2" x 13/16" Sq.	58	58	14	108	★
67016035	35mm x 17mm Sq.	54	54	13	108	★
67016038	38mm x 20mm Sq.	56	56	14	108	★
67016041	41mm x 21mm Sq.	58	58	14	108	★
6701L041	41mm x 19mm Sq.	56	56	14	108	★
6701M041	41mm x 20mm Sq.	57	57	14	108	★



★: 特殊品项, 最小订购量/交货期需确认。





1/2"


Torque Limiting

扭力控制延长杆

Torque Limiting Extensions

Order No.	size	Ft.Lbs	N-m	Color	D2	L	
					mm	mm	
68221G07	1/2"F x 1/2"M	65	90	Yellow	27	194	★
68221L07	1/2"F x 1/2"M	80	110	Blue	27	194	★
68221M07	1/2"F x 1/2"M	100	135	Gray	27	194	★
68221P07	1/2"F x 1/2"M	120	160	White	27	194	★
68221R07	1/2"F x 1/2"M	140	190	Aqua	27	194	★

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



1/2"

Torque Limiting




扭力控制气动套筒，六角

Torque Limiting Sockets

Order No.	size	Ft.Lbs	N-m	Color	D2 mm	D1 mm	L2 mm	L mm	
68122D17	17mm	55	75	Green	27	26.8	28	220	★
68122L17	17mm	80	110	Red	27	26.8	28	220	★
68122G19	19mm	65	90	Yellow	27	29.1	28	220	★
68122L19	19mm	80	110	Blue	27	29.8	28	220	★
68122M19	19mm	100	135	Gray	27	31.2	28	220	★
68122E21	21mm	60	80	Black	27	31.2	28	220	★
68122L21	21mm	80	110	Lt. Brown	27	31.2	28	220	★
68122S21	21mm	150	200	Charcoal	27	31.2	28	220	★
68022M26	13/16"	100	135	Brown	27	31.2	28	220	★
68022M28	7/8"	100	135	Light Blue	27	33.3	28	220	★
68022P28	7/8"	120	160	White	27	33.3	28	220	★
68022R28	7/8"	140	190	Turquoise	27	33.3	28	220	★
68022Q30	15/16"	140	190	Lt. Green	27	34.8	28	220	★
68022R32	1"	140	190	Purple	27	38.7	28	220	★
68022R34	1-1/16"	140	190	Tan	27	42.2	28	220	★

★: 特殊品项，最小订购量/交货期需确认。





1"


Torque Limiting

扭力控制气动套筒，六角

Torque Limiting Sockets

Order No.	size	Ft.Lbs	N-m	D2	D1	L2	L	
				mm	mm	mm	mm	
68552U23	23mm	180	250	49	38	28	305	★
68552W24	24mm	250	350	49	40	28	305	★
68552W27	27mm	250	350	49	46	28	305	★
68552Z27	27mm	330	450	49	46	28	305	★
68552Y29	29mm	290	400	49	48	28	305	★
68552B30	30mm	400	550	49	49	28	305	★
68552A32	32mm	360	500	54	53	28	305	★
68552C32	32mm	440	600	54	53	28	305	★
68552F32	32mm	510	700	54	53	28	305	★
68552A33	33mm	360	500	54	54	28	305	★
68552C33	33mm	440	600	54	54	28	305	★
68552C36	36mm	440	600	54	57	28	305	★
64852W40	1-1/4"	250	350	54	53	28	305	★
64852J42	1-5/16"	480	650	54	54	28	305	★
64852J48	1-1/2"	480	650	54	54	28	305	★
6845AJ26	13/16"Sq.	480	650	54	54	28	305	★

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



Broken Cap Nut & Wheel Stud Removal Tools


轮胎专用断裂螺杆拆卸套筒

Order No.	Application
69775040	5/8" Wheel stud removal tool, length 51mm ★
69775050	3/4" Wheel stud removal tool, length 51mm ★



Order No.	Application
69776050	13/16" Sq. & 21mm Sq. Head inner cap nut removal tool, length 70mm ★
69776130	1-1/2" & 38mm Outer cap nut removal tool, length 64mm ★

★: 特殊品项, 最小订购量/交货期需确认。





Broken Cap Nut & Wheel Stud Removal Tools



轮胎专用，断裂螺杆拆卸套筒

Order No.	Application	
69776100	For removing broken 5/8" wheel studs, length 22mm	★
69776110	For removing broken 3/4" wheel studs, length 22mm	★
69776120	For removing broken 13/16" Sq. & 21mm Sq. inner cap nuts, length 22mm	★



Order No.	Application	
69771020	Drive - On Tool, length 51mm	★



Order No.	Application	
69771010	Drive Pin, length 100mm	★

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



1/4"


Impact Sockets



内六角气动套筒

Hex Drivers

Order No.	size	D2	L1	L
		mm	mm	mm
64800004	1/8"	13	6	35
64800005	5/32"	13	6	35
64800006	3/16"	13	6	35
64800007	7/32"	13	6	35
64800008	1/4"	13	6	35
64800009	9/32"	13	8	35
64800010	5/16"	13	8	35
64800012	3/8"	13	10	35
64805020	2mm	13	4	35
64805025	2.5mm	13	4	35
64805030	3mm	13	6	35
64805040	4mm	13	6	35
64805050	5mm	13	6	35
64805060	6mm	13	6	35
64805070	7mm	13	8	35
64805080	8mm	13	8	35
64805090	9mm	13	10	35
64805100	10mm	13	10	35





3/8"

Impact Sockets


内六角气动套筒

Hex Drivers



Order No.	size	D2 mm	L1 mm	L mm	
64810006	3/16"	19	16	50	
64810007	7/32"	19	16	50	
64810008	1/4"	19	16	50	
64810009	9/32"	19	16	50	
64810010	5/16"	19	16	50	
64810012	3/8"	19	16	50	
64810014	7/16"	19	16	50	
64810016	1/2"	19	16	50	
64810018	9/16"	19	16	50	
64810020	5/8"	19	16	50	
64812006	3/16"	19	11	100	★
64812007	7/32"	19	11	100	★
64812008	1/4"	19	11	100	★
64812009	9/32"	19	16	100	★
64812010	5/16"	19	16	100	★
64812012	3/8"	19	16	100	★
64812014	7/16"	19	16	100	★
64812016	1/2"	19	16	100	★
64812018	9/16"	19	16	100	★
64812020	5/8"	19	16	100	★
64814006	3/16"	19	11	150	★
64814007	7/32"	19	11	150	★
64814008	1/4"	19	11	150	★
64814009	9/32"	19	16	150	★
64814010	5/16"	19	16	150	★
64814012	3/8"	19	16	150	★
64814014	7/16"	19	16	150	★
64814016	1/2"	19	16	150	★
64814018	9/16"	19	16	150	★
64814020	5/8"	19	16	150	★

★: 特殊品项, 最小订购量/交货期需确认。




CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.

**3/8"****Impact Sockets**

内六角气动套筒

Hex Drivers

Order No.	size	D2	L1	L
		mm	mm	mm
64815003	3mm	19	16	50
64815004	4mm	19	16	50
64815005	5mm	19	16	50
64815006	6mm	19	16	50
64815007	7mm	19	16	50
64815008	8mm	19	16	50
64815009	9mm	19	16	50
64815010	10mm	19	16	50
64815011	11mm	19	16	50
64815012	12mm	19	16	50
64815013	13mm	19	16	50
64815014	14mm	19	16	50
64815015	15mm	19	16	50
64815016	16mm	19	16	50
64817003	3mm	19	11	100
64817004	4mm	19	11	100
64817005	5mm	19	11	100
64817006	6mm	19	11	100
64817007	7mm	19	16	100
64817008	8mm	19	16	100
64817009	9mm	19	16	100
64817010	10mm	19	16	100
64817011	11mm	19	16	100
64817012	12mm	19	16	100
64817013	13mm	19	16	100
64817014	14mm	19	16	100
64817015	15mm	19	16	100
64817016	16mm	19	16	100
64819003	3mm	19	11	150
64819004	4mm	19	11	150
64819005	5mm	19	11	150
64819006	6mm	19	11	150
64819007	7mm	19	16	150
64819008	8mm	19	16	150
64819009	9mm	19	16	150
64819010	10mm	19	16	150
64819011	11mm	19	16	150
64819012	12mm	19	16	150
64819013	13mm	19	16	150
64819014	14mm	19	16	150
64819015	15mm	19	16	150
64819016	16mm	19	16	150






1/2"

Impact Sockets

内六角气动套筒

Hex Drivers



Order No.	size	D2 mm	L1 mm	L mm	
64820006	3/16"	25	11	55	★
64820007	7/32"	25	15	55	★
64820008	1/4"	25	15	55	★
64820009	9/32"	25	15	55	★
64820010	5/16"	25	16	55	★
64820012	3/8"	25	16	55	★
64820014	7/16"	25	16	55	★
64820016	1/2"	25	16	55	★
64820018	9/16"	25	16	55	★
64820020	5/8"	25	16	55	★
64820022	11/16"	25	16	55	★
64820024	3/4"	25	16	55	★
64820026	13/16"	30	16	55	★
64820028	7/8"	30	16	55	★
64820030	15/16"	30	16	55	★
64820100	1"	30	16	55	★
64821006	3/16"	25	11	75	
64821007	7/32"	25	15	75	
64821008	1/4"	25	15	75	
64821009	9/32"	25	20	75	
64821010	5/16"	25	25	75	
64821012	3/8"	25	25	75	
64821014	7/16"	25	25	75	
64821016	1/2"	25	25	75	
64821018	9/16"	25	25	75	
64821020	5/8"	25	25	75	
64821022	11/16"	25	25	75	
64821024	3/4"	25	25	75	
64821026	13/16"	30	25	75	
64821028	7/8"	30	25	75	
64821030	15/16"	30	25	75	
64821100	1"	30	25	75	

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



1/2"


Impact Sockets



内六角气动套筒

Hex Drivers

Order No.	size	D2	L1	L	
		mm	mm	mm	
64822008	1/4"	25	15	100	★
64822009	9/32"	25	20	100	★
64822010	5/16"	25	25	100	★
64822012	3/8"	25	25	100	★
64822014	7/16"	25	25	100	★
64822016	1/2"	25	25	100	★
64822018	9/16"	25	25	100	★
64822020	5/8"	25	25	100	★
64822022	11/16"	25	25	100	★
64822024	3/4"	25	25	100	★
64822026	13/16"	30	25	100	★
64822028	7/8"	30	25	100	★
64822030	15/16"	30	25	100	★
64822100	1"	30	25	100	★
64823008	1/4"	25	15	125	★
64823009	9/32"	25	20	125	★
64823010	5/16"	25	25	125	★
64823012	3/8"	25	25	125	★
64823014	7/16"	25	25	125	★
64823016	1/2"	25	25	125	★
64823018	9/16"	25	25	125	★
64823020	5/8"	25	25	125	★
64823022	11/16"	25	25	125	★
64823024	3/4"	25	25	125	★
64823026	13/16"	30	25	125	★
64823028	7/8"	30	25	125	★
64823030	15/16"	30	25	125	★
64823100	1"	30	25	125	★
64824008	1/4"	25	15	150	★
64824009	9/32"	25	20	150	★
64824010	5/16"	25	25	150	★
64824012	3/8"	25	25	150	★
64824014	7/16"	25	25	150	★
64824016	1/2"	25	25	150	★
64824018	9/16"	25	25	150	★
64824020	5/8"	25	25	150	★
64824022	11/16"	25	25	150	★
64824024	3/4"	25	25	150	★
64824026	13/16"	30	25	150	★
64824028	7/8"	30	25	150	★
64824030	15/16"	30	25	150	★
64824100	1"	30	25	150	★



★: 特殊品项, 最小订购量/交货期需确认。



注意: 请使用时穿戴好相应防护措施, 不要在没有任何防护情况下使用。




1/2"

Impact Sockets

内六角气动套筒

Hex Drivers

Order No.	size	D2 mm	L1 mm	L mm
64825003	3mm	25	11	55
64825004	4mm	25	11	55
64825005	5mm	25	15	55
64825006	6mm	25	15	55
64825007	7mm	25	15	55
64825008	8mm	25	16	55
64825009	9mm	25	16	55
64825010	10mm	25	16	55
64825011	11mm	25	16	55
64825012	12mm	25	16	55
64825013	13mm	25	16	55
64825014	14mm	25	16	55
64825015	15mm	25	16	55
64825016	16mm	25	16	55
64825017	17mm	25	16	55
64825018	18mm	25	16	55
64825019	19mm	25	16	55
64825021	21mm	30	16	55
64825022	22mm	30	16	55
64825024	24mm	30	16	55
64826003	3mm	25	11	75
64826004	4mm	25	11	75
64826005	5mm	25	15	75
64826006	6mm	25	15	75
64826007	7mm	25	20	75
64826008	8mm	25	25	75
64826009	9mm	25	25	75
64826010	10mm	25	25	75
64826011	11mm	25	25	75
64826012	12mm	25	25	75
64826013	13mm	25	25	75
64826014	14mm	25	25	75
64826015	15mm	25	25	75
64826016	16mm	25	25	75
64826017	17mm	25	25	75
64826018	18mm	25	25	75
64826019	19mm	25	25	75
64826021	21mm	30	25	75
64826022	22mm	30	25	75
64826024	24mm	30	25	75
64827004	4mm	25	11	100
64827005	5mm	25	15	100
64827006	6mm	25	15	100
64827007	7mm	25	20	100
64827008	8mm	25	25	100
64827009	9mm	25	25	100
64827010	10mm	25	25	100
64827011	11mm	25	25	100
64827012	12mm	25	25	100
64827013	13mm	25	25	100
64827014	14mm	25	25	100
64827015	15mm	25	25	100
64827016	16mm	25	25	100
64827017	17mm	25	25	100
64827018	18mm	25	25	100
64827019	19mm	25	25	100
64827021	21mm	30	25	100
64827022	22mm	30	25	100
64827024	24mm	30	25	100
6482Z014	14mm	30	25	75
6482Z015	15mm	30	25	75
6482Z016	16mm	30	25	75
6482Z017	17mm	30	25	75
6482Z018	18mm	30	25	75
6482Z019	19mm	30	25	75



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.




1/2"

Impact Sockets



内六角气动套筒
Hex Drivers

Order No.	size	D2	L1	L
		mm	mm	mm
64828004	4mm	25	11	125
64828005	5mm	25	15	125
64828006	6mm	25	15	125
64828007	7mm	25	20	125
64828008	8mm	25	25	125
64828009	9mm	25	25	125
64828010	10mm	25	25	125
64828011	11mm	25	25	125
64828012	12mm	25	25	125
64828013	13mm	25	25	125
64828014	14mm	25	25	125
64828015	15mm	25	25	125
64828016	16mm	25	25	125
64828017	17mm	25	25	125
64828018	18mm	25	25	125
64828019	19mm	25	25	125
64828021	21mm	30	25	125
64828022	22mm	30	25	125
64828024	24mm	30	25	125
64829004	4mm	25	11	150
64829005	5mm	25	15	150
64829006	6mm	25	15	150
64829007	7mm	25	20	150
64829008	8mm	25	25	150
64829009	9mm	25	25	150
64829010	10mm	25	25	150
64829011	11mm	25	25	150
64829012	12mm	25	25	150
64829013	13mm	25	25	150
64829014	14mm	25	25	150
64829015	15mm	25	25	150
64829016	16mm	25	25	150
64829017	17mm	25	25	150
64829018	18mm	25	25	150
64829019	19mm	25	25	150
64829021	21mm	30	25	150
64829022	22mm	30	25	150
64829024	24mm	30	25	150





3/4"


Impact Sockets

内六角气动套筒

Hex Drivers

Order No.	size	D2	L1	L	
		mm	mm	mm	
64840012	3/8"	44	20	62	★
64840014	7/16"	44	20	62	★
64840016	1/2"	44	20	62	★
64840018	9/16"	44	20	62	★
64840020	5/8"	44	20	62	★
64840022	11/16"	44	20	62	★
64840024	3/4"	44	20	62	★
64840026	13/16"	44	20	62	★
64840028	7/8"	44	20	62	★
64840030	15/16"	44	20	62	★
64840100	1"	44	20	62	★
64840102	1-1/16"	44	20	62	★
64840104	1-1/8"	44	20	62	★
64840106	1-3/16"	44	20	62	★
64840108	1-1/4"	44	20	62	★
64840110	1-5/16"	44	20	62	★
64840112	1-3/8"	44	20	62	★
64840114	1-7/16"	44	20	62	★
64840116	1-1/2"	44	20	62	★
64841012	3/8"	44	20	100	
64841014	7/16"	44	20	100	
64841016	1/2"	44	20	100	
64841018	9/16"	44	20	100	
64841020	5/8"	44	20	100	
64841022	11/16"	44	20	100	
64841024	3/4"	44	20	100	
64841026	13/16"	44	20	100	
64841028	7/8"	44	20	100	
64841030	15/16"	44	20	100	
64841100	1"	44	20	100	
64841102	1-1/16"	44	20	100	
64841104	1-1/8"	44	20	100	
64841106	1-3/16"	44	20	100	
64841108	1-1/4"	44	20	100	
64841110	1-5/16"	44	20	100	
64841112	1-3/8"	44	20	100	
64841114	1-7/16"	44	20	100	
64841116	1-1/2"	44	20	100	

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



3/4"

Impact Sockets




内六角气动套筒

Hex Drivers

Order No.	size	D2	L1	L	
		mm	mm	mm	
64845010	10mm	44	20	62	★
64845011	11mm	44	20	62	★
64845012	12mm	44	20	62	★
64845013	13mm	44	20	62	★
64845014	14mm	44	20	62	★
64845015	15mm	44	20	62	★
64845016	16mm	44	20	62	★
64845017	17mm	44	20	62	★
64845018	18mm	44	20	62	★
64845019	19mm	44	20	62	★
64845020	20mm	44	20	62	★
64845021	21mm	44	20	62	★
64845022	22mm	44	20	62	★
64845024	24mm	44	20	62	★
64845026	26mm	44	20	62	★
64845027	27mm	44	20	62	★
64845028	28mm	44	20	62	★
64845029	29mm	44	20	62	★
64845030	30mm	44	20	62	★
64845032	32mm	44	20	62	★
64845033	33mm	44	20	62	★
64845034	34mm	44	20	62	★
64845035	35mm	44	20	62	★
64845036	36mm	44	20	62	★
64845038	38mm	44	20	62	★
64846010	10mm	44	20	100	
64846011	11mm	44	20	100	
64846012	12mm	44	20	100	
64846013	13mm	44	20	100	
64846014	14mm	44	20	100	
64846015	15mm	44	20	100	
64846016	16mm	44	20	100	
64846017	17mm	44	20	100	
64846018	18mm	44	20	100	
64846019	19mm	44	20	100	
64846020	20mm	44	20	100	
64846021	21mm	44	20	100	
64846022	22mm	44	20	100	
64846024	24mm	44	20	100	
64846026	26mm	44	20	100	
64846027	27mm	44	20	100	
64846028	28mm	44	20	100	
64846029	29mm	44	20	100	
64846030	30mm	44	20	100	
64846032	32mm	44	20	100	
64846033	33mm	44	20	100	
64846034	34mm	44	20	100	
64846035	35mm	44	20	100	
64846036	36mm	44	20	100	
64846038	38mm	44	20	100	

★: 特殊品项, 最小订购量/交货期需确认。



注意: 请使用时穿戴好相应防护措施, 不要在没有任何防护情况下使用。



1"


Impact Sockets

内六角气动套筒

Hex Drivers

Order No.	size	D2	L1	L	
		mm	mm	mm	
64850014	7/16"	54	20	75	★
64850016	1/2"	54	20	75	★
64850018	9/16"	54	20	75	★
64850020	5/8"	54	20	75	★
64850024	3/4"	54	20	75	★
64850026	13/16"	54	20	75	★
64850028	7/8"	54	20	75	★
64850100	1"	54	20	75	★
64850102	1-1/16"	54	20	75	★
64850104	1-1/8"	54	20	75	★
64850106	1-3/16"	54	20	75	★
64850108	1-1/4"	54	20	75	★
64850110	1-5/16"	54	20	75	★
64850112	1-3/8"	54	20	75	★
64850116	1-1/2"	54	20	75	★
64850120	1-5/8"	54	20	75	★
64850124	1-3/4"	54	20	75	★
64850126	1-13/16"	54	20	75	★
64851014	7/16"	54	20	100	
64851016	1/2"	54	20	100	
64851018	9/16"	54	20	100	
64851020	5/8"	54	20	100	
64851024	3/4"	54	20	100	
64851026	13/16"	54	20	100	
64851028	7/8"	54	20	100	
64851100	1"	54	20	100	
64851102	1-1/16"	54	20	100	
64851104	1-1/8"	54	20	100	
64851106	1-3/16"	54	20	100	
64851108	1-1/4"	54	20	100	
64851110	1-5/16"	54	20	100	
64851112	1-3/8"	54	20	100	
64851116	1-1/2"	54	20	100	
64851120	1-5/8"	54	20	100	
64851124	1-3/4"	54	20	100	
64851126	1-13/16"	54	20	100	

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



1"


Impact Sockets



内六角气动套筒

Hex Drivers

Order No.	size	D2	L1	L
		mm	mm	mm
64855010	10mm	54	20	75
64855012	12mm	54	20	75
64855014	14mm	54	20	75
64855017	17mm	54	20	75
64855019	19mm	54	20	75
64855022	22mm	54	20	75
64855024	24mm	54	20	75
64855027	27mm	54	20	75
64855028	28mm	54	20	75
64855030	30mm	54	20	75
64855032	32mm	54	20	75
64855033	33mm	54	20	75
64855036	36mm	54	20	75
64855038	38mm	54	20	75
64855041	41mm	54	20	75
64855046	46mm	54	20	75
64856010	10mm	54	20	100
64856012	12mm	54	20	100
64856014	14mm	54	20	100
64856017	17mm	54	20	100
64856019	19mm	54	20	100
64856022	22mm	54	20	100
64856024	24mm	54	20	100
64856027	27mm	54	20	100
64856028	28mm	54	20	100
64856030	30mm	54	20	100
64856032	32mm	54	20	100
64856033	33mm	54	20	100
64856036	36mm	54	20	100
64856038	38mm	54	20	100
64856041	41mm	54	20	100
64856046	46mm	54	20	100





1-1/2"


Impact Sockets

内六角气动套筒

Hex Drivers



Order No.	size	D2	L1	L	
		mm	mm	mm	
64861024	3/4"	86	20	105	★
64861026	13/16"	86	20	105	★
64861028	7/8"	86	20	105	★
64861030	15/16"	86	20	105	★
64861100	1"	86	20	105	★
64861102	1-1/16"	86	20	105	★
64861104	1-1/8"	86	20	105	★
64861106	1-3/16"	86	20	105	★
64861108	1-1/4"	86	20	105	★
64861110	1-5/16"	86	20	105	★
64861112	1-3/8"	86	20	105	★
64861116	1-1/2"	86	20	105	★
64861120	1-5/8"	86	20	105	★
64861124	1-3/4"	86	20	105	★
64861126	1-13/16"	86	20	105	★
64861200	2"	86	20	105	★
64861204	2-1/8"	86	20	105	★
64861206	2-3/16"	86	20	105	★
64860024	3/4"	86	20	120	★
64860026	13/16"	86	20	120	★
64860028	7/8"	86	20	120	★
64860030	15/16"	86	20	120	★
64860100	1"	86	20	120	★
64860102	1-1/16"	86	20	120	★
64860104	1-1/8"	86	20	120	★
64860106	1-3/16"	86	20	120	★
64860108	1-1/4"	86	20	120	★
64860110	1-5/16"	86	20	120	★
64860112	1-3/8"	86	20	120	★
64860116	1-1/2"	86	20	120	★
64860120	1-5/8"	86	20	120	★
64860124	1-3/4"	86	20	120	★
64860126	1-13/16"	86	20	120	★
64860200	2"	86	20	120	★
64860204	2-1/8"	86	20	120	★
64860206	2-3/16"	86	20	120	★



★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



1-1/2"

Impact Sockets




内六角气动套筒

Hex Drivers

Order No.	size	D2	L1	L	
		mm	mm	mm	
64866019	19mm	86	20	105	★
64866022	22mm	86	20	105	★
64866024	24mm	86	20	105	★
64866027	27mm	86	20	105	★
64866030	30mm	86	20	105	★
64866032	32mm	86	20	105	★
64866033	33mm	86	20	105	★
64866036	36mm	86	20	105	★
64866038	38mm	86	20	105	★
64866041	41mm	86	20	105	★
64866046	46mm	86	20	105	★
64866050	50mm	86	20	105	★
64866055	55mm	86	20	105	★
64865019	19mm	86	20	120	
64865022	22mm	86	20	120	
64865024	24mm	86	20	120	
64865027	27mm	86	20	120	
64865030	30mm	86	20	120	
64865032	32mm	86	20	120	
64865033	33mm	86	20	120	
64865036	36mm	86	20	120	
64865038	38mm	86	20	120	
64865041	41mm	86	20	120	
64865046	46mm	86	20	120	
64865050	50mm	86	20	120	
64865055	55mm	86	20	120	

★: 特殊品项, 最小订购量/交货期需确认。





3/8"


Impact Sockets

内六角万向气动套筒

Universal Hex Drivers

Order No.	size	D2	L1	L	★
		mm	mm	mm	
65010006	3/16"	24	11	60	★
65010007	7/32"	24	11	60	★
65010008	1/4"	24	11	60	★
65010009	9/32"	24	15	60	★
65010010	5/16"	24	15	60	★
65010012	3/8"	24	15	60	★
65010014	7/16"	24	15	60	★
65010016	1/2"	24	15	60	★
65010018	9/16"	24	15	60	★
65010020	5/8"	24	15	60	★
65110005	5mm	24	11	60	★
65110006	6mm	24	11	60	★
65110007	7mm	24	15	60	★
65110008	8mm	24	15	60	★
65110009	9mm	24	15	60	★
65110010	10mm	24	15	60	★
65110011	11mm	24	15	60	★
65110012	12mm	24	15	60	★
65110013	13mm	24	15	60	★
65110014	14mm	24	15	60	★
65110015	15mm	24	15	60	★
65110016	16mm	24	15	60	★

★: 特殊品项, 最小订购量/交货期需确认。



特别提示: 万向系列套筒不在“霹雳马”产品保证范围以内。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



1/2"

Impact Sockets




内六角万向气动套筒

Universal Hex Drivers

Order No.	size	D2	L1	L	
		mm	mm	mm	
65021008	1/4"	28	13	75	★
65021009	9/32"	28	13	75	★
65021010	5/16"	28	20	75	★
65021012	3/8"	28	20	75	★
65021014	7/16"	28	20	75	★
65021016	1/2"	28	20	75	★
65021018	9/16"	28	20	75	★
65021020	5/8"	28	20	75	★
65021022	11/16"	28	20	75	★
65021024	3/4"	28	20	75	★
65121006	6mm	28	13	75	★
65121007	7mm	28	13	75	★
65121008	8mm	28	20	75	★
65121009	9mm	28	20	75	★
65121010	10mm	28	20	75	★
65121011	11mm	28	20	75	★
65121012	12mm	28	20	75	★
65121013	13mm	28	20	75	★
65121014	14mm	28	20	75	★
65121015	15mm	28	20	75	★
65121016	16mm	28	20	75	★
65121017	17mm	28	20	75	★
65121018	18mm	28	20	75	★
65121019	19mm	28	20	75	★

★: 特殊品项, 最小订购量/交货期需确认。



特别提示: 万向系列套筒不在“霹雳马”产品保证范围以内。



注意: 请使用时穿戴好相应防护措施, 不要在没有任何防护情况下使用。



3/8"


Impact Sockets

内十二角气动套筒

Triple Square Drivers

Order No.	size	D2	L1	L
		mm	mm	mm
65216005	M5	19	7	50
65216006	M6	19	7	50
65216008	M8	19	9	50
65216010	M10	19	9	50
65216012	M12	19	11	50
65216014	M14	19	11	50
65216016	M16	19	13	50
65217005	M5	19	7	100
65217006	M6	19	7	100
65217008	M8	19	9	100
65217010	M10	19	9	100
65217012	M12	19	11	100
65217014	M14	19	11	100
65217016	M16	19	13	100
65218005	M5	19	7	120
65218006	M6	19	7	120
65218008	M8	19	9	120
65218010	M10	19	9	120
65218012	M12	19	11	120
65218014	M14	19	11	120
65218016	M16	19	13	120

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



1/2"


Impact Sockets



内十二角气动套筒

Triple Square Drivers

Order No.	size	D2	L1	L
		mm	mm	mm
65226005	M5	25	7	55
65226006	M6	25	7	55
65226008	M8	25	9	55
65226010	M10	25	9	55
65226012	M12	25	11	55
65226014	M14	25	11	55
65226016	M16	25	13	55
65226018	M18	25	13	55
65227005	M5	25	7	100
65227006	M6	25	7	100
65227008	M8	25	9	100
65227010	M10	25	9	100
65227012	M12	25	11	100
65227014	M14	25	11	100
65227016	M16	25	13	100
65227018	M18	25	13	100
65228005	M5	25	7	140
65228006	M6	25	7	140
65228008	M8	25	9	140
65228010	M10	25	9	140
65228012	M12	25	11	140
65228014	M14	25	11	140
65228016	M16	25	13	140
65228018	M18	25	13	140





3/8"


Impact Sockets

内十二角，中孔气动套筒

Triple Square Drivers - With Tamper Resistant

Order No.	size	D2	L1	L	
		mm	mm	mm	
6521A005	M5	19	7	50	★
6521A006	M6	19	7	50	★
6521A008	M8	19	9	50	★
6521A010	M10	19	9	50	★
6521A012	M12	19	11	50	★
6521A014	M14	19	11	50	★
6521A016	M16	19	13	50	★
6521B005	M5	19	7	100	★
6521B006	M6	19	7	100	★
6521B008	M8	19	9	100	★
6521B010	M10	19	9	100	★
6521B012	M12	19	11	100	★
6521B014	M14	19	11	100	★
6521B016	M16	19	13	100	★

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



1/2"

Impact Sockets




内十二角，中孔气动套筒

Triple Square Drivers - With Tamper Resistant

Order No.	size	D2	L1	L	
		mm	mm	mm	
6522A005	M5	25	7	55	★
6522A006	M6	25	7	55	★
6522A008	M8	25	9	55	★
6522A010	M10	25	9	55	★
6522A012	M12	25	11	55	★
6522A014	M14	25	11	55	★
6522A016	M16	25	13	55	★
6522A018	M18	25	13	55	★
6522B005	M5	25	7	100	★
6522B006	M6	25	7	100	★
6522B008	M8	25	9	100	★
6522B010	M10	25	9	100	★
6522B012	M12	25	11	100	★
6522B014	M14	25	11	100	★
6522B016	M16	25	13	100	★
6522B018	M18	25	13	100	★

★: 特殊品项，最小订购量/交货期需确认。





1/4"


Impact Sockets

内星型气动套筒

Internal Torx® Drivers

Order No.	size	D2	L1	L
		mm	mm	mm
64701005	T5	13	2	35
64701006	T6	13	2	35
64701007	T7	13	2	35
64701008	T8	13	2	35
64701009	T9	13	2	35
64701010	T10	13	2.8	35
64701015	T15	13	2.8	35
64701020	T20	13	2.8	35
64701025	T25	13	3	35
64701027	T27	13	3	35
64701030	T30	13	3.8	35

☆ Torx® is a trademark of Textron.



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



3/8"


Impact Sockets



内星型气动套筒

Internal Torx® Drivers

Order No.	size	D2	L1	L
		mm	mm	mm
64711009	T9	19	2.8	50
64711010	T10	19	2.8	50
64711015	T15	19	2.8	50
64711020	T20	19	3	50
64711025	T25	19	3	50
64711027	T27	19	3.8	50
64711030	T30	19	3.8	50
64711040	T40	19	4.3	50
64711045	T45	19	5	50
64711047	T47	19	5	50
64711050	T50	19	5.5	50
64711055	T55	19	5.5	50
64712020	T20	19	2.8	100
64712025	T25	19	3	100
64712027	T27	19	3	100
64712030	T30	19	3.8	100
64712040	T40	19	3.8	100
64712045	T45	19	4.3	100
64712047	T47	19	5	100
64712050	T50	19	5	100
64712055	T55	19	5.5	100
64714020	T20	19	2.8	150
64714025	T25	19	3	150
64714027	T27	19	3	150
64714030	T30	19	3.8	150
64714040	T40	19	3.8	150
64714045	T45	19	4.3	150
64714047	T47	19	5	150
64714050	T50	19	5	150
64714055	T55	19	5.5	150



☆ Torx® is a trademark of Textron.






1/2"

Impact Sockets

内星型气动套筒

Internal Torx® Drivers



Order No.	size	D2 mm	L1 mm	L mm
64721020	T20	25	2.8	55
64721025	T25	25	3	55
64721027	T27	25	3	55
64721030	T30	25	3.8	55
64721040	T40	25	3.8	55
64721045	T45	25	4.3	55
64721047	T47	25	5	55
64721050	T50	25	5	55
64721055	T55	25	5.5	55
64721060	T60	25	8	55
64721070	T70	25	9.4	55
64722020	T20	25	2.8	75
64722025	T25	25	3	75
64722027	T27	25	3	75
64722030	T30	25	3.8	75
64722040	T40	25	3.8	75
64722045	T45	25	4.3	75
64722047	T47	25	5	75
64722050	T50	25	5	75
64722055	T55	25	5.5	75
64722060	T60	25	8	75
64722070	T70	25	9.4	75
64722080	T80	25	10.5	75
64722090	T90	25	11.8	75
64722100	T100	25	13.1	75
64723020	T20	25	2.8	100 ★
64723025	T25	25	3	100 ★
64723027	T27	25	3	100 ★
64723030	T30	25	3.8	100 ★
64723040	T40	25	3.8	100 ★
64723045	T45	25	4.3	100 ★
64723047	T47	25	5	100 ★
64723050	T50	25	5	100 ★
64723055	T55	25	5.5	100 ★
64723060	T60	25	8	100 ★
64723070	T70	25	9.4	100 ★
64723080	T80	25	10.5	100 ★
64723090	T90	25	11.8	100 ★
64723100	T100	25	13.1	100 ★
64725020	T20	25	2.8	150 ★
64725025	T25	25	3	150 ★
64725027	T27	25	3	150 ★
64725030	T30	25	3.8	150 ★
64725040	T40	25	3.8	150 ★
64725045	T45	25	4.3	150 ★
64725047	T47	25	5	150 ★
64725050	T50	25	5	150 ★
64725055	T55	25	5.5	150 ★
64725060	T60	25	8	150 ★
64725070	T70	25	9.4	150 ★
64725080	T80	25	10.5	150 ★
64725090	T90	25	11.8	150 ★
64725100	T100	25	13.1	150 ★

★ Torx® is a trademark of Textron.

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



3/4"

Impact Sockets




内星型气动套筒

Internal Torx® Drivers

Order No.	size	D2	L1	L	
		mm	mm	mm	
64742050	T50	44	5	100	★
64742055	T55	44	5.5	100	★
64742060	T60	44	8	100	★
64742070	T70	44	9.4	100	★
64742080	T80	44	10.5	100	★
64742090	T90	44	11.8	100	★
64742100	T100	44	13.1	100	★

☆ Torx® is a trademark of Textron.

★: 特殊品项, 最小订购量/交货期需确认。





1/4"

Impact Sockets


内星型，中孔气动套筒

Internal Torx® Drivers - With Tamper Resistant

Order No.	size	D2	L1	L	
		mm	mm	mm	
64706008	T8	13	2	35	★
64706009	T9	13	2	35	★
64706010	T10	13	2.8	35	★
64706015	T15	13	2.8	35	★
64706020	T20	13	2.8	35	★
64706025	T25	13	3	35	★
64706027	T27	13	3	35	★
64706030	T30	13	3.8	35	★

☆ Torx® is a trademark of Textron.

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



3/8"

Impact Sockets




内星型，中孔气动套筒

Internal Torx® Drivers - With Tamper Resistant

Order No.	size	D2	L1	L	
		mm	mm	mm	
64716020	T20	19	3	50	★
64716025	T25	19	3	50	★
64716027	T27	19	3.8	50	★
64716030	T30	19	3.8	50	★
64716040	T40	19	4.3	50	★
64716045	T45	19	5	50	★
64716047	T47	19	5	50	★
64716050	T50	19	5.5	50	★
64716055	T55	19	5.5	50	★
64717020	T20	19	2.8	100	★
64717025	T25	19	3	100	★
64717027	T27	19	3	100	★
64717030	T30	19	3.8	100	★
64717040	T40	19	3.8	100	★
64717045	T45	19	4.3	100	★
64717047	T47	19	5	100	★
64717050	T50	19	5	100	★
64717055	T55	19	5.5	100	★

☆ Torx® is a trademark of Textron.

★: 特殊品项，最小订购量/交货期需确认。





1/2"

Impact Sockets


内星型，中孔气动套筒

Internal Torx® Drivers - With Tamper Resistant

Order No.	size	D2	L1	L	
		mm	mm	mm	
64726020	T20	25	2.8	55	★
64726025	T25	25	3	55	★
64726027	T27	25	3	55	★
64726030	T30	25	3.8	55	★
64726040	T40	25	3.8	55	★
64726045	T45	25	4.3	55	★
64726047	T47	25	5	55	★
64726050	T50	25	5	55	★
64726055	T55	25	5.5	55	★
64726060	T60	25	8	55	★
64726070	T70	25	9.4	55	★
64727020	T20	25	2.8	75	★
64727025	T25	25	3	75	★
64727027	T27	25	3	75	★
64727030	T30	25	3.8	75	★
64727040	T40	25	3.8	75	★
64727045	T45	25	4.3	75	★
64727047	T47	25	5	75	★
64727050	T50	25	5	75	★
64727055	T55	25	5.5	75	★
64727060	T60	25	8	75	★
64727070	T70	25	9.4	75	★
64728020	T20	25	2.8	100	★
64728025	T25	25	3	100	★
64728027	T27	25	3	100	★
64728030	T30	25	3.8	100	★
64728040	T40	25	3.8	100	★
64728045	T45	25	4.3	100	★
64728047	T47	25	5	100	★
64728050	T50	25	5	100	★
64728055	T55	25	5.5	100	★
64728060	T60	25	8	100	★
64728070	T70	25	9.4	100	★

☆ Torx® is a trademark of Textron.

★：特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



3/8"

Impact Sockets




内星型，万向套筒

Universal Internal Torx® Drivers

Order No.	size	D2	L1	L	
		mm	mm	mm	
64910020	T20	24	3	60	★
64910025	T25	24	3	60	★
64910027	T27	24	3.8	60	★
64910030	T30	24	3.8	60	★
64910040	T40	24	4.3	60	★
64910045	T45	24	5	60	★
64910047	T47	24	5	60	★
64910050	T50	24	5.5	60	★
64910055	T55	24	5.5	60	★

☆ Torx® is a trademark of Textron.

★: 特殊品项，最小订购量/交货期需确认。





1/2"

Impact Sockets


内星型，万向套筒

Universal Internal Torx® Drivers

Order No.	size	D2	L1	L	★
		mm	mm	mm	
64921025	T25	28	3	70	★
64921027	T27	28	3	70	★
64921030	T30	28	3.8	70	★
64921040	T40	28	3.8	70	★
64921045	T45	28	4.3	70	★
64921047	T47	28	5	70	★
64921050	T50	28	5	70	★
64921055	T55	28	5.5	70	★
64921060	T60	28	8	70	★

☆ Torx® is a trademark of Textron.

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



1/4"


Impact Sockets



外星型气动套筒

External Torx® Sockets

Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
63300004	E4	13	7.2	4	25
63300005	E5	13	8	4.5	25
63300006	E6	13	9	5	25
63300007	E7	13	9.5	6	25
63300008	E8	13	10	6	25
63300010	E10	13	12.5	7.5	25
63300011	E11	13	13	8	25
63300012	E12	14.5	14.5	8.5	25



外星型薄壁套筒

External Torx® Sockets - Thin Wall

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
63305004	E4	13	6.5	4	25	★
63305005	E5	13	7.5	4.5	25	★
63305006	E6	13	8.5	5	25	★
63305007	E7	13	9	6	25	★
63305008	E8	13	9.8	6	25	★
63305010	E10	13	12	7.5	25	★
63305011	E11	13	12.7	8	25	★
63305012	E12	14.5	14	8.5	25	★



外星型加长套筒

External Torx® Sockets - Deep

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
63302004	E4	13	7	4	50	★
63302005	E5	13	8	4.5	50	★
63302006	E6	13	9	5	50	★
63302007	E7	13	9.5	6	50	★
63302008	E8	13	10.5	6.5	50	★
63302010	E10	13	12.5	7.5	50	★
63302011	E11	13	13	8	50	★
63302012	E12	14.5	14.5	8.5	50	★



★ Torx® is a trademark of Textron.

★: 特殊品项, 最小订购量/交货期需确认。





3/8"

Impact Sockets

外星型气动套筒

External Torx® Sockets

Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
63310005	E5	19	9	4.5	32
63310006	E6	19	10	5	32
63310007	E7	19	10	6	32
63310008	E8	19	10.5	6	32
63310010	E10	19	12.5	7.5	32
63310011	E11	19	14.5	8	32
63310012	E12	19	15	8.5	32
63310014	E14	19	17.5	10	32
63310016	E16	19	19	11	32
63310018	E18	21	21	12.5	34
63310020	E20	22	24	14	34
63310022	E22	22	26	15	36
63310024	E24	22	28	16.5	36

外星型薄壁套筒


External Torx® Sockets- Thin Wall

Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
63315005	E5	19	8	4.5	32
63315006	E6	19	9	5	32
63315007	E7	19	9.3	6	32
63315008	E8	19	10	6	32
63315010	E10	19	12.3	7.5	32
63315011	E11	19	13	8	32
63315012	E12	19	14	8.5	32
63315014	E14	19	16.5	10	32
63315016	E16	19	18.4	11	32

外星型加长套筒

External Torx® Sockets - Deep

Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
63312004	E4	18	7.5	4	63
63312005	E5	19	8.5	4.5	63
63312006	E6	19	9.5	5	63
63312007	E7	19	10	6	63
63312008	E8	19	11.5	6.5	63
63312010	E10	19	13.5	7.5	63
63312011	E11	19	14	8	63
63312012	E12	19	15.5	8.5	63
63312014	E14	19	17.5	10	65
63312016	E16	19	19	11	65
63312018	E18	21	21	12.5	65
63312020	E20	22	24	14	65
63312022	E22	22	26	15	65
63312024	E24	22	28	16.5	65





1/2"


Impact Sockets



外星型气动套筒

External Torx® Sockets

Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
63320010	E10	25	15	7.5	38
63320011	E11	25	15.5	8	38
63320012	E12	25	16	8.5	38
63320014	E14	25	18.5	10	38
63320016	E16	25	20	11	38
63320018	E18	25	22	12	38
63320020	E20	30	25	13.5	38
63320022	E22	30	26.5	18	45
63320024	E24	30	28.5	18	45



外星型薄壁套筒

External Torx® Sockets - Thin Wall

Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
63325010	E10	25	13	7.5	38
63325011	E11	25	14	8	38
63325012	E12	25	15	8.5	38
63325014	E14	25	17	10	38
63325016	E16	25	18.5	11	38
63325018	E18	25	20.5	12	38
63325020	E20	30	22.5	13.5	38
63325022	E22	30	24.5	18	45
63325024	E24	30	26.5	18	45



外星型加长套筒

External Torx® Sockets - Deep

Order No.	size	D2	D1	L2	L
		mm	mm	mm	mm
63322010	E10	25	14.5	7.5	78
63322011	E11	25	15	8	78
63322012	E12	25	16	8.5	78
63322014	E14	25	18	10	78
63322016	E16	25	20	11	78
63322018	E18	25	22	12.5	78
63322020	E20	30	25	14	78
63322022	E22	30	27	15	78
63322024	E24	30	29	16.5	78



☆ Torx® is a trademark of Textron.





3/4"


Impact Sockets



外星型气动套筒

External Torx® Sockets

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
63340018	E18	44	25	15	56	★
63340020	E20	44	27	15	56	★
63340022	E22	44	30	19	56	★
63340024	E24	44	33	19	56	★



外星型加长套筒

External Torx® Sockets - Deep

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
63344018	E18	44	25	15	110	
63344020	E20	44	27	15	110	
63344022	E22	44	30	19	110	
63344024	E24	44	33	19	110	

☆ Torx® is a trademark of Textron.

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



1"

Impact Sockets




外星型气动套筒

External Torx® Sockets

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
63350018	E18	54	28	12.5	65	★
63350020	E20	54	30	14	65	★
63350022	E22	54	33	15	65	★
63350024	E24	54	36	16.5	65	★

☆ Torx® is a trademark of Textron.

★: 特殊品项, 最小订购量/交货期需确认。






1/4"

Impact Sockets

外星型磁性套筒

External Torx® Sockets - With Magnetic


Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
6330N006	E6	13	9	4	25	★
6330N008	E8	13	10.5	5	25	★
6330N010	E10	13	12.5	5	25	★
6330N011	E11	13	13	5	25	★
6330N012	E12	14.5	14.5	6	25	★



外星型磁性加长套筒

External Torx® Sockets - Deep - With Slide Magnetic

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
6330L008	E8	13	10.5	6	50	★
6330L010	E10	13	12.5	7.5	50	★
6330L011	E11	13	13	8	50	★
6330L012	E12	14.5	14.5	8.5	50	★



☆ Torx® is a trademark of Textron.

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



3/8"


Impact Sockets



外星型磁性套筒

External Torx® Sockets - With Magnetic


Order No.	size	D2 mm	D1 mm	L2 mm	L mm
6331N008	E8	19	11.5	5	32
6331N010	E10	19	13.5	5	32
6331N011	E11	19	14	5	32
6331N012	E12	19	15.5	6	32
6331N014	E14	19	17.5	8	32
6331N016	E16	19	19	9	32
6331N018	E18	21	21	9	32



外星型磁性加长套筒

External Torx® Sockets - Deep - With Slide Magnetic

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
6331L008	E8	19	11.5	6	63	★
6331L010	E10	19	13.5	7.5	63	★
6331L011	E11	19	14	8	63	★
6331L012	E12	19	15.5	8.5	63	★
6331L014	E14	19	17.5	10.5	65	★
6331L016	E16	19	19	11.5	65	★
6331L018	E18	21	21	13.5	65	★



☆ Torx® is a trademark of Textron.

★: 特殊品项, 最小订购量/交货期需确认。




1/2"

Impact Sockets

外星型磁性套筒

External Torx® Sockets - With Magnetic


Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
6332N010	E10	25	14.5	5	38	★
6332N011	E11	25	15	5	38	★
6332N012	E12	25	16	6	38	★
6332N014	E14	25	18	8	38	★
6332N016	E16	25	20	9	38	★
6332N018	E18	25	22	9	38	★
6332N020	E20	30	25	10	38	★
6332N022	E22	30	27	10	45	★
6332N024	E24	30	29	11	45	★



外星型磁性加长套筒

External Torx® Sockets - Deep - With Slide Magnetic

Order No.	size	D2	D1	L2	L	
		mm	mm	mm	mm	
6332L010	E10	25	14.5	7.5	78	★
6332L011	E11	25	15	8	78	★
6332L012	E12	25	16	8.5	78	★
6332L014	E14	25	18	10	78	★
6332L016	E16	25	20	11	78	★
6332L018	E18	25	22	12.5	78	★
6332L020	E20	30	25	14	78	★
6332L022	E22	30	27	15	78	★
6332L024	E24	30	29	16.5	78	★



☆ Torx® is a trademark of Textron.

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



3/4"

Impact Sockets




外星型磁性套筒

External Torx® Sockets - With Magnetic

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
6334N018	E18	44	25	13	56	★
6334N020	E20	44	27	13	56	★
6334N022	E22	44	30	15	56	★
6334N024	E24	44	33	15	56	★

☆ Torx® is a trademark of Textron.

★: 特殊品项, 最小订购量/交货期需确认。





3/8"

Impact Sockets


外星型万向套筒

Universal External Torx® Sockets

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
68710005	E5	24	8	4.5	50	★
68710006	E6	24	9	5	50	★
68710007	E7	24	9.3	6	50	★
68710008	E8	24	10	6	50	★
68710010	E10	24	12	7.5	50	★
68710011	E11	24	13	8	50	★
68710012	E12	24	14	8.5	50	★
68710014	E14	24	16.5	10	50	★
68710016	E16	24	18.4	11	50	★
68710018	E18	24	20.5	11	50	★

☆ Torx® is a trademark of Textron.

★: 特殊品项, 最小订购量/交货期需确认。



特别提示: 万向系列套筒不在“霹雳马”产品保证范围以内。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



1/2"

Impact Sockets




外星型万向套筒

Universal External Torx® Sockets

Order No.	size	D2 mm	D1 mm	L2 mm	L mm	
68720010	E10	28	13	7.5	65	★
68720011	E11	28	14	8	65	★
68720012	E12	28	15	8.5	65	★
68720014	E14	28	17	10	65	★
68720016	E16	28	18.5	11	65	★
68720018	E18	28	20.5	12	65	★
68720020	E20	32	22.5	13.5	65	★
68720022	E22	32	24.5	15	65	★
68720024	E24	32	26.5	17	65	★

☆ Torx® is a trademark of Textron.

★: 特殊品项, 最小订购量/交货期需确认。



特别提示: 万向系列套筒不在“霹雳马”产品保证范围以内。



注意: 请使用时穿戴好相应防护措施, 不要在没有任何防护情况下使用。



1/4"


Impact Sockets

气动万向接头

Universal Joints

Order No.	 size	 size	D2	L	Male end	
	size	size	mm	mm	Type	
64301008	1/4"	1/4"	16	43	Steel Ball Retainer	★
64302008	1/4"	1/4"	16	43	Pin Hole	★
64304008	1/4"	1/4"	16	43	Lock Pin Retainer	★
6430A008	1/4"	1/4"	16	43	Steel Ball Retainer	

★: 特殊品项, 最小订购量/交货期需确认。



插销头



Lock Pin Retainer



插销孔



Pin Hole



钢珠头



Steel Ball Retainer



特别提示: 万向系列套筒不在“霹雳马”产品保证范围以内。




CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.

**3/8"****Impact Sockets**

气动万向接头

Universal Joints

Order No.			D2	L	Male end
	size	size	mm	mm	Type
64311012	3/8"	3/8"	24	50	Steel Ball Retainer
6431T012	3/8"	3/8"	18	47	Steel Ball Retainer
64312012	3/8"	3/8"	24	50	Pin Hole
64314012	3/8"	3/8"	24	50	Lock Pin Retainer



插销头



插销孔



钢珠头

**Lock Pin Retainer****Pin Hole****Steel Ball Retainer**

特别提示：万向系列套筒不在“霹雳马”产品保证范围以内。



注意：请使用时穿戴好相应防护措施，不要在没有任何防护情况下使用。



1/2"


Impact Sockets

气动万向接头

Universal Joints



Order No.	 size	 size	D2	L	Male end Type
			mm	mm	
64321016	1/2"	1/2"	32	60	Steel Ball Retainer
6432D016	1/2"	1/2"	28	60	Steel Ball Retainer
6432T016	1/2"	1/2"	24	60	Steel Ball Retainer
64322016	1/2"	1/2"	32	60	Pin Hole
6432E016	1/2"	1/2"	28	60	Pin Hole
64324016	1/2"	1/2"	32	60	Lock Pin Retainer
6432F016	1/2"	1/2"	28	60	Lock Pin Retainer



插销头



Lock Pin Retainer



插销孔



Pin Hole



钢珠头



Steel Ball Retainer



特别提示：万向系列套筒不在“霹雳马”产品保证范围以内。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



3/4"


Impact Sockets



气动万向接头

Universal Joints

Order No.			D2	L	Male end
	size	size	mm	mm	Type
6434A024	3/4"	3/4"	44	90	Steel Ball Retainer
6434B024	3/4"	3/4"	44	90	Pin Hole
6434C024	3/4"	3/4"	44	90	Lock Pin Retainer



插销头



Lock Pin Retainer



插销孔



Pin Hole



钢珠头



Steel Ball Retainer



特别提示：万向系列套筒不在“霹雳马”产品保证范围以内。



注意：请使用时穿戴好相应防护措施，不要在没有任何防护情况下使用。



1"


Impact Sockets



气动万向接头

Universal Joints

Order No.	size	size	D2 mm	L mm	Male end Type
6435A100	1"	1"	54	110	Steel Ball Retainer
6435B100	1"	1"	54	110	Pin Hole
6435C100	1"	1"	54	110	Lock Pin Retainer



插销头

Lock Pin Retainer



插销孔

Pin Hole



钢珠头


Steel Ball Retainer

重型气动万向接头

Universal Joints - Heavy Duty

Order No.	size	size	D2 mm	L mm	Male end Type
6445A100	1"	1"	58	118	Steel Ball Retainer ★
6445B100	1"	1"	58	118	Pin Hole ★
6445C100	1"	1"	58	118	Lock Pin Retainer ★

★: 特殊品项, 最小订购量/交货期需确认。



插销头

Lock Pin Retainer



插销孔

Pin Hole



钢珠头

Steel Ball Retainer

⚠ 特别提示: 万向系列套筒不在“霹雳马”产品保证范围以内。



1-1/2"


Impact Sockets



气动万向接头

Universal Joints

Order No.	 size	 size	D2	L	Male end Type
	size	size	mm	mm	
64061116	1-1/2"	1-1/2"	86	182	Steel Ball Retainer
64162116	1-1/2"	1-1/2"	86	182	Pin Hole



插销孔



Pin Hole



钢珠头



Steel Ball Retainer



特别提示：万向系列套筒不在“霹雳马”产品保证范围以内。



注意：请使用时穿戴好相应防护措施，不要在没有任何防护情况下使用。



2-1/2 "

Impact Sockets




气动万向接头

Universal Joints

Order No.	 size	 size	D2	L	Male end	
			mm	mm	Type	
64382216	2-1/2"	2-1/2"	152	248	Pin Hole	★

★：特殊品项，最小订购量/交货期需确认。



插销孔

Pin Hole



特别提示：万向系列套筒不在“霹雳马”产品保证范围以内。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



#5 Spline

Impact Sockets




气动万向接头，5#花键

Universal Joints

Order No.			D2	L	Male end
	size	size	mm	mm	Type
67759005	#5	#5	62	185	Lock Button ★

★：特殊品项，最小订购量/交货期需确认。



⚠ 特别提示：万向系列套筒不在“霹雳马”产品保证范围以内。

⚠ 注意：请使用时穿戴好相应防护措施，不要在没有任何防护情况下使用。



1/4"


Impact Sockets



气动转换头

Adapters

Order No.	 size	 size	D2	L	Male end
	size	size	mm	mm	Type
64001012	1/4"	3/8"	13.6	26	Steel Ball Retainer
64002012	1/4"	3/8"	13.6	26	Pin Hole
64004012	1/4"	3/8"	13.6	26	Lock Pin Retainer



插销头



插销孔



钢珠头



Lock Pin Retainer



Pin Hole



Steel Ball Retainer



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



3/8"


Impact Sockets



气动转换头

Adapters

Order No.	 size	 size	D2 mm	L mm	Male end Type
64011008	3/8"	1/4"	22	32	Steel Ball Retainer
64011108	3/8"	1/4"	22	50	Steel Ball Retainer
64011208	3/8"	1/4"	22	75	Steel Ball Retainer
64011308	3/8"	1/4"	22	100	Steel Ball Retainer
64011408	3/8"	1/4"	22	125	Steel Ball Retainer
64011508	3/8"	1/4"	22	150	Steel Ball Retainer
64011016	3/8"	1/2"	22	36	Steel Ball Retainer
64012008	3/8"	1/4"	22	32	Pin Hole
64012108	3/8"	1/4"	22	50	Pin Hole
64012208	3/8"	1/4"	22	75	Pin Hole
64012308	3/8"	1/4"	22	100	Pin Hole
64012408	3/8"	1/4"	22	125	Pin Hole
64012508	3/8"	1/4"	22	150	Pin Hole
64012016	3/8"	1/2"	22	36	Pin Hole
64014008	3/8"	1/4"	22	32	Lock Pin Retainer
64014108	3/8"	1/4"	22	50	Lock Pin Retainer
64014208	3/8"	1/4"	22	75	Lock Pin Retainer
64014308	3/8"	1/4"	22	100	Lock Pin Retainer
64014408	3/8"	1/4"	22	125	Lock Pin Retainer
64014508	3/8"	1/4"	22	150	Lock Pin Retainer
64014016	3/8"	1/2"	22	36	Lock Pin Retainer



插销头



插销孔



钢珠头



Lock Pin Retainer



Pin Hole



Steel Ball Retainer






1/2"

Impact Sockets

气动转换头

Adapters

Order No.	 size	 size	D2	L	Male end
	size	size	mm	mm	Type
64021008	1/2"	1/4"	25	38	Steel Ball Retainer
64021108	1/2"	1/4"	25	50	Steel Ball Retainer
64021208	1/2"	1/4"	25	100	Steel Ball Retainer
64021308	1/2"	1/4"	25	150	Steel Ball Retainer
64021012	1/2"	3/8"	25	38	Steel Ball Retainer
64021112	1/2"	3/8"	25	50	Steel Ball Retainer
64021212	1/2"	3/8"	25	75	Steel Ball Retainer
64021312	1/2"	3/8"	25	100	Steel Ball Retainer
64021412	1/2"	3/8"	25	125	Steel Ball Retainer
64021512	1/2"	3/8"	25	150	Steel Ball Retainer
64021612	1/2"	3/8"	25	200	Steel Ball Retainer
64021712	1/2"	3/8"	25	250	Steel Ball Retainer
64021812	1/2"	3/8"	25	300	Steel Ball Retainer
64021912	1/2"	3/8"	25	380	Steel Ball Retainer
6402A012	1/2"	3/8"	25	460	Steel Ball Retainer
6402E012	1/2"	3/8"	25	610	Steel Ball Retainer
6402K012	1/2"	3/8"	25	915	Steel Ball Retainer
64021024	1/2"	3/4"	30	48	Steel Ball Retainer



钢珠头



Steel Ball Retainer



特别提示：由大扭力方头转成小扭力方头的转换头部分，不在“霹雳马”产品保证范围以内

Reducing adapters are not covered by the ACTION warranty

CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



1/2"


Impact Sockets



气动转换头

Adapters

Order No.	 size	 size	D2	L	Male end
	size	size	mm	mm	Type
64022008	1/2"	1/4"	25	38	Pin Hole
64022108	1/2"	1/4"	25	50	Pin Hole
64022208	1/2"	1/4"	25	100	Pin Hole
64022308	1/2"	1/4"	25	150	Pin Hole
64022012	1/2"	3/8"	25	38	Pin Hole
64022112	1/2"	3/8"	25	50	Pin Hole
64022212	1/2"	3/8"	25	75	Pin Hole
64022312	1/2"	3/8"	25	100	Pin Hole
64022412	1/2"	3/8"	25	125	Pin Hole
64022512	1/2"	3/8"	25	150	Pin Hole
64022612	1/2"	3/8"	25	200	Pin Hole
64022712	1/2"	3/8"	25	250	Pin Hole
64022812	1/2"	3/8"	25	300	Pin Hole
64022912	1/2"	3/8"	25	380	Pin Hole
64022024	1/2"	3/4"	30	48	Pin Hole



插销孔



Pin Hole



特别提示：由大扭力方头转成小扭力方头的转换头部分，不在“霹雳马”产品保证范围以内
Reducing adapters are not covered by the ACTION warranty



注意：请使用时穿戴好相应防护措施，不要在没有任何防护情况下使用。



1/2"


Impact Sockets



气动转换头

Adapters

Order No.	 size	 size	D2	L	Male end
	size	size	mm	mm	Type
64024008	1/2"	1/4"	25	38	Lock Pin Retainer
64024108	1/2"	1/4"	25	50	Lock Pin Retainer
64024208	1/2"	1/4"	25	100	Lock Pin Retainer
64024308	1/2"	1/4"	25	150	Lock Pin Retainer
64024012	1/2"	3/8"	25	38	Lock Pin Retainer
64024112	1/2"	3/8"	25	50	Lock Pin Retainer
64024212	1/2"	3/8"	25	75	Lock Pin Retainer
64024312	1/2"	3/8"	25	100	Lock Pin Retainer
64024412	1/2"	3/8"	25	125	Lock Pin Retainer
64024512	1/2"	3/8"	25	150	Lock Pin Retainer
64024612	1/2"	3/8"	25	200	Lock Pin Retainer
64024712	1/2"	3/8"	25	250	Lock Pin Retainer
64024812	1/2"	3/8"	25	300	Lock Pin Retainer
64024912	1/2"	3/8"	25	380	Lock Pin Retainer
6402C012	1/2"	3/8"	25	460	Lock Pin Retainer
6402G012	1/2"	3/8"	25	610	Lock Pin Retainer
6402M012	1/2"	3/8"	25	915	Lock Pin Retainer
64024024	1/2"	3/4"	30	48	Lock Pin Retainer



插销头



Lock Pin Retainer



特别提示: 由大扭力方头转成小扭力方头的转换头部分, 不在“霹雳马”产品保证范围以内

Reducing adapters are not covered by the ACTION warranty




CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.

**3/4"****Impact Sockets**

气动转换头

Adapters

Order No.			D2 mm	L mm	Male end Type
	size	size			
64041016	3/4"	1/2"	44	56	Steel Ball Retainer
64041116	3/4"	1/2"	44	75	Steel Ball Retainer
64041216	3/4"	1/2"	44	100	Steel Ball Retainer
64041316	3/4"	1/2"	44	125	Steel Ball Retainer
64041416	3/4"	1/2"	44	150	Steel Ball Retainer
64041516	3/4"	1/2"	44	175	Steel Ball Retainer
64041616	3/4"	1/2"	44	200	Steel Ball Retainer
64041716	3/4"	1/2"	44	250	Steel Ball Retainer
64041100	3/4"	1"	44	63	Steel Ball Retainer
6404E100	3/4"	1"	44	150	Steel Ball Retainer
6404A100	3/4"	1"	44	175	Steel Ball Retainer
64042016	3/4"	1/2"	44	56	Pin Hole
64042116	3/4"	1/2"	44	75	Pin Hole
64042216	3/4"	1/2"	44	100	Pin Hole
64042316	3/4"	1/2"	44	125	Pin Hole
64042416	3/4"	1/2"	44	150	Pin Hole
64042516	3/4"	1/2"	44	175	Pin Hole
64042616	3/4"	1/2"	44	200	Pin Hole
64042716	3/4"	1/2"	44	250	Pin Hole
64042100	3/4"	1"	44	63	Pin Hole
6404F100	3/4"	1"	44	150	Pin Hole
6404B100	3/4"	1"	44	175	Pin Hole
64044016	3/4"	1/2"	44	56	Lock Pin Retainer
64044116	3/4"	1/2"	44	75	Lock Pin Retainer
64044216	3/4"	1/2"	44	100	Lock Pin Retainer
64044316	3/4"	1/2"	44	125	Lock Pin Retainer
64044416	3/4"	1/2"	44	150	Lock Pin Retainer
64044516	3/4"	1/2"	44	175	Lock Pin Retainer
64044616	3/4"	1/2"	44	200	Lock Pin Retainer
64044716	3/4"	1/2"	44	250	Lock Pin Retainer
64044100	3/4"	1"	44	63	Lock Pin Retainer
6404G100	3/4"	1"	44	150	Lock Pin Retainer
6404C100	3/4"	1"	44	175	Lock Pin Retainer
64049005	3/4"	#5	54	105	Lock Button



特别提示：由大扭力方头转成小扭力方头的转换头部分，不在“霹雳马”产品保证范围以内

Reducing adapters are not covered by the ACTION warranty



插销头

Lock Pin Retainer



插销孔

Pin Hole



钢珠头

Steel Ball Retainer



花键头

Lock Button




1"

Impact Sockets

气动转换头

Adapters

Order No.	 size	 size	D2 mm	L mm	Male end Type
64051024	1"	3/4"	54	75	Steel Ball Retainer
64051124	1"	3/4"	54	100	Steel Ball Retainer
64051224	1"	3/4"	54	150	Steel Ball Retainer
64051324	1"	3/4"	54	175	Steel Ball Retainer
64051424	1"	3/4"	54	200	Steel Ball Retainer
64051524	1"	3/4"	54	250	Steel Ball Retainer
64051116	1"	1-1/2"	54	90	Steel Ball Retainer
64052024	1"	3/4"	54	75	Pin Hole
64052124	1"	3/4"	54	100	Pin Hole
64052224	1"	3/4"	54	150	Pin Hole
64052324	1"	3/4"	54	175	Pin Hole
64052424	1"	3/4"	54	200	Pin Hole
64052524	1"	3/4"	54	250	Pin Hole
64052116	1"	1-1/2"	54	90	Pin Hole
64054024	1"	3/4"	54	75	Lock Pin Retainer
64054124	1"	3/4"	54	100	Lock Pin Retainer
64054224	1"	3/4"	54	150	Lock Pin Retainer
64054324	1"	3/4"	54	175	Lock Pin Retainer
64054424	1"	3/4"	54	200	Lock Pin Retainer
64054524	1"	3/4"	54	250	Lock Pin Retainer
64059005	1"	#5	56	105	Lock Button



Lock Pin Retainer



插销头



Pin Hole



插销孔



Steel Ball Retainer



钢珠头



Lock Button
花键头



特别提示：由大扭力方头转成小扭力方头的转换头部分，不在“霹雳马”产品保证范围以内
Reducing adapters are not covered by the ACTION warranty



1-1/2"


Impact Sockets



气动转换头

Adapters

Order No.	 size	 size	D2	L	Male end Type
	size	size	mm	mm	
64061100	1-1/2"	1"	86	100	Steel Ball Retaine
64062100	1-1/2"	1"	86	100	Pin Hole
64062216	1-1/2"	2-1/2"	86	120	Pin Hole
64064100	1-1/2"	1"	86	100	Lock Pin Retainer
64069005	1-1/2"	#5	86	125	Lock Button



Lock Pin Retainer



插销头



Pin Hole



插销孔



Steel Ball Retainer



钢珠头



Lock Button
花键头



特别提示：由大扭力方头转成小扭力方头的转换头部分，不在“霹雳马”产品保证范围以内

Reducing adapters are not covered by the ACTION warranty



注意：请使用时穿戴好相应防护措施，不要在没有任何防护情况下使用。




2-1/2"

Impact Sockets



气动转换头
Adapters

Order No.	 size	 size	D2	L	Male end
	size	size	mm	mm	Type
64082116	2-1/2"	1-1/2"	127	138	Pin Hole



插销孔



Pin Hole



特别提示：由大扭力方头转成小扭力方头的转换头部分，不在“霹雳马”产品保证范围以内
Reducing adapters are not covered by the ACTION warranty



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



#5 Spline


Impact Sockets



气动转换头 Adapters

Order No.			D2	L	Male end	
			mm	mm	Type	
67451024	#5	3/4"	53	87	Steel Ball Retainer	★
67451100	#5	1"	53	94	Steel Ball Retainer	★
67452024	#5	3/4"	53	87	Pin Hole	★
67452100	#5	1"	53	94	Pin Hole	★

★: 特殊品项, 最小订购量/交货期需确认。



特别提示: 由大扭力方头转成小扭力方头的转换头部分, 不在“霹雳马”产品保证范围以内

Reducing adapters are not covered by the ACTION warranty



注意: 请使用时穿戴好相应防护措施, 不要在没有任何防护情况下使用。



Impact Sockets




轴套式转换头

Reducing Adapter - Sleeve Type - With Magnetic

Order No.			Shape	D2 mm	L mm	
69880P12	1/4"	3/8"	A	19	17	★
69880P16	1/4"	1/2"	A	25	22	★
69881P16	3/8"	1/2"	A	25	22	★
69882P20	1/2"	5/8"	A	35	23	★
69882P24	1/2"	3/4"	A	44	30	★
69884P32	3/4"	1"	B	54	35	★
69885P48	1"	1-1/2"	B	86	50	★
69886P80	1-1/2"	2-1/2"	B	127	59	★
69888P01	2-1/2"	3-1/2"	B	176	95	★

★: 特殊品项, 最小订购量/交货期需确认。



Shape A



Shape B



Shape A



Shape B



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



1/4"


Impact Sockets



气动延长杆

Extension Bars

Order No.			D2	L	Male end
			mm	mm	Type
64501050	1/4"	1/4"	13	50	Steel Ball Retainer
64501075	1/4"	1/4"	13	75	Steel Ball Retainer
64501100	1/4"	1/4"	13	100	Steel Ball Retainer
64501125	1/4"	1/4"	13	125	Steel Ball Retainer
64501150	1/4"	1/4"	13	150	Steel Ball Retainer
64501175	1/4"	1/4"	13	175	Steel Ball Retainer
64501200	1/4"	1/4"	13	200	Steel Ball Retainer
64501250	1/4"	1/4"	13	250	Steel Ball Retainer
64501300	1/4"	1/4"	13	300	Steel Ball Retainer
64501350	1/4"	1/4"	13	350	Steel Ball Retainer
64501450	1/4"	1/4"	13	450	Steel Ball Retainer



64502050	1/4"	1/4"	13	50	Pin Hole	★
64502075	1/4"	1/4"	13	75	Pin Hole	★
64502100	1/4"	1/4"	13	100	Pin Hole	★
64502125	1/4"	1/4"	13	125	Pin Hole	★
64502150	1/4"	1/4"	13	150	Pin Hole	★
64502175	1/4"	1/4"	13	175	Pin Hole	★
64502200	1/4"	1/4"	13	200	Pin Hole	★
64502250	1/4"	1/4"	13	250	Pin Hole	★
64502300	1/4"	1/4"	13	300	Pin Hole	★
64502350	1/4"	1/4"	13	350	Pin Hole	★
64502450	1/4"	1/4"	13	450	Pin Hole	★

64504050	1/4"	1/4"	13	50	Lock Pin Retainer
64504075	1/4"	1/4"	13	75	Lock Pin Retainer
64504100	1/4"	1/4"	13	100	Lock Pin Retainer
64504125	1/4"	1/4"	13	125	Lock Pin Retainer
64504150	1/4"	1/4"	13	150	Lock Pin Retainer
64504175	1/4"	1/4"	13	175	Lock Pin Retainer
64504200	1/4"	1/4"	13	200	Lock Pin Retainer
64504250	1/4"	1/4"	13	250	Lock Pin Retainer
64504300	1/4"	1/4"	13	300	Lock Pin Retainer
64504350	1/4"	1/4"	13	350	Lock Pin Retainer
64504450	1/4"	1/4"	13	450	Lock Pin Retainer

★: 特殊品项, 最小订购量/交货期需确认。



插销头

Lock Pin Retainer



插销孔

Pin Hole



钢珠头

Steel Ball Retainer




注意: 请使用时穿戴好相应防护措施, 不要在没有任何防护情况下使用。

**3/8"****Impact Sockets**

气动延长杆

Extension Bars

Order No.			D2	L	Male end
			mm	mm	Type
64511050	3/8"	3/8"	19	50	Steel Ball Retainer
64511075	3/8"	3/8"	19	75	Steel Ball Retainer
64511100	3/8"	3/8"	19	100	Steel Ball Retainer
64511125	3/8"	3/8"	19	125	Steel Ball Retainer
64511150	3/8"	3/8"	19	150	Steel Ball Retainer
64511175	3/8"	3/8"	19	175	Steel Ball Retainer
64511200	3/8"	3/8"	19	200	Steel Ball Retainer
64511250	3/8"	3/8"	19	250	Steel Ball Retainer
64511300	3/8"	3/8"	19	300	Steel Ball Retainer
64511380	3/8"	3/8"	19	380	Steel Ball Retainer
64511460	3/8"	3/8"	19	460	Steel Ball Retainer
64511610	3/8"	3/8"	19	610	Steel Ball Retainer
64512050	3/8"	3/8"	19	50	Pin Hole
64512075	3/8"	3/8"	19	75	Pin Hole
64512100	3/8"	3/8"	19	100	Pin Hole
64512125	3/8"	3/8"	19	125	Pin Hole
64512150	3/8"	3/8"	19	150	Pin Hole
64512175	3/8"	3/8"	19	175	Pin Hole
64512200	3/8"	3/8"	19	200	Pin Hole
64512250	3/8"	3/8"	19	250	Pin Hole
64512300	3/8"	3/8"	19	300	Pin Hole
64512380	3/8"	3/8"	19	380	Pin Hole
64512460	3/8"	3/8"	19	460	Pin Hole
64512610	3/8"	3/8"	19	610	Pin Hole
64514050	3/8"	3/8"	19	50	Lock Pin Retainer
64514075	3/8"	3/8"	19	75	Lock Pin Retainer
64514100	3/8"	3/8"	19	100	Lock Pin Retainer
64514125	3/8"	3/8"	19	125	Lock Pin Retainer
64514150	3/8"	3/8"	19	150	Lock Pin Retainer
64514175	3/8"	3/8"	19	175	Lock Pin Retainer
64514200	3/8"	3/8"	19	200	Lock Pin Retainer
64514250	3/8"	3/8"	19	250	Lock Pin Retainer
64514300	3/8"	3/8"	19	300	Lock Pin Retainer
64514380	3/8"	3/8"	19	380	Lock Pin Retainer
64514460	3/8"	3/8"	19	460	Lock Pin Retainer
64514610	3/8"	3/8"	19	610	Lock Pin Retainer



插销头

Lock Pin Retainer



插销孔

Pin Hole



钢珠头

Steel Ball Retainer

**CAUTION:** Always wear safety goggles when using impact equipment. Do not hold socket while in use.



1/2"


Impact Sockets



气动延长杆

Extension Bars

Order No.			D2	L	Male end
			mm	mm	Type
64521075	1/2"	1/2"	25	75	Steel Ball Retainer
64521100	1/2"	1/2"	25	100	Steel Ball Retainer
64521125	1/2"	1/2"	25	125	Steel Ball Retainer
64521150	1/2"	1/2"	25	150	Steel Ball Retainer
64521175	1/2"	1/2"	25	175	Steel Ball Retainer
64521200	1/2"	1/2"	25	200	Steel Ball Retainer
64521250	1/2"	1/2"	25	250	Steel Ball Retainer
64521300	1/2"	1/2"	25	300	Steel Ball Retainer
64521380	1/2"	1/2"	25	380	Steel Ball Retainer
64521460	1/2"	1/2"	25	460	Steel Ball Retainer
64521610	1/2"	1/2"	25	610	Steel Ball Retainer
64521915	1/2"	1/2"	25	915	Steel Ball Retainer
6452K075	1/2"	1/2"	30	75	Steel Ball Retainer
6452K125	1/2"	1/2"	30	125	Steel Ball Retainer
6452K250	1/2"	1/2"	30	250	Steel Ball Retainer
64522075	1/2"	1/2"	25	75	Pin Hole
64522100	1/2"	1/2"	25	100	Pin Hole
64522125	1/2"	1/2"	25	125	Pin Hole
64522150	1/2"	1/2"	25	150	Pin Hole
64522175	1/2"	1/2"	25	175	Pin Hole
64522200	1/2"	1/2"	25	200	Pin Hole
64522250	1/2"	1/2"	25	250	Pin Hole
64522300	1/2"	1/2"	25	300	Pin Hole
64522380	1/2"	1/2"	25	380	Pin Hole
64522460	1/2"	1/2"	25	460	Pin Hole
64522610	1/2"	1/2"	25	610	Pin Hole
64522915	1/2"	1/2"	25	915	Pin Hole
6452M075	1/2"	1/2"	30	75	Pin Hole
6452M125	1/2"	1/2"	30	125	Pin Hole
6452M250	1/2"	1/2"	30	250	Pin Hole
64524075	1/2"	1/2"	25	75	Lock Pin Retainer
64524100	1/2"	1/2"	25	100	Lock Pin Retainer
64524125	1/2"	1/2"	25	125	Lock Pin Retainer
64524150	1/2"	1/2"	25	150	Lock Pin Retainer
64524175	1/2"	1/2"	25	175	Lock Pin Retainer
64524200	1/2"	1/2"	25	200	Lock Pin Retainer
64524250	1/2"	1/2"	25	250	Lock Pin Retainer
64524300	1/2"	1/2"	25	300	Lock Pin Retainer
64524380	1/2"	1/2"	25	380	Lock Pin Retainer
64524460	1/2"	1/2"	25	460	Lock Pin Retainer
64524610	1/2"	1/2"	25	610	Lock Pin Retainer
64524915	1/2"	1/2"	25	915	Lock Pin Retainer
6452L075	1/2"	1/2"	30	75	Lock Pin Retainer
6452L125	1/2"	1/2"	30	125	Lock Pin Retainer
6452L250	1/2"	1/2"	30	250	Lock Pin Retainer



插销头

Lock Pin Retainer



插销孔

Pin Hole



钢珠头

Steel Ball Retainer




3/4"

Impact Sockets


气动延长杆

Extension Bars

Order No.			D2	L	Male end
			mm	mm	Type
64541075	3/4"	3/4"	44	75	Steel Ball Retainer
64541100	3/4"	3/4"	44	100	Steel Ball Retainer
64541125	3/4"	3/4"	44	125	Steel Ball Retainer
64541150	3/4"	3/4"	44	150	Steel Ball Retainer
64541175	3/4"	3/4"	44	175	Steel Ball Retainer
64541200	3/4"	3/4"	44	200	Steel Ball Retainer
64541250	3/4"	3/4"	44	250	Steel Ball Retainer
64541300	3/4"	3/4"	44	300	Steel Ball Retainer
64541330	3/4"	3/4"	44	330	Steel Ball Retainer
64541400	3/4"	3/4"	44	400	Steel Ball Retainer
64541675	3/4"	3/4"	44	675	Steel Ball Retainer
64542075	3/4"	3/4"	44	75	Pin Hole
64542100	3/4"	3/4"	44	100	Pin Hole
64542125	3/4"	3/4"	44	125	Pin Hole
64542150	3/4"	3/4"	44	150	Pin Hole
64542175	3/4"	3/4"	44	175	Pin Hole
64542200	3/4"	3/4"	44	200	Pin Hole
64542250	3/4"	3/4"	44	250	Pin Hole
64542300	3/4"	3/4"	44	300	Pin Hole
64542330	3/4"	3/4"	44	330	Pin Hole
64542400	3/4"	3/4"	44	400	Pin Hole
64544075	3/4"	3/4"	44	75	Lock Pin Retainer
64544100	3/4"	3/4"	44	100	Lock Pin Retainer
64544125	3/4"	3/4"	44	125	Lock Pin Retainer
64544150	3/4"	3/4"	44	150	Lock Pin Retainer
64544175	3/4"	3/4"	44	175	Lock Pin Retainer
64544200	3/4"	3/4"	44	200	Lock Pin Retainer
64544250	3/4"	3/4"	44	250	Lock Pin Retainer
64544300	3/4"	3/4"	44	300	Lock Pin Retainer
64544330	3/4"	3/4"	44	330	Lock Pin Retainer
64544400	3/4"	3/4"	44	400	Lock Pin Retainer



Lock Pin Retainer



插销头



Pin Hole



插销孔



Steel Ball Retainer



钢珠头



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



1"


Impact Sockets



气动延长杆

Extension Bars

Order No.			D2	L	Male end
			mm	mm	Type
64551075	1"	1"	54	75	Steel Ball Retainer
64551100	1"	1"	54	100	Steel Ball Retainer
64551125	1"	1"	54	125	Steel Ball Retainer
64551150	1"	1"	54	150	Steel Ball Retainer
64551175	1"	1"	54	175	Steel Ball Retainer
64551200	1"	1"	54	200	Steel Ball Retainer
64551250	1"	1"	54	250	Steel Ball Retainer
64551300	1"	1"	54	300	Steel Ball Retainer
64551330	1"	1"	54	330	Steel Ball Retainer
64551400	1"	1"	54	400	Steel Ball Retainer
64551675	1"	1"	54	675	Steel Ball Retainer
64551880	1"	1"	54	880	Steel Ball Retainer
64552075	1"	1"	54	75	Pin Hole
64552100	1"	1"	54	100	Pin Hole
64552125	1"	1"	54	125	Pin Hole
64552150	1"	1"	54	150	Pin Hole
64552175	1"	1"	54	175	Pin Hole
64552200	1"	1"	54	200	Pin Hole
64552250	1"	1"	54	250	Pin Hole
64552300	1"	1"	54	300	Pin Hole
64552330	1"	1"	54	330	Pin Hole
64552400	1"	1"	54	400	Pin Hole
64554075	1"	1"	54	75	Lock Pin Retainer
64554100	1"	1"	54	100	Lock Pin Retainer
64554125	1"	1"	54	125	Lock Pin Retainer
64554150	1"	1"	54	150	Lock Pin Retainer
64554175	1"	1"	54	175	Lock Pin Retainer
64554200	1"	1"	54	200	Lock Pin Retainer
64554250	1"	1"	54	250	Lock Pin Retainer
64554300	1"	1"	54	300	Lock Pin Retainer
64554330	1"	1"	54	330	Lock Pin Retainer
64554400	1"	1"	54	400	Lock Pin Retainer



插销头



插销孔



钢珠头

Lock Pin Retainer

Pin Hole

Steel Ball Retainer






1-1/2"

Impact Sockets

气动延长杆

Extension Bars

Order No.			D2	L	Male end
			mm	mm	Type
64562125	1-1/2"	1-1/2"	86	125	Pin Hole
64562250	1-1/2"	1-1/2"	86	250	Pin Hole
64562500	1-1/2"	1-1/2"	86	500	Pin Hole



插销孔



Pin Hole



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



2-1/2"

Impact Sockets




气动延长杆

Extension Bars

Order No.			D2	L	Male end	
			mm	mm	Type	
64582125	2-1/2"	2-1/2"	127	125	Pin Hole	★
64582250	2-1/2"	2-1/2"	127	250	Pin Hole	★
64582500	2-1/2"	2-1/2"	127	500	Pin Hole	★

★：特殊品项，最小订购量/交货期需确认。



Pin Hole



#5 Spline


Impact Sockets

气动延长杆

Extension Bars

Order No.			D2	L	Male end	
			mm	mm	Type	
67659200	#5	#5	59	200	Lock Button	★
67659330	#5	#5	59	330	Lock Button	★
67659380	#5	#5	59	380	Lock Button	★

★: 特殊品项, 最小订购量/交货期需确认。



Lock Button

花键头



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



1/4"

Impact Sockets





万向头式气动延长杆

Wobble Extension Bars

Order No.			D2	L	Male end	
			mm	mm	Type	
6450F050	1/4"	1/4"	13	50	Steel Ball Retainer	★
6450F075	1/4"	1/4"	13	75	Steel Ball Retainer	★
6450F100	1/4"	1/4"	13	100	Steel Ball Retainer	★
6450F125	1/4"	1/4"	13	125	Steel Ball Retainer	★
6450F150	1/4"	1/4"	13	150	Steel Ball Retainer	★
6450P050	1/4"	1/4"	13	50	Lock Pin Retainer	★
6450P075	1/4"	1/4"	13	75	Lock Pin Retainer	★
6450P100	1/4"	1/4"	13	100	Lock Pin Retainer	★
6450P125	1/4"	1/4"	13	125	Lock Pin Retainer	★
6450P150	1/4"	1/4"	13	150	Lock Pin Retainer	★

★: 特殊品项, 最小订购量/交货期需确认。



插销头

Lock Pin Retainer



钢珠头

Steel Ball Retainer



特别提示: 万向系列套筒不在“霹雳马”产品保证范围以内。



注意: 请使用时穿戴好相应防护措施, 不要在没有任何防护情况下使用。



3/8"


Impact Sockets

万向头式气动延长杆


Wobble Extension Bars



Order No.			D2	L	Male end	
			mm	mm	Type	
6451F050	3/8"	3/8"	19	50	Steel Ball Retainer	★
6451F075	3/8"	3/8"	19	75	Steel Ball Retainer	★
6451F100	3/8"	3/8"	19	100	Steel Ball Retainer	★
6451F125	3/8"	3/8"	19	125	Steel Ball Retainer	★
6451F150	3/8"	3/8"	19	150	Steel Ball Retainer	★
6451F175	3/8"	3/8"	19	175	Steel Ball Retainer	★
6451F200	3/8"	3/8"	19	200	Steel Ball Retainer	★
6451F250	3/8"	3/8"	19	250	Steel Ball Retainer	★
6451F300	3/8"	3/8"	19	300	Steel Ball Retainer	★
6451P050	3/8"	3/8"	19	50	Lock Pin Retainer	★
6451P075	3/8"	3/8"	19	75	Lock Pin Retainer	★
6451P100	3/8"	3/8"	19	100	Lock Pin Retainer	★
6451P125	3/8"	3/8"	19	125	Lock Pin Retainer	★
6451P150	3/8"	3/8"	19	150	Lock Pin Retainer	★
6451P175	3/8"	3/8"	19	175	Lock Pin Retainer	★
6451P200	3/8"	3/8"	19	200	Lock Pin Retainer	★
6451P250	3/8"	3/8"	19	250	Lock Pin Retainer	★
6451P300	3/8"	3/8"	19	300	Lock Pin Retainer	★



★: 特殊品项, 最小订购量/交货期需确认。



插销头

Lock Pin Retainer



钢珠头

Steel Ball Retainer



特别提示: 万向系列套筒不在“霹雳马”产品保证范围以内。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



1/2"

Impact Sockets





万向头式气动延长杆

Wobble Extension Bars

Order No.			D2	L	Male end	
			mm	mm	Type	
6452F050	1/2"	1/2"	25	50	Steel Ball Retainer	★
6452F075	1/2"	1/2"	25	75	Steel Ball Retainer	★
6452F100	1/2"	1/2"	25	100	Steel Ball Retainer	★
6452F125	1/2"	1/2"	25	125	Steel Ball Retainer	★
6452F150	1/2"	1/2"	25	150	Steel Ball Retainer	★
6452F175	1/2"	1/2"	25	175	Steel Ball Retainer	★
6452F200	1/2"	1/2"	25	200	Steel Ball Retainer	★
6452F250	1/2"	1/2"	25	250	Steel Ball Retainer	★
6452F300	1/2"	1/2"	25	300	Steel Ball Retainer	★
6452P050	1/2"	1/2"	25	50	Lock Pin Retainer	★
6452P075	1/2"	1/2"	25	75	Lock Pin Retainer	★
6452P100	1/2"	1/2"	25	100	Lock Pin Retainer	★
6452P125	1/2"	1/2"	25	125	Lock Pin Retainer	★
6452P150	1/2"	1/2"	25	150	Lock Pin Retainer	★
6452P175	1/2"	1/2"	25	175	Lock Pin Retainer	★
6452P200	1/2"	1/2"	25	200	Lock Pin Retainer	★
6452P250	1/2"	1/2"	25	250	Lock Pin Retainer	★
6452P300	1/2"	1/2"	25	300	Lock Pin Retainer	★
64A24212	1/2"	3/8"	25	75	Lock Pin Retainer	★
64A24312	1/2"	3/8"	25	100	Lock Pin Retainer	★
64A24412	1/2"	3/8"	25	125	Lock Pin Retainer	★
64A24512	1/2"	3/8"	25	150	Lock Pin Retainer	★
64A24612	1/2"	3/8"	25	200	Lock Pin Retainer	★
64A24712	1/2"	3/8"	25	250	Lock Pin Retainer	★

★: 特殊品项, 最小订购量/交货期需确认。



插销头

Lock Pin Retainer



钢珠头

Steel Ball Retainer



特别提示: 万向系列套筒不在“霹雳马”产品保证范围以内。



注意: 请使用时穿戴好相应防护措施, 不要在没有任何防护情况下使用。



3/4 "



Impact Sockets

万向头式气动延长杆

Wobble Extension Bars

Order No.			D2	L	Male end	
			mm	mm	Type	
6454S100	3/4"	3/4"	44	100	Steel Ball Retainer	★
6454S150	3/4"	3/4"	44	150	Steel Ball Retainer	★
6454S200	3/4"	3/4"	44	200	Steel Ball Retainer	★
6454S250	3/4"	3/4"	44	250	Steel Ball Retainer	★
6454P100	3/4"	3/4"	44	100	Lock Pin Retainer	★
6454P150	3/4"	3/4"	44	150	Lock Pin Retainer	★
6454P200	3/4"	3/4"	44	200	Lock Pin Retainer	★
6454P250	3/4"	3/4"	44	250	Lock Pin Retainer	★

★: 特殊品项, 最小订购量/交货期需确认。



插销头

Lock Pin Retainer



钢珠头

Steel Ball Retainer

特别提示: 万向系列套筒不在“霹雳马”产品保证范围以内。

CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



1"

Impact Sockets





万向头式气动延长杆

Wobble Extension Bars

Order No.			D2	L	Male end	
			mm	mm	Type	
6455S100	1"	1"	54	100	Steel Ball Retainer	★
6455S150	1"	1"	54	150	Steel Ball Retainer	★
6455S200	1"	1"	54	200	Steel Ball Retainer	★
6455S250	1"	1"	54	250	Steel Ball Retainer	★
6455S300	1"	1"	54	300	Steel Ball Retainer	★
6455P100	1"	1"	54	100	Lock Pin Retainer	★
6455P150	1"	1"	54	150	Lock Pin Retainer	★
6455P200	1"	1"	54	200	Lock Pin Retainer	★
6455P250	1"	1"	54	250	Lock Pin Retainer	★
6455P300	1"	1"	54	300	Lock Pin Retainer	★

★: 特殊品项, 最小订购量/交货期需确认。



插销头

Lock Pin Retainer



钢珠头

Steel Ball Retainer

⚠ 特别提示: 万向系列套筒不在“霹雳马”产品保证范围以内。

⚠ 注意: 请使用时穿戴好相应防护措施, 不要在没有任何防护情况下使用。





3/8"

Impact Sockets

双头螺栓气动套筒（无头螺栓）

Stud Setter Sockets

Order No.	size	D2	D1	L
		mm	mm	mm
69781050	M5xP0.8	22	12	50
69781053	M6xP1.0	22	12.5	50
69781056	M7xP1.0	22	13	50
69781059	M8xP1.0	22	15	50
69781060	M8xP1.25	22	14.5	50
69781062	M10xP1.25	22	18	50
69781063	M10xP1.50	22	17	50



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



1/2"



Impact Sockets



双头螺栓气动套筒（无头螺栓）

Stud Setter Sockets

Order No.	size	D2	D1	L
		mm	mm	mm
69782010	M6 x P1.0	25	13	55
69782012	M6 x P1.5	25	13	55
69782015	M7 x P1.0	25	14	55
69782017	M8 x P1.0	25	15.5	55
69782018	M8 x P1.25	25	15	55
69782020	M10 x P1.0	25	19	55
69782021	M10 x P1.25	25	18	55
69782022	M10 x P1.5	25	17	55
69782025	M12 x P1.25	25	21	55
69782026	M12 x P1.50	25	20	55
69782027	M12 x P1.75	25	19	55
69782030	M14 x P1.5	25	23	55
69782031	M14 x P2.0	25	22	55
69782034	M16 x P1.5	30	28	75
69782035	M16 x P2.0	30	27	75
69782036	M18 x P1.5	30	29.5	75
69782038	M18 x P2.5	30	29	75
69782040	M20 x P1.5	30	30	75
69782041	M20 x P2.5	30	30	75
69782050	5/8" x 11UNC	30	27	75
69782051	1/2" x 13UNC	30	22	75
69782058	3/4" x 10UNC	30	30	75





3/4"



Impact Sockets

双头螺栓气动套筒（无头螺栓）

Stud Setter Sockets

Order No.	size	D2 mm	D1 mm	L mm	
69784161	M16 x P1.5	44	29	100	★
69784162	M16 x P2.0	44	29	100	★
69784181	M18 x P1.5	44	31	100	★
69784183	M18 x P2.5	44	31	100	★
69784201	M20 x P1.5	44	33	100	★
69784203	M20 x P2.5	44	33	100	★
69784223	M22 x P2.5	44	35	100	★
69784241	M24 x P1.5	44	37	100	★
69784244	M24 x P3.0	44	37	100	★
69784274	M27 x P3.0	44	40	100	★
69784302	M30 x P2.0	44	43	100	★
69784305	M30 x P3.5	44	43	100	★
69784322	M32 x P2.0	44	46	100	★
69784335	M33 x P3.5	44	47	100	★
69784354	M35 x P3.0	44	49	100	★
69784362	M36 x P2.0	44	51	100	★
69784364	M36 x P3.0	44	51	100	★
69784366	M36 x P4.0	44	51	100	★
69784050	5/8" x 11UNC	44	30	100	★
69784058	3/4" x 10UNC	44	32	100	★

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



3/8"~3/4"

"GU" Type Axial Nut Sockets



Order No.		size	T mm	D2 mm	D1 mm	d1 mm	L2 mm	L3 mm	L mm	
69711510	3/8"	10GU	2.5	19	19	15	4.5	8	50	★
69711512	3/8"	12GU	2.5	19	23	18	4.5	8	50	★
69712515	1/2"	15GU	3.5	25	27	22	4.5	9	55	★
69712517	1/2"	17GU	3.5	25	30	25	4.5	9	55	★
69712520	1/2"	20GU	3.5	30	34	28	4.5	10	55	★
69712525	1/2"	25GU	4.5	30	40	34	4.5	11	55	★
69712530	1/2"	30GU	4.5	30	47	39	4.5	12	55	★
69714535	3/4"	35GU	4.5	44	56	45	5.5	12	75	★
69714540	3/4"	40GU	5.5	44	62	51	6.5	12.5	75	★
69714545	3/4"	45GU	5.5	44	69	56	5.5	12.5	75	★
69714550	3/4"	50GU	5.5	54	74	62	6.5	13	75	★

"GU" Type Nuts

size	S mm	D mm	D1 mm	
10GU	10 x 0.75	18	14	★
12GU	12 x 1	21	18	★
15GU	15 x 1	25	21	★
17GU	17 x 1	28	24	★
20GU	20 x 1	32	27	★
25GU	25 x 1.5	38	33	★
30GU	30 x 1.5	44	38	★
35GU	35 x 1.5	50	44	★
40GU	40 x 1.5	56	50	★
45GU	45 x 1.5	62	55	★
50GU	50 x 1.5	68	61	★



These sockets for axial nuts replace hook spanners making the use of power tools or torque wrenches possible

★: 特殊品項，最小订购量/交货期需确认。






3/8"~3/4"

"KM" Type Axial Nut Sockets




Order No.		size	T	D2	D1	d1	L2	L3	L	
			mm	mm	mm	mm	mm	mm	mm	
69711610	3/8"	10KM	2.5	18	19	15	3	5	50	★
69711612	3/8"	12KM	2.5	22	23	19	3	5	50	★
69712615	1/2"	15KM	3.5	25	27	21.5	4	6	55	★
69712617	1/2"	17KM	3.5	28	30	24.5	4	6	55	★
69712620	1/2"	20KM	3.5	32	34	28	4	7	55	★
69712625	1/2"	25KM	4.5	38	40	34.5	5.5	8	55	★
69712630	1/2"	30KM	4.5	45	47	40.5	5.5	8	55	★
69714635	3/4"	35KM	4.5	52	56	48.5	6	9	75	★
69714640	3/4"	40KM	5.5	58	62	53	6.5	9.5	75	★
69714645	3/4"	45KM	5.5	65	69	59.5	7	11	75	★
69714650	3/4"	50KM	5.5	70	74	65.5	7	12	75	★



"KM" Type Nuts

size	S	D	D1	
	mm	mm	mm	
10KM	10 x 0.75	18	14.5	★
12KM	12 x 1	22	18.5	★
15KM	15 x 1	25	21	★
17KM	17 x 1	28	24	★
20KM	20 x 1	32	27.5	★
25KM	25 x 1.5	38	34	★
30KM	30 x 1.5	45	40	★
35KM	35 x 1.5	52	48	★
40KM	40 x 1.5	58	52.5	★
45KM	45 x 1.5	65	59	★
50KM	50 x 1.5	70	65	★



These sockets for axial nuts replace hook spanners making the use of power tools or torque wrenchs possible

★: 特殊品項, 最小订购量/交货期需确认。




CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.

Axial Nut Sockets

圆螺母专用气动套筒

Order No.	size							
		T	D2	D1	d1	L2	L	
		mm	mm	mm	mm	mm	mm	
69711005	3/8"	5	25	24	18.3	5.5	45	★
69711009	3/8"	6	26	26	20	5	40	★
69711010	3/8"	5	30	29	23.5	5	45	★
69711012	3/8"	5	30	31	27.5	5	45	★
69711015	3/8"	5	30	28.5	23.5	5	35	★
69711016	3/8"	5	31	28.5	23.5	5	35	★
69711017	3/8"	5.4	26.5	26.5	20	6.5	42	★
69712005	1/2"	5	25	24	18.3	5.5	45	★
69712009	1/2"	6	26	26	20.1	5	40	★
69712010	1/2"	5	30	29	23.5	5	45	★
69712012	1/2"	5	30	31	27.5	5	45	★
69712016	1/2"	5	25	30	23.6	4.5	38	★
69712017	1/2"	5	26.5	26.5	18	5	50	★
69712030	1/2"	7.8	28.5	28.5	22	6.3	72	★



★: 特殊品项, 最小订购量/交货期需确认。





These sockets for axial nuts replace hook spanners making the use of power tools or torque wrenches possible





Axial Nut Sockets

圆螺母专用气动套筒



Order No.	size	T	D2	D1	d2	d1	L2	L	
		mm	mm	mm	mm	mm	mm	mm	
69712021	1/2"	3.2	30	55	46.5	42	2.3	50	★
69712023	1/2"	3.5	32	38	32.5	28.5	13	82	★
69712024	1/2"	4.8	30	60	52.5	48.5	15	82	★



Order No.	size	T	D2	D1	d2	d1	L2	L	
		mm	mm	mm	mm	mm	mm	mm	
69712105	1/2"	3.2	30	55	46.5	21	2.3	50	★




Order No.	size	T	D2	D1	d1	L2	L	
		mm	mm	mm	mm	mm	mm	
69712205	1/2"	36	30	59	41	5.5	50	★



Order No.	size	T	D2	D1	d1	L2	L	
		mm	mm	mm	mm	mm	mm	
69712305	1/2"	16.7	25	39	34	6	50	★

★: 特殊品项, 最小订购量/交货期需确认。



These sockets for axial nuts replace hook spanners making the use of power tools or torque wrenches possible




CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.

Bit Holders

转换头

Order No.			D2	D1	L
			mm	mm	mm
69120008	1/4"	1/4"	13	12.5	26
69120010	1/4"	5/16"	13	13	26
69121008	3/8"	1/4"	19	12.5	32
69121010	3/8"	5/16"	19	14	37
69121016	3/8"	1/2"	19	19	37
69122008	1/2"	1/4"	25	12.5	40
69122010	1/2"	5/16"	25	15.5	40
69122016	1/2"	1/2"	25	20	40







Bit Holders

转换头

Order No.			D2	D1	L
			mm	mm	mm
69121C08	3/8"	1/4"	19	13.5	40
69122C08	1/2"	1/4"	25	13.5	50




CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.

Bit Holders - With Magnetic

磁性转换头

Order No.			D2 mm	D1 mm	L mm
69130008	1/4"	1/4"	13	12.5	26
69130010	1/4"	5/16"	13	13	26
69131008	3/8"	1/4"	19	12.5	32
69131010	3/8"	5/16"	19	14	37
69131016	3/8"	1/2"	19	19	37
69132008	1/2"	1/4"	25	12.5	40
69132010	1/2"	5/16"	25	15.5	40
69132016	1/2"	1/2"	25	20	40




Bit Holders - Set Screw



螺钉式转换头

Order No.			D2	D1	L2	L	★
			mm	mm	mm	mm	
69141014	3/8"	7/16" - 11mm	22	22	13	40	★
69142114	1/2"	7/16" - 11mm	26	26	13	40	★
69142120	1/2"	5/8" - 16mm	30	30	17	45	★
6044H014	3/4"	7/16" - 11mm	44	44	13	54	★
6044H020	3/4"	5/8" - 16mm	44	44	17	54	★
6054H022	3/4"	7/8" - 22mm	44	44	22	54	★
6045N020	1"	5/8" - 16mm	54	44	17	62	★
6055N022	1"	7/8" - 22mm	54	44	22	62	★

★: 特殊品项, 最小订购量/交货期需确认。




CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.

Bit Holders - Insert Magnetic

磁性转换头

Order No.			D2	D1	L	
			mm	mm	mm	
69131A08	3/8"	1/4"	19	11	70	★
69132A08	1/2"	1/4"	25	11	70	★
69132A10	1/2"	5/16"	25	13	70	★

★: 特殊品项, 最小订购量/交货期需确认。




Quick Releasing Chucks

起子快换接头

Order No.			D2	L	
			mm	mm	
69111A08	3/8"	1/4"	19	45	★
69111A10	3/8"	5/16"	19	45	★
69111A14	3/8"	7/16"	22	51	★
69112A08	1/2"	1/4"	22	54	★
69112A10	1/2"	5/16"	22	54	★
69112A14	1/2"	7/16"	25	54	★
69112A20	1/2"	5/8"	30	67	★
69114A14	3/4"	7/16"	44	67	★
69114A20	3/4"	5/8"	44	79	★
69114A28	3/4"	7/8"	44	83	★
69115A20	1"	5/8"	54	83	★
69115A28	1"	7/8"	54	90	★

★: 特殊品项, 最小订购量/交货期需确认。




CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.

Quick-Change Adapters

快换转换头延长杆

Order No.			D2	L	Male end	
			mm	mm	Type	
69110C12	1/4"	3/8"	13	48	Steel Ball Retainer	★
69111C08	3/8"	1/4"	20	38	Steel Ball Retainer	★
69112C11	3/8"	3/8"	20	46	Steel Ball Retainer	★
69112C16	1/2"	1/2"	25	60	Steel Ball Retainer	★
69111C18	3/8"	1/4"	20	75	Steel Ball Retainer	★
69111C24	3/4"	3/4"	44	78	Steel Ball Retainer	★
69111C28	3/8"	1/4"	20	100	Steel Ball Retainer	★
69111C38	3/8"	1/4"	20	125	Steel Ball Retainer	★
69111C48	3/8"	1/4"	20	150	Steel Ball Retainer	★
69111C58	3/8"	1/4"	20	200	Steel Ball Retainer	★
69111C68	3/8"	1/4"	20	250	Steel Ball Retainer	★
69111C78	3/8"	1/4"	20	300	Steel Ball Retainer	★
69111C16	3/8"	1/2"	20	60	Steel Ball Retainer	★
69112C12	1/2"	3/8"	25	54	Steel Ball Retainer	★
69112C22	1/2"	3/8"	25	100	Steel Ball Retainer	★
69112C32	1/2"	3/8"	25	125	Steel Ball Retainer	★
69112C42	1/2"	3/8"	25	150	Steel Ball Retainer	★
69112C52	1/2"	3/8"	25	175	Steel Ball Retainer	★
69112C62	1/2"	3/8"	25	200	Steel Ball Retainer	★
69112C72	1/2"	3/8"	25	250	Steel Ball Retainer	★
69112C82	1/2"	3/8"	25	300	Steel Ball Retainer	★
69112C24	1/2"	3/4"	30	75	Steel Ball Retainer	★
69114C16	3/4"	1/2"	44	70	Steel Ball Retainer	★
69114C26	3/4"	1/2"	44	125	Steel Ball Retainer	★
69114C36	3/4"	1/2"	44	150	Steel Ball Retainer	★
69114C46	3/4"	1/2"	44	200	Steel Ball Retainer	★
69114C56	3/4"	1/2"	44	250	Steel Ball Retainer	★
69114C66	3/4"	1/2"	44	300	Steel Ball Retainer	★
69114C76	3/4"	1/2"	44	400	Steel Ball Retainer	★
69114C32	3/4"	1"	44	95	Steel Ball Retainer	★
69115C24	1"	3/4"	54	90	Steel Ball Retainer	★
69115C34	1"	3/4"	54	150	Steel Ball Retainer	★
69115C44	1"	3/4"	54	200	Steel Ball Retainer	★
69115C54	1"	3/4"	54	250	Steel Ball Retainer	★
69115C64	1"	3/4"	54	300	Steel Ball Retainer	★
69115C74	1"	3/4"	54	350	Steel Ball Retainer	★
69115C84	1"	3/4"	54	400	Steel Ball Retainer	★



★: 特殊品项, 最小订购量/交货期需确认。





Quick-Change Extension Bars

快换接头延长杆

Order No.			D2	L	Male end	
			mm	mm	Type	
69110C08	1/4"	1/4"	13	35	Steel Ball Retainer	★
69110108	1/4"	1/4"	13	75	Steel Ball Retainer	★
69110208	1/4"	1/4"	13	100	Steel Ball Retainer	★
69110308	1/4"	1/4"	13	125	Steel Ball Retainer	★
69110408	1/4"	1/4"	13	150	Steel Ball Retainer	★
69111C12	3/8"	3/8"	19	46	Steel Ball Retainer	★
69111112	3/8"	3/8"	19	75	Steel Ball Retainer	★
69111212	3/8"	3/8"	19	100	Steel Ball Retainer	★
69111312	3/8"	3/8"	19	125	Steel Ball Retainer	★
69111412	3/8"	3/8"	19	150	Steel Ball Retainer	★
69111612	3/8"	3/8"	19	200	Steel Ball Retainer	★
69111712	3/8"	3/8"	19	250	Steel Ball Retainer	★
69111812	3/8"	3/8"	19	300	Steel Ball Retainer	★
69112C16	1/2"	1/2"	25	60	Steel Ball Retainer	★
69112216	1/2"	1/2"	25	100	Steel Ball Retainer	★
69112316	1/2"	1/2"	25	125	Steel Ball Retainer	★
69112416	1/2"	1/2"	25	150	Steel Ball Retainer	★
69112516	1/2"	1/2"	25	175	Steel Ball Retainer	★
69112616	1/2"	1/2"	25	200	Steel Ball Retainer	★
69112716	1/2"	1/2"	25	250	Steel Ball Retainer	★
69112816	1/2"	1/2"	25	300	Steel Ball Retainer	★
69114C24	3/4"	3/4"	44	78	Steel Ball Retainer	★
69114324	3/4"	3/4"	44	125	Steel Ball Retainer	★
69114424	3/4"	3/4"	44	150	Steel Ball Retainer	★
69114624	3/4"	3/4"	44	200	Steel Ball Retainer	★
69114724	3/4"	3/4"	44	250	Steel Ball Retainer	★
69114824	3/4"	3/4"	44	300	Steel Ball Retainer	★
69114A24	3/4"	3/4"	44	400	Steel Ball Retainer	★
69115C32	1"	1"	54	100	Steel Ball Retainer	★
69115432	1"	1"	54	150	Steel Ball Retainer	★
69115632	1"	1"	54	200	Steel Ball Retainer	★
69115732	1"	1"	54	250	Steel Ball Retainer	★
69115832	1"	1"	54	300	Steel Ball Retainer	★
69115932	1"	1"	54	350	Steel Ball Retainer	★
69115A32	1"	1"	54	400	Steel Ball Retainer	★



★: 特殊品项, 最小订购量/交货期需确认。




CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.

Hex Extensions

1/4" 系列转换头——插销头

1/4" Male Square - Lock Pin Retainer.


Order No.			D	L
	M	H	mm	mm
69309075	1/4"	7mm	9	75



1/4" 系列转换头——插销头

1/4" Male Square - Lock Pin Retainer.


Order No.			D	L
	M	H	mm	mm
69301050	1/4"	5.5mm	9	50



1/4" 系列转换头——插销头

1/4" Male Square - Lock Pin Retainer.

Order No.			D	L	
	M	H	mm	mm	
69306050	1/4"	1/4"	9	50	
69306075	1/4"	1/4"	9	75	
69306100	1/4"	1/4"	9	100	
69306125	1/4"	1/4"	9	125	
69306150	1/4"	1/4"	9	150	
69306200	1/4"	1/4"	9	200	
69306250	1/4"	1/4"	9	250	
69306300	1/4"	1/4"	9	300	
69308050	1/4"	7/16"	13	50	★
69308075	1/4"	7/16"	13	75	★
69308100	1/4"	7/16"	13	100	★
69308150	1/4"	7/16"	13	150	★
69308200	1/4"	7/16"	13	200	★
69308250	1/4"	7/16"	13	250	★
69308300	1/4"	7/16"	13	300	★



★: 特殊品项, 最小订购量/交货期需确认。




Hex Extensions

1/4" 系列转换头——钢珠头

1/4" Male Square - Steel Ball Retainer

			D	L	
Order No.	M	H	mm	mm	
6930G050	1/4"	1/4"	9	50	
6930G075	1/4"	1/4"	9	75	
6930G100	1/4"	1/4"	9	100	
6930G125	1/4"	1/4"	9	125	
6930G150	1/4"	1/4"	9	150	
6930G200	1/4"	1/4"	9	200	
6930G250	1/4"	1/4"	9	250	
6930G300	1/4"	1/4"	9	300	
6930J050	1/4"	7/16"	13	50	★
6930J075	1/4"	7/16"	13	75	★
6930J100	1/4"	7/16"	13	100	★
6930J150	1/4"	7/16"	13	150	★
6930J200	1/4"	7/16"	13	200	★
6930J250	1/4"	7/16"	13	250	★
6930J300	1/4"	7/16"	13	300	★

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.

Hex Extensions

3/8" 系列转换头——插销头

3/8" Male Square - Lock Pin Retainer.

			D	L	
Order No.	M	H	mm	mm	
69316050	3/8"	1/4"	13	50	
69316075	3/8"	1/4"	13	75	
69316100	3/8"	1/4"	13	100	
69316150	3/8"	1/4"	13	150	
69316200	3/8"	1/4"	13	200	
69316250	3/8"	1/4"	13	250	
69316300	3/8"	1/4"	13	300	
69318050	3/8"	7/16"	13	50	★
69318075	3/8"	7/16"	13	75	
69318100	3/8"	7/16"	13	100	★
69318150	3/8"	7/16"	13	150	★
69318200	3/8"	7/16"	13	200	★
69318250	3/8"	7/16"	13	250	★
69318300	3/8"	7/16"	13	300	★

★: 特殊品项, 最小订购量/交货期需确认。






Hex Extensions

3/8" 系列转换头——钢珠头

3/8" Male Square - Steel Ball Retainer.

			D	L	
Order No.	M	H	mm	mm	
6931G050	3/8"	1/4"	13	50	
6931G075	3/8"	1/4"	13	75	
6931G100	3/8"	1/4"	13	100	
6931G150	3/8"	1/4"	13	150	
6931G200	3/8"	1/4"	13	200	
6931G250	3/8"	1/4"	13	250	
6931G300	3/8"	1/4"	13	300	
6931J050	3/8"	7/16"	13	50	★
6931J075	3/8"	7/16"	13	75	★
6931J100	3/8"	7/16"	13	100	★
6931J150	3/8"	7/16"	13	150	★
6931J200	3/8"	7/16"	13	200	★
6931J250	3/8"	7/16"	13	250	★
6931J300	3/8"	7/16"	13	300	★

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.


Hex Extensions

1/2" 系列转换头——插销头

1/2" Male Square - Lock Pin Retainer.

			D	L	
Order No.	M	H	mm	mm	
69326050	1/2"	1/4"	17	50	
69326075	1/2"	1/4"	17	75	
69326100	1/2"	1/4"	17	100	
69326150	1/2"	1/4"	17	150	
69326200	1/2"	1/4"	17	200	
69326250	1/2"	1/4"	17	250	
69326300	1/2"	1/4"	17	300	
69328050	1/2"	7/16"	17	50	★
69328075	1/2"	7/16"	17	75	
69328100	1/2"	7/16"	17	100	★
69328150	1/2"	7/16"	17	150	★
69328200	1/2"	7/16"	17	200	★
69328250	1/2"	7/16"	17	250	★
69328300	1/2"	7/16"	17	300	★

★: 特殊品项, 最小订购量/交货期需确认。






Hex Extensions

1/2" 系列转换头——钢珠头

1/2" Male Square - Steel Ball Retainer.

			D	L
Order No.	M	H	mm	mm
6932E050	1/2"	1/4"	17	50
6932E075	1/2"	1/4"	17	75
6932E100	1/2"	1/4"	17	100
6932E150	1/2"	1/4"	17	150
6932E200	1/2"	1/4"	17	200
6932E250	1/2"	1/4"	17	250
6932E300	1/2"	1/4"	17	300
6932J050	1/2"	7/16"	17	50
6932J075	1/2"	7/16"	17	75
6932J100	1/2"	7/16"	17	100
6932J150	1/2"	7/16"	17	150
6932J200	1/2"	7/16"	17	200
6932J250	1/2"	7/16"	17	250
6932J300	1/2"	7/16"	17	300

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



6.3mm - 1/4" Hex Drive

DIN 3126 - E 6.3




英制起子套筒，六角

6-Point Sockets

Order No.	size	D1 mm	L1 mm	L mm	
697B0G08	1/4"	10	4.5	55	★
697B0G10	5/16"	12	4.5	55	★
697B0G12	3/8"	14	5.5	55	★
697B0H08	1/4"	10	4.5	75	★
697B0H10	5/16"	12	4.5	75	★
697B0H12	3/8"	14	5.5	75	★
697B0J08	1/4"	10	4.5	100	★
697B0J10	5/16"	12	4.5	100	★
697B0J12	3/8"	14	5.5	100	★
697B0K08	1/4"	10	4.5	150	★
697B0K10	5/16"	12	4.5	150	★
697B0K12	3/8"	14	5.5	150	★
697B0L08	1/4"	10	4.5	200	★
697B0L10	5/16"	12	4.5	200	★
697B0L12	3/8"	14	5.5	200	★

★: 特殊品项，最小订购量/交货期需确认。





6.3mm - 1/4" Hex Drive


DIN 3126 - E 6.3



公制起子套筒，六角

6-Point Sockets

Order No.	size	D1	L1	L
		mm	mm	mm
697B0S06	6mm	10	4.5	55
697B0S07	7mm	11	5	55
697B0S08	8mm	12	4.5	55
697B0S10	10mm	14	5.5	55
697B0S12	12mm	17	5.5	55
697B0S13	13mm	18	5.5	55
697B0S14	14mm	19	5.5	55
69 B0T06	6mm	10	4.5	75
697B0T08	8mm	12	4.5	75
697B0T10	10mm	14	5.5	75
697B0T12	12mm	17	5.5	75
697B0T13	13mm	18	5.5	75
697B0T14	14mm	19	5.5	75



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



6.3mm - 1/4" Hex Drive


DIN 3126 - E 6.3



公制起子套筒，六角

6-Point Sockets

Order No.	size	D1 mm	L1 mm	L mm
697B0U06	6mm	10	4.5	100
697B0U08	8mm	12	4.5	100
697B0U10	10mm	14	5.5	100
697B0U12	12mm	17	5.5	100
697B0U13	13mm	18	5.5	100
697B0U14	14mm	19	5.5	100
697B0V06	6mm	10	4.5	150
697B0V08	8mm	12	4.5	150
697B0V10	10mm	14	5.5	150
697B0V12	12mm	17	5.5	150
697B0V13	13mm	18	5.5	150
697B0V14	14mm	19	5.5	150
697B0W06	6mm	10	4.5	200
697B0W08	8mm	12	4.5	200
697B0W10	10mm	14	5.5	200
697B0W12	12mm	17	5.5	200
697B0W13	13mm	18	5.5	200
697B0W14	14mm	19	5.5	200





6.3mm - 1/4" Hex Drive


DIN 3126 - E 6.3

磁性起子套筒，六角

6-Point Sockets - With Magnetic

Order No.	size	D1 mm	L1 mm	L mm	
697B0A08	1/4"	10	4.5	55	★
697B0A10	5/16"	12	4.5	55	★
697B0A12	3/8"	14	5.5	55	★
697B0B08	1/4"	10	4.5	75	★
697B0B10	5/16"	12	4.5	75	★
697B0B12	3/8"	14	5.5	75	★
697B0C08	1/4"	10	4.5	100	★
697B0C10	5/16"	12	4.5	100	★
697B0C12	3/8"	14	5.5	100	★
697B0E08	1/4"	10	4.5	150	★
697B0E10	5/16"	12	4.5	150	★
697B0E12	3/8"	14	5.5	150	★
697B0F08	1/4"	10	4.5	200	★
697B0F10	5/16"	12	4.5	200	★
697B0F12	3/8"	14	5.5	200	★

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



6.3mm - 1/4" Hex Drive


DIN 3126 - E 6.3



磁性起子套筒，六角

6-Point Sockets - With Magnetic

Order No.	size	D1	L1	L
		mm	mm	mm
697B0M06	6mm	10	4.5	55
697B0M08	8mm	12	4.5	55
697B0M07	7mm	11	4.5	55
697B0M10	10mm	14	5.5	55
697B0M12	12mm	17	5.5	55
697B0M13	13mm	18	5.5	55
697B0M14	14mm	19	5.5	55
697B0N06	6mm	10	4.5	75
697B0N08	8mm	12	4.5	75
697B0N10	10mm	14	5.5	75
697B0N12	12mm	17	5.5	75
697B0N13	13mm	18	5.5	75
697B0N14	14mm	19	5.5	75





6.3mm - 1/4" Hex Drive


DIN 3126 - E 6.3

磁性起子套筒，六角

6-Point Sockets - With Magnetic

Order No.	size	D1 mm	L1 mm	L mm	
697B0P06	6mm	10	4.5	100	
697B0P08	8mm	12	4.5	100	
697B0P10	10mm	14	5.5	100	
697B0P12	12mm	17	5.5	100	
697B0P13	13mm	18	5.5	100	
697B0P14	14mm	19	5.5	100	
697B0Q06	6mm	10	4.5	150	★
697B0Q07	7mm	11	5	150	★
697B0Q08	8mm	12	4.5	150	★
697B0Q10	10mm	14	5.5	150	★
697B0Q12	12mm	17	5.5	150	★
697B0Q13	13mm	18	5.5	150	★
697B0Q14	14mm	19	5.5	150	★
697B0R06	6mm	10	4.5	200	★
697B0R08	8mm	12	4.5	200	★
697B0R10	10mm	14	5.5	200	★
697B0R12	12mm	17	5.5	200	★
697B0R13	13mm	18	5.5	200	★
697B0R14	14mm	19	5.5	200	★

★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



6.3mm - 1/4" Hex Drive

DIN 3126 - E 6.3




磁性带弹簧起子套筒，六角

6-Point Sockets - With Slide Magnetic

Order No.	size	D1 mm	L1 mm	L mm	
697B0108	1/4"	10	4.5	75	★
697B0110	5/16"	12	4.5	75	★
697B0112	3/8"	14	5.5	75	★
697B0208	1/4"	10	4.5	100	★
697B0210	5/16"	12	4.5	100	★
697B0212	3/8"	14	5.5	100	★
697B0308	1/4"	10	4.5	150	★
697B0310	5/16"	12	4.5	150	★
697B0312	3/8"	14	5.5	150	★
697B0408	1/4"	10	4.5	200	★
697B0410	5/16"	12	4.5	200	★
697B0412	3/8"	14	5.5	200	★

★：特殊品项，最小订购量/交货期需确认。






6.3mm - 1/4" Hex Drive

DIN 3126 - E 6.3

磁性带弹簧起子套筒，六角

6-Point Sockets - With Slide Magnetic

Order No.	size	D1 mm	L1 mm	L mm
697B6006	6mm	10	4.5	75
697B6007	7mm	11	4.5	100
697B6008	8mm	12	4.5	75
697B6010	10mm	14	5.5	75
697B6011	11mm	16	6.5	75
697B6012	12mm	17	5.5	75
697B6013	13mm	18	5.5	75
697B6014	14mm	19	5.5	75
697B6017	17mm	23	7	75
697B7006	6mm	10	4.5	100
697B7007	7mm	11	4.5	100
697B7008	8mm	12	4.5	100
697B7010	10mm	14	5.5	100
697B7011	11mm	16	6	100
697B7012	12mm	17	5.5	100
697B7013	13mm	18	5.5	100
697B7014	14mm	19	5.5	100
697B8006	6mm	10	4.5	150
697B8007	7mm	11	4.5	100
697B8008	8mm	12	4.5	150
697B8010	10mm	14	5.5	150
697B8011	11mm	16	5.5	150
697B8012	12mm	17	5.5	150
697B8013	13mm	18	5.5	150
697B8014	14mm	19	5.5	150
697B9006	6mm	10	4.5	200
697B9007	7mm	11	3.5	200
697B9008	8mm	12	4.5	200
697B9010	10mm	14	5.5	200
697B9011	11mm	16	5.5	200
697B9012	12mm	17	5.5	200
697B9013	13mm	18	5.5	200
697B9014	14mm	19	5.5	200



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.




11mm - 7/16" Hex Drive

DIN 3126 - E 11



起子套筒，六角
6-Point Sockets



Order No.	size	D1 mm	L1 mm	L mm	
697B3108	1/4"	11	5	80	★
697B3110	5/16"	13	5	80	★
697B3112	3/8"	15	6.5	80	★
697B3114	7/16"	17	6.5	80	★
697B3116	1/2"	18.7	6.5	80	★
697B3118	9/16"	21	6.5	80	★
697B3120	5/8"	23	8	80	★
697B3122	11/16"	24.5	8	80	★
697B3208	1/4"	11	5	100	★
697B3210	5/16"	13	5	100	★
697B3212	3/8"	15	6.5	100	★
697B3214	7/16"	17	6.5	100	★
697B3216	1/2"	18.7	6.5	100	★
697B3218	9/16"	21	6.5	100	★
697B3220	5/8"	23	8	100	★
697B3222	11/16"	24.5	8	100	★
697B3308	1/4"	11	5	150	★
697B3310	5/16"	13	5	150	★
697B3312	3/8"	15	6.5	150	★
697B3314	7/16"	17	6.5	150	★
697B3316	1/2"	18.7	6.5	150	★
697B3318	9/16"	21	6.5	150	★
697B3320	5/8"	23	8	150	★
697B3322	11/16"	24.5	8	150	★
697B3408	1/4"	11	5	200	★
697B3410	5/16"	13	5	200	★
697B3412	3/8"	15	6.5	200	★
697B3414	7/16"	17	6.5	200	★
697B3416	1/2"	18.7	6.5	200	★
697B3418	9/16"	21	6.5	200	★
697B3420	5/8"	23	8	200	★
697B3422	11/16"	24.5	8	200	★

★：特殊品项，最小订购量/交货期需确认。





11mm - 7/16" Hex Drive

DIN 3126 - E 11

起子套筒，六角

6-Point Sockets

Order No.	size	D1	L1	L	
		mm	mm	mm	
697B3606	6mm	11	5	80	★
697B3607	7mm	12	5	80	★
697B3608	8mm	13	5	80	★
697B3610	10mm	15.5	6.5	80	★
697B3612	12mm	18	6.5	80	★
697B3613	13mm	19.2	6.5	80	★
697B3614	14mm	21	6.5	80	★
697B3615	15mm	21.7	8	80	★
697B3616	16mm	23	8	80	★
697B3617	17mm	24	8	80	★
697B3706	6mm	11	5	100	★
697B3707	7mm	12	5	100	★
697B3708	8mm	13	5	100	★
697B3710	10mm	15.5	6.5	100	★
697B3712	12mm	18	6.5	100	★
697B3713	13mm	19.2	6.5	100	★
697B3714	14mm	21	6.5	100	★
697B3715	15mm	21.7	8	100	★
697B3716	16mm	23	8	100	★
697B3717	17mm	24	8	100	★
697B3806	6mm	11	5	150	★
697B3807	7mm	12	5	150	★
697B3808	8mm	13	5	150	★
697B3810	10mm	15.5	6.5	150	★
697B3812	12mm	18	6.5	150	★
697B3813	13mm	19.2	6.5	150	★
697B3814	14mm	21	6.5	150	★
697B3815	15mm	21.7	8	150	★
697B3816	16mm	23	8	150	★
697B3817	17mm	24	8	150	★
697B3906	6mm	11	5	200	★
697B3907	7mm	12	5	200	★
697B3908	8mm	13	5	200	★
697B3910	10mm	15.5	6.5	200	★
697B3912	12mm	18	6.5	200	★
697B3913	13mm	19.2	6.5	200	★
697B3914	14mm	21	6.5	200	★
697B3915	15mm	21.7	8	200	★
697B3916	16mm	23	8	200	★
697B3917	17mm	24	8	200	★

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



11mm - 7/16" Hex Drive

DIN 3126 - E 11.2




起子套筒，十二角

12-Point Sockets

Order No.	size	D1 mm	L1 mm	L mm	
697D3108	1/4"	11	5	80	★
697D3110	5/16"	13	5	80	★
697D3112	3/8"	15	6.5	80	★
697D3114	7/16"	17	6.5	80	★
697D3116	1/2"	18.7	6.5	80	★
697D3118	9/16"	21	6.5	80	★
697D3120	5/8"	23	8	80	★
697D3122	11/16"	24.5	8	80	★
697D3208	1/4"	11	5	100	★
697D3210	5/16"	13	5	100	★
697D3212	3/8"	15	6.5	100	★
697D3214	7/16"	17	6.5	100	★
697D3216	1/2"	18.7	6.5	100	★
697D3218	9/16"	21	6.5	100	★
697D3220	5/8"	23	8	100	★
697D3222	11/16"	24.5	8	100	★
697D3308	1/4"	11	5	150	★
697D3310	5/16"	13	5	150	★
697D3312	3/8"	15	6.5	150	★
697D3314	7/16"	17	6.5	150	★
697D3316	1/2"	18.7	6.5	150	★
697D3318	9/16"	21	6.5	150	★
697D3320	5/8"	23	8	150	★
697D3322	11/16"	24.5	8	150	★
697D3408	1/4"	11	5	200	★
697D3410	5/16"	13	5	200	★
697D3412	3/8"	15	6.5	200	★
697D3414	7/16"	17	6.5	200	★
697D3416	1/2"	18.7	6.5	200	★
697D3418	9/16"	21	6.5	200	★
697D3420	5/8"	23	8	200	★
697D3422	11/16"	24.5	8	200	★

★：特殊品项，最小订购量/交货期需确认。






11mm - 7/16" Hex Drive

DIN 3126 - E 11.2

起子套筒，十二角
12-Point Sockets

Order No.	size	D1	L1	L	
		mm	mm	mm	
697D3606	6mm	11	5	80	★
697D3607	7mm	12	5	80	★
697D3608	8mm	13	5	80	★
697D3610	10mm	15.5	6.5	80	★
697D3612	12mm	18	6.5	80	★
697D3613	13mm	19.2	6.5	80	★
697D3614	14mm	21	6.5	80	★
697D3615	15mm	21.7	8	80	★
697D3616	16mm	23	8	80	★
697D3617	17mm	24	8	80	★
697D3706	6mm	11	5	100	★
697D3707	7mm	12	5	100	★
697D3708	8mm	13	5	100	★
697D3710	10mm	15.5	6.5	100	★
697D3712	12mm	18	6.5	100	★
697D3713	13mm	19.2	6.5	100	★
697D3714	14mm	21	6.5	100	★
697D3715	15mm	21.7	8	100	★
697D3716	16mm	23	8	100	★
697D3717	17mm	24	8	100	★
697D3806	6mm	11	5	150	★
697D3807	7mm	12	5	150	★
697D3808	8mm	13	5	150	★
697D3810	10mm	15.5	6.5	150	★
697D3812	12mm	18	6.5	150	★
697D3813	13mm	19.2	6.5	150	★
697D3814	14mm	21	6.5	150	★
697D3815	15mm	21.7	8	150	★
697D3816	16mm	23	8	150	★
697D3817	17mm	24	8	150	★
697D3906	6mm	11	5	200	★
697D3907	7mm	12	5	200	★
697D3908	8mm	13	5	200	★
697D3910	10mm	15.5	6.5	200	★
697D3912	12mm	18	6.5	200	★
697D3913	13mm	19.2	6.5	200	★
697D3914	14mm	21	6.5	200	★
697D3915	15mm	21.7	8	200	★
697D3916	16mm	23	8	200	★
697D3917	17mm	24	8	200	★

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



11mm - 7/16"

Hex Drive Bits For use with set screw bit holders



内十二角

XZN - Triple Square

Order No.	size	L2	L	
		mm	mm	
698JG004	M4	5	35	★
698JG005	M5	7	35	★
698JG006	M6	7	35	★
698JG008	M8	9	35	★
698JG010	M10	9	35	★
698JG012	M12	11	35	★
698JG014	M14	11	35	★
698JG016	M16	13	35	★

内星型

Internal Torx®



Order No.	size	L2	L	
		mm	mm	
697LG030	T30	3.8	35	★
697LG040	T40	3.8	35	★
697LG045	T45	4.3	35	★
697LG050	T50	5	35	★
697LG055	T55	5.5	35	★
697LG060	T60	8	35	★

☆ Torx is a trademark of Textron.


内六角

Hex Drivers

Order No.	size	L2	L	
		mm	mm	
697RG008	1/4"	6	35	★
697RG010	5/16"	8	35	★
697RG012	3/8"	10	35	★
697RG014	7/16"	10	35	★
697RG016	1/2"	10	35	★
697RG018	9/16"	10	35	★
697RG020	5/8"	10	35	★
697RG022	11/16"	10	35	★
697RG506	6mm	6	35	★
697RG507	7mm	8	35	★
697RG508	8mm	8	35	★
697RG509	9mm	10	35	★
697RG510	10mm	10	35	★
697RG511	11mm	10	35	★
697RG512	12mm	10	35	★
697RG513	13mm	10	35	★
697RG514	14mm	10	35	★
697RG515	15mm	10	35	★
697RG516	16mm	10	35	★
697RG517	17mm	10	35	★



Set Screw





11mm - 7/16"

Hex Drive Bits For use with quick release chuck



内十二角

XZN - Triple Square

Order No.	size	L2	L	
		mm	mm	
698JG104	M4	5	60	★
698JG105	M5	7	60	★
698JG106	M6	7	60	★
698JG108	M8	9	60	★
698JG110	M10	9	60	★
698JG112	M12	11	60	★
698JG114	M14	11	60	★
698JG116	M16	13	60	★

内星型

Internal Torx®



Order No.	size	L2	L	
		mm	mm	
697LG130	T30	3.8	60	★
697LG140	T40	3.8	60	★
697LG145	T45	4.3	60	★
697LG150	T50	5	60	★
697LG155	T55	5.5	60	★
697LG160	T60	8	60	★

☆ Torx® is a trademark of Textron.

内六角

Hex Drivers

Order No.	size	L2	L	
		mm	mm	
697RG108	1/4"	6	60	★
697RG110	5/16"	8	60	★
697RG112	3/8"	10	60	★
697RG114	7/16"	10	60	★
697RG116	1/2"	10	60	★
697RG118	9/16"	10	60	★
697RG120	5/8"	10	60	★
697RG122	11/16"	10	60	★
697RG606	6mm	6	60	★
697RG607	7mm	8	60	★
697RG608	8mm	8	60	★
697RG609	9mm	10	60	★
697RG610	10mm	10	60	★
697RG611	11mm	10	60	★
697RG612	12mm	10	60	★
697RG613	13mm	10	60	★
697RG614	14mm	10	60	★
697RG615	15mm	10	60	★
697RG616	16mm	10	60	★
697RG617	17mm	10	60	★



★: 特殊品項, 最小订购量/交货期需确认。



16mm - 5/8"

Hex Drive Bits For use with set screw bit holders



内十二角

XZN - Triple Square

Order No.	size	L2	L	
		mm	mm	
698JH012	M12	11	50	★
698JH014	M14	11	50	★
698JH016	M16	13	50	★
698JH018	M18	13	50	★

内星型

Internal Torx®



Order No.	size	L2	L	
		mm	mm	
697LH050	T50	5	50	★
697LH055	T55	5.5	50	★
697LH060	T60	8	50	★
697LH070	T70	9.4	50	★

☆ Torx® is a trademark of Textron.


内六角

Hex Drivers

Order No.	size	L2	L	
		mm	mm	
697RH012	3/8"	20	50	★
697RH014	7/16"	20	50	★
697RH016	1/2"	20	50	★
697RH018	9/16"	20	50	★
697RH020	5/8"	20	50	★
697RH022	11/16"	20	50	★
697RH024	3/4"	20	50	★
697RH026	13/16"	20	50	★
697RH028	7/8"	20	50	★
697RH030	15/16"	20	50	★
697RH032	1"	20	50	★
697RH034	1-1/16"	20	50	★
697RH510	10mm	20	50	★
697RH511	11mm	20	50	★
697RH512	12mm	20	50	★
697RH513	13mm	20	50	★
697RH514	14mm	20	50	★
697RH515	15mm	20	50	★
697RH516	16mm	20	50	★
697RH517	17mm	20	50	★
697RH518	18mm	20	50	★
697RH519	19mm	20	50	★
697RH521	21mm	20	50	★
697RH522	22mm	20	50	★
697RH524	24mm	20	50	★
697RH526	26mm	20	50	★
697RH527	27mm	20	50	★



Set Screw





16mm - 5/8"

Hex Drive Bits For use with quick release chuck



内十二角

XZN - Triple Square

Order No.	size	L2	L	
		mm	mm	
698JH112	M12	11	80	★
698JH114	M14	11	80	★
698JH116	M16	13	80	★
698JH118	M18	13	80	★

内星型

Internal Torx®

Order No.	size	L2	L	
		mm	mm	
697LH150	T50	5	80	★
697LH155	T55	5.5	80	★
697LH160	T60	8	80	★
697LH170	T70	9.4	80	★

☆ Torx® is a trademark of Textron.

内六角




Hex Drivers

Order No.	size	L2	L	
		mm	mm	
697RH112	3/8"	20	80	★
697RH114	7/16"	20	80	★
697RH116	1/2"	20	80	★
697RH118	9/16"	20	80	★
697RH120	5/8"	20	80	★
697RH122	11/16"	20	80	★
697RH124	3/4"	20	80	★
697RH126	13/16"	20	80	★
697RH128	7/8"	20	80	★
697RH130	15/16"	20	80	★
697RH132	1"	20	80	★
697RH134	1-1/16"	20	80	★
697RH610	10mm	20	80	★
697RH611	11mm	20	80	★
697RH612	12mm	20	80	★
697RH613	13mm	20	80	★
697RH614	14mm	20	80	★
697RH615	15mm	20	80	★
697RH616	16mm	20	80	★
697RH617	17mm	20	80	★
697RH618	18mm	20	80	★
697RH619	19mm	20	80	★
697RH621	21mm	20	80	★
697RH622	22mm	20	80	★
697RH624	24mm	20	80	★
697RH626	26mm	20	80	★
697RH627	27mm	20	80	★

★: 特殊品項, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.





22mm - 7/8"

Hex Drive Bits For use with set screw bit holders




内十二角

Internal Torx®

Order No.	size	L2	L	
		mm	mm	
697LC060	T60	20	60	★
697LC070	T70	20	60	★
697LC080	T80	20	60	★
697LC090	T90	20	60	★
697LC100	T100	20	60	★
697LB060	T60	20	107	★
697LB070	T70	20	107	★
697LB080	T80	20	107	★
697LB090	T90	20	107	★
697LB100	T100	20	107	★

☆ Torx® is a trademark of Textron.



外星型

External Torx®

Order No.	size	L2	L	
		mm	mm	
697RB118	E18	22.5	107	★
697RB120	E20	25	107	★
697RB122	E22	27.5	107	★
697RB124	E24	30	107	★

☆ Torx® is a trademark of Textron.

★: 特殊品项, 最小订购量/交货期需确认。





22mm - 7/8"

Hex Drive Bits For use with set screw bit holders




内六角


Hex Drivers

Order No.	size	L2	L	
		mm	mm	
697RB210	10mm	20	55	★
697RB211	11mm	20	55	★
697RB212	12mm	20	55	★
697RB213	13mm	20	55	★
697RB214	14mm	20	55	★
697RB215	15mm	20	55	★
697RB216	16mm	20	55	★
697RB217	17mm	20	55	★
697RB218	18mm	20	55	★
697RB219	19mm	20	55	★
697RB221	21mm	20	55	★
697RB222	22mm	20	55	★
697RB224	24mm	20	55	★
697RB226	26mm	20	55	★
697RB227	27mm	20	55	★
697RB230	30mm	20	55	★
697RB232	32mm	20	55	★
697RB010	10mm	20	107	★
697RB011	11mm	20	107	★
697RB012	12mm	20	107	★
697RB013	13mm	20	107	★
697RB014	14mm	20	107	★
697RB015	15mm	20	107	★
697RB016	16mm	20	107	★
697RB017	17mm	20	107	★
697RB018	18mm	20	107	★
697RB019	19mm	20	107	★
697RB021	21mm	20	107	★
697RB022	22mm	20	107	★
697RB024	24mm	20	107	★
697RB026	26mm	20	107	★
697RB027	27mm	20	107	★
697RB030	30mm	20	107	★
697RB032	32mm	20	107	★

★: 特殊品项, 最小订购量/交货期需确认。



Set Screw



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



22mm - 7/8"




Hex Drive Bits For use with set screw bit holders

内六角

Hex Drivers

Order No.	size	L2	L	
		mm	mm	
697RB312	3/8"	20	55	★
697RB314	7/16"	20	55	★
697RB316	1/2"	20	55	★
697RB318	9/16"	20	55	★
697RB320	5/8"	20	55	★
697RB322	11/16"	20	55	★
697RB324	3/4"	20	55	★
697RB326	13/16"	20	55	★
697RB328	7/8"	20	55	★
697RB330	15/16"	20	55	★
697RB332	1"	20	55	★
697RB334	1-1/16"	20	55	★
697RB336	1-1/8"	20	55	★
697RB338	1-3/16"	20	55	★
697RB340	1-1/4"	20	55	★
697RB412	3/8"	20	107	★
697RB414	7/16"	20	107	★
697RB416	1/2"	20	107	★
697RB418	9/16"	20	107	★
697RB420	5/8"	20	107	★
697RB422	11/16"	20	107	★
697RB424	3/4"	20	107	★
697RB426	13/16"	20	107	★
697RB428	7/8"	20	107	★
697RB430	15/16"	20	107	★
697RB432	1"	20	107	★
697RB434	1-1/16"	20	107	★
697RB436	1-1/8"	20	107	★
697RB438	1-3/16"	20	107	★
697RB440	1-1/4"	20	107	★

★: 特殊品项, 最小订购量/交货期需确认。





22mm - 7/8"

Hex Drive Bits For use with quick release chuck

内星型

Internal Torx

Order No.	size	L2	L	
		mm	mm	
697LB060	T60	20	107	★
697LB070	T70	20	107	★
697LB080	T80	20	107	★
697LB090	T90	20	107	★
697LB100	T100	20	107	★



☆ Torx® is a trademark of Textron.

内六角

Hex Drivers

Order No.	size	L2	L	
		mm	mm	
697RB510	10mm	20	107	★
697RB511	11mm	20	107	★
697RB512	12mm	20	107	★
697RB513	13mm	20	107	★
697RB514	14mm	20	107	★
697RB515	15mm	20	107	★
697RB516	16mm	20	107	★
697RB517	17mm	20	107	★
697RB518	18mm	20	107	★
697RB519	19mm	20	107	★
697RB521	21mm	20	107	★
697RB522	22mm	20	107	★
697RB524	24mm	20	107	★
697RB526	26mm	20	107	★
697RB527	27mm	20	107	★
697RB530	30mm	20	107	★
697RB532	32mm	20	107	★
697RB612	3/8"	20	107	★
697RB614	7/16"	20	107	★
697RB616	1/2"	20	107	★
697RB618	9/16"	20	107	★
697RB620	5/8"	20	107	★
697RB622	11/16"	20	107	★
697RB624	3/4"	20	107	★
697RB626	13/16"	20	107	★
697RB628	7/8"	20	107	★
697RB630	15/16"	20	107	★
697RB632	1"	20	107	★
697RB634	1-1/16"	20	107	★
697RB636	1-1/8"	20	107	★
697RB638	1-3/16"	20	107	★
697RB640	1-1/4"	20	107	★

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.

Description

Item No.69501081 ★



8 Piece 1/4" dr., Impact Socket Set.

Contents:

4mm, 4.5mm, 5mm, 5mm, 6mm
7mm, 8mm, 9mm.

Plastic Tray No.E7112

Metal Case No.3D1339

Item No.69501121 ★



12 Piece 1/4" dr., Impact Socket Set.

Contents:

6mm, 7mm, 8mm, 9mm, 10mm
11mm, 12mm, 13mm, 14mm, 50mm.

100mm Extension Bar

3/8"F x 1/4"M Adapter

Plastic Tray No.E7111

Metal Case No.3D1339

Item No.69511101 ★



10 Piece 3/8" dr., Impact Socket Set.

Contents:

9mm, 10mm, 11mm, 12mm, 13mm
14mm, 15mm, 16mm, 17mm, 19mm.

Plastic Tray No.E7136

Metal Case No.3D1339

Item No.69521108 ★



10 Piece 1/2" dr., Impact Socket Set.

Contents:

9mm, 10mm, 11mm, 13mm, 14mm
17mm, 19mm, 22mm, 24mm, 27mm.

Plastic Tray No.E7187

Metal Case No.3D1331

★: 特殊品项, 最小订购量/交货期需确认。



注意: 请使用时穿戴好相应防护措施, 不要在没有任何防护情况下使用。

套装组合



Impact Socket Sets

Description



Item No.69523106 ★

1/2" 方头, 10种六角套筒装组合

10 Piece 1/2" dr., Impact Socket Set.

Contents:

21mm, 22mm, 23mm, 24mm, 27mm
29mm, 30mm, 32mm, 33mm, 36mm.
Blow-Mold Case No.98-505



Item No.69523121 ★

1/2" 方头, 12种六角套筒装组合

12 Piece 1/2" dr., Impact Socket Set.

Contents:

8mm, 9mm, 10mm, 11mm, 12mm
13mm, 14mm, 15mm, 16mm, 17mm
18mm, 19mm.
Blow-Mold Case No.95-403



Item No.69521142 ★

1/2" 方头, 14种六角套筒装组合

14 Piece 1/2" dr., Impact Socket Set.

Contents:

10mm, 11mm, 12mm, 13mm, 14mm
15mm, 16mm, 17mm, 18mm, 19mm
21mm, 22mm, 23mm, 24mm.
Plastic Tray No.E7032
Metal Case No.3D1331



Item No.69521051 ★

1/2" 方头, 5种六角加长套筒装组合

5 Piece 1/2" dr., Deep Impact Socket Set.

Contents:

17mm, 19mm, 21mm, 22mm, 24mm.
Plastic Tray No.E7086
Metal Case No.3D1333

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.

套装组合

Impact Socket Sets

Description



Item No.69523104 ★

1/2" 方头, 10种六角加长型套筒装组合
10 Piece 1/2" dr., Dee Impact Socket Set.
Contents:
 10mm, 11mm, 12mm, 13mm, 14mm
 15mm, 16mm, 17mm, 18mm, 19mm.
 Blow-Mold Case No.98-503



Item No.69523105 ★

1/2" 方头, 10种六角加长型套筒装组合
10 Piece 1/2" dr., Deep Impact Socket Set.
Contents:
 21mm, 22mm, 23mm, 24mm, 27mm,
 29mm, 30mm, 32mm, 33mm, 36mm.
 Blow-Mold Case No.98-504



Item No.69523108 ★

1/2" 方头, 10种六角加长型套筒装组合
10 Piece 1/2" dr., Dee Impact Socket Set.
Contents:
 10mm, 11mm, 13mm, 14mm, 17mm
 19mm, 21mm, 22mm, 24mm, 27mm.
 Plastic Tray No.E7130
 Blow-Mold Case No.98-501



Item No.69423132 ★

1/2" 方头, 13种六角超长型套筒装组合
13 Piece 1/2" dr.,
Thin Wall Extra Long Impact Socket Set.
Contents:
 1/2", 9/16", 5/8", 11/16", 3/4"
 13/16", 7/8", 15/16", 1", 1-1/16"
 1-1/8", 1-1/4", 1-5/16".
 Blow-Mold Case No.94-609

★: 特殊品项, 最小订购量/交货期需确认。

套装组合



Impact Socket Sets

Description



Item No.69523131 ★

1/2" 方头, 13种六角超长型套筒装组合
13 Piece 1/2" dr., Thin Wall Extra Long Impact Socket Set.
Contents:
 13mm, 14mm, 15mm, 16mm, 17mm
 18mm, 19mm, 21mm, 22mm, 24mm,
 27mm, 30mm, 32mm.
 Blow-Mold Case No.94-611



Item No.69541085 ★

3/4" 方头, 8种六角套筒装组合
8 Piece 3/4" dr., Impact Socket Set.
Contents:
 24mm, 27mm, 30mm, 32mm, 33mm
 36mm, 38mm, 41mm.
 Plastic Tray No.E7093
 Metal Case No.3D1335



Item No.69541086 ★

3/4" 方头, 8种六角套筒装组合
8 Piece 3/4" dr., Impact Socket Set.
Contents:
 26mm, 27mm, 29mm, 30mm, 32mm,
 35mm, 36mm, 38mm.
 Plastic Tray No.E7093
 Metal Case No.3D1335



Item No.69541062 ★

3/4" 方头, 6种六角套筒装组合
6 Piece 3/4" dr., Deep Impact Socket Set.
Contents:
 24mm, 27mm, 30mm, 32mm, 33mm, 36mm.
 Plastic Tray No.E7087
 Metal Case No.3D1617



Item No.69551041 ★

1" 方头, 4种六角套筒装组合
4 Piece 1" dr., Deep Impact Socket Set.
Contents:
 27mm, 30mm, 32mm, 33mm.
 Plastic Tray No.E7088
 Metal Case No.3D1335

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.

Impact Socket Sets

Description



Item No.69511102 ★

3/8" 方头, 10种万向套筒装组合

10 Piece 3/8" dr., Universal Impact Socket Set.

Contents:

10mm, 11mm, 12mm, 13mm, 14mm

15mm, 16mm, 17mm, 18mm, 19mm.

Plastic Tray No.E7006A

Metal Case No.3D1332



Item No.69511103 ★

3/8" 方头, 10种万向加长套筒装组合

10 Piece 3/8" dr., Deep Universal Impact Socket Set.

Contents:

10mm, 11mm, 12mm, 13mm, 14mm

15mm, 16mm, 17mm, 18mm, 19mm.

Plastic Tray No.E71049

Metal Case No.SY-8



Item No.69423093 ★

1/2" 方头, 9种万向套筒装组合

9 Piece 1/2" dr., Universal Impact Socket Set

Contents:

7/16", 1/2", 9/16", 5/8", 11/16"

3/4", 13/16", 7/8", 15/16".

Plastic Tray No.E7117

Blow-Mold Case No.98-501



Item No.69523095 ★

1/2" 方头, 9种万向套筒装组合

9 Piece 1/2" dr., Universal Impact Socket Set

Contents:

13mm, 14mm, 15mm, 16mm, 17mm

18mm, 19mm, 21mm, 22mm.

Plastic Tray No.E7117

Blow-Mold Case No.98-501

★: 特殊品项, 最小订购量/交货期需确认。



特别提示: 万向系列套筒不在“霹雳马”产品保证范围以内。



注意: 请使用时穿戴好相应防护措施, 不要在没有任何防护情况下使用。

套装组合



Impact Socket Sets

Description



Item No.69521094 ★

1/2" 方头, 9种万向套筒装组合

9 Piece 1/2" dr., Universal Impact Socket Set.

Contents:

13mm, 14mm, 15mm, 16mm, 17mm

18mm, 19mm, 21mm, 22mm.

Plastic Tray No.E7015A

Metal Case No.SY-8



Item No.69523093

1/2" 方头, 9种万向套筒装组合

9 Piece 1/2" dr., Universal Impact Socket Set.

Contents:

13mm, 14mm, 15mm, 16mm, 17mm

18mm, 19mm, 21mm, 22mm.

Blow-Mold Case No.98-404



Item No.69423092 ★

1/2" 方头, 9种万向加长套筒装组合

9 Piece 1/2" dr., Deep Universal Impact Socket Set.

Contents:

7/16", 1/2", 9/16", 5/8", 11/16"

3/4", 13/16", 7/8", 15/16".

Plastic Tray No.E7116

Blow-Mold Case No.98-501



Item No.69523094 ★

1/2" 方头, 9种万向加长套筒装组合

9 Piece 1/2"dr., Deep Universal Impact Socket Set.

Contents:

13mm, 14mm, 15mm, 16mm, 17mm

18mm, 19mm, 21mm, 22mm.

Plastic Tray No.E7116

Blow-Mold Case No.98-501

★: 特殊品项, 最小订购量/交货期需确认。



特别提示: 万向系列套筒不在“霹雳马”产品保证范围以内。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.

Impact Socket Sets

Description



Item No.61120309 ★

1/2" 方头, 轿车轮毂专用套筒装组合

3 Piece 1/2" dr., Wheel Nut Impact Socket Set.

Contents:

17mm, 19mm, 21mm.

Blow-Mold Case No.01-310



Item No.61120310 ★

1/2" 方头, 轿车轮毂专用套筒装组合

3 Piece 1/2" dr.,

Extra Long Wheel Nut Impact Socket Set.

Contents:

17mm, 19mm, 21mm.

Blow-Mold Case No.01-316



Item No.69521031 ★

1/2" 方头, 轿车轮毂专用套筒装组合

3 Piece 1/2" dr., Wheel Nut Impact Socket Set.

Contents:

17mm, 19mm, 21mm.

Plastic Tray No.E7149

Metal Case No.3D1342



Item No.69523036 ★

1/2" 方头, 轿车轮毂专用套筒装组合

3 Piece 1/2" dr., Wheel Nut Impact Socket Set.

Contents:

17mm, 19mm, 21mm.

Blow-Mold Case No.01-306

★: 特殊品项, 最小订购量/交货期需确认。



注意: 请使用时穿戴好相应防护措施, 不要在没有任何防护情况下使用。

套装组合



Impact Socket Sets

Description



Item No.69521032 ★

1/2" 方头, 轿车轮毂专用套筒装组合

3 Piece 1/2" dr., Wheel Nut Impact Socket Set.

Contents:

17mm, 19mm, 21mm.

Plastic Tray No.E7149

Metal Case No.3D1342



Item No.69523074 ★

1/2" 方头, 轮胎专用磨损拆卸套筒装组合

7 Piece 1/2" dr., Wheel Nut Remover Deep Impact Socket Set.

Contents:

17mm, 18.5mm, 20mm, 21.5mm, 23mm
24.5mm, 26mm.

Blow-Mold Case No.01-220



Item No.69523081 ★

1/2" 方头, 轮胎专用磨损拆卸套筒装组合

8 Piece 1/2" dr., Wheel Nut Remover Thin Wall Deep Impact Socket Set.

Contents:

17mm, 18.5mm, 20mm, 21.5mm, 23mm
24.5mm, 26mm, 27.5mm.

Blow-Mold Case No.01-212



Item No.69523122 ★

1/2" 方头, 轮胎专用磨损拆卸套筒装组合

12 Piece 1/2" dr., Wheel Nut Remover Impact Socket Set.

Contents:

13.5mm, 15.5mm, 17mm, 18.5mm, 20mm
21.5mm, 23mm, 24.5mm, 26mm, 27.5mm
29.5mm, 31.5mm.

Blow-Mold Case No.01-216

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.

Impact Socket Sets

Description



Item No.69523181 ★
 1/2" 方头, 混合装套筒组合
18 Piece 1/2"dr., Wheel Nut Impact Socket Set.
Contents:
 9 pcs Regular Sockets:
 10mm, 11mm, 13mm, 14mm, 17mm,
 19mm, 21mm, 22mm, 24mm.
 4pcs Deep Length Sockets:
 13mm, 14mm, 21mm, 24mm.
 3pcs Extra Thin Wall Deep Sockets:
 17mm, 19mm, 21mm.
 1/2" Universal Joint
 125mm Extension Bar
 Plastic Tray No.E7094
 Blow-Mold Case No.98-501



Item No.69521052 ★
 1/2" 方头, 5种双头螺栓套筒装组合
5 Piece 1/2" dr., Stud Setter Impact Socket Set.
Contents:
 M6 x P1.0, M8 x P1.25, M10 x P1.50
 M12 x P1.75, M14 x P2.0.
 Plastic Tray No.E7120
 Metal Case No.3D1339



Item No.69643151 ★
 冲击式套筒混合装组合
15 Piece 3/4" & 1" dr. Impact Holder & Bit Set.
Contents:
 Hex Holder: 3/4" dr., 22mm
 Hex Holder: 1" dr., 22mm
 5 pcs 22mm Hex Internal Torx Bits:
 T60, T70, T80, T90, T100.
 4 pcs 22mm Hex Driver Bits:
 17mm, 19mm, 22mm, 24mm
 4 pcs 22mm Hex External Torx Bits:
 E18, E20, E22, E24,
 2.5mm Hex Key
 Blow-Mold Case No.98-509



Item No.69523073 ★
 1/2" 方头, 扭力控制套筒装组合
7 Piece 1/2" dr., Torque Limiting Impact Socket Set.
Contents:
 17mm = 55ft-lbs / 75N-m - Green
 17mm = 80ft-lbs / 110N-m - Red
 19mm = 65ft-lbs / 75N-m - Yellow
 19mm = 80ft-lbs / 110N-m - Blue
 19mm = 100ft-lbs / 135N-m - Gray
 21mm = 60ft-lbs / 80N-m - Black
 21mm = 80ft-lbs / 110N-m - Lt. Brown
 Blow-Mold Case No.2A-501

★: 特殊品项, 最小订购量/交货期需确认。



注意: 请使用时穿戴好相应防护措施, 不要在没有任何防护情况下使用。



Impact Socket Sets

Description

Item No.69623094 ★

1/2" 方头，扭力控制套筒装组合
9 Piece 1/2" dr., Torque Limiting Extension & Wheel Nut Deep Impact Socket Set.

Contents:

5 pcs Torque Limiting Extensions:

65ft. lbs / 90N-m - Yellow

80ft. lbs / 110N-m - Blue

100ft. lbs / 135N-m - Gray

120ft. lbs / 160N-m - White

140ft. lbs / 190N-m - Aqua

4 pcs Wheel Nut Deep Socket With Plastic Sleeve & Stop:

17mm - Blue Plastic Sleeve

19mm - Yellow Plastic Sleeve

21mm - Red Plastic Sleeve

22mm - Green Plastic Sleeve

Blow-Mold Case No.2A-502



Item No.69623101 ★

1/2" 方头，扭力控制套筒装组合
10 Piece 1/2" dr., Torque Limiting Impact Socket Set.

Contents:

17mm = 55ft-lbs / 75N-m - Green

17mm = 80ft-lbs / 110N-m - Red

19mm = 65ft-lbs / 75N-m - Yellow

19mm = 80ft-lbs / 110N-m - Blue

19mm = 100ft-lbs / 135N-m - Gray

21mm = 80ft-lbs / 110N-m - Lt. Brown

13/16" = 100ft-lbs / 135N-m - Brown

7/8" = 120ft. lbs / 160N-m - White

7/8" = 140ft. lbs / 190N-m - Turquoise

15/16" = 140ft. lbs / 190N-m - Lt. Green

Blow-Mold Case No.2A-503



★: 特殊品项，最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.

Impact Socket Sets	Description
	Item No.69411071 ★ 3/8" 方头, 7种英制内六角套筒装组合 7 Piece 3/8" dr., Impact Hex Driver Set. Contents: 3/16", 7/32", 1/4", 9/32", 5/16" 3/8", 7/16". Plastic Tray No.E7115 Metal Case No.3D1339
	Item No.69511071 ★ 3/8" 方头, 7种内六角套筒装组合 7 Piece 3/8" dr., Impact Hex Driver Set. Contents: 4mm, 5mm, 6mm, 7mm, 8mm 10mm, 12mm. Plastic Tray No.E7115 Metal Case No.3D1339
	Item No.69421061 ★ 1/2" 方头, 6种英制内六角套筒装组合 6 Piece 1/2" dr., Impact Hex Driver Set. Contents: 3/16", 7/32", 1/4", 5/16", 3/8", 7/16". Plastic Tray No.E7132 Metal Case No.3D1333
	Item No.69521061 ★ 1/2" 方头, 6种内六角套筒装组合 6 Piece 1/2" dr., Impact Hex Driver Set. Contents: 4mm, 6mm, 8mm, 10mm, 12mm, 14mm. Plastic Tray No.E7132 Metal Case No.3D1333

★: 特殊品项, 最小订购量/交货期需确认。

⚠ 注意: 请使用时穿戴好相应防护措施, 不要在没有任何防护情况下使用。

套装组合



Impact Socket Sets

Description



Item No.69421091 ★

1/2" 方头, 9种内六角套筒装组合
9 Piece 1/2" dr., Impact Hex Driver Set.
Contents:
 3/16", 7/32", 1/4", 5/16", 3/8"
 7/16", 1/2", 9/16", 5/8".
Plastic Tray No.E7131
Metal Case No.3D1333



Item No.69521093 ★

1/2" 方头, 9种内六角套筒装组合
9 Piece 1/2" dr., Impact Hex Driver Set.
Contents:
 4mm, 5mm, 6mm, 8mm, 10mm
 12mm, 14mm, 17mm, 19mm.
Plastic Tray No.E7131
Metal Case No.3D1333



Item No.69423091 ★

1/2" 方头, 9种英制内六角套筒装组合
9 Piece 1/2" dr., Impact Hex Driver Set.
Contents:
 3/16", 7/32", 1/4", 9/32", 5/16"
 3/8", 1/2", 9/16", 5/8".
Plastic Tray No.E7070
Blow-Mold Case No.98-501



Item No.69523091 ★

1/2" 方头, 9种内六角套筒装组合
9 Piece 1/2" dr., Impact Hex Driver Set.
Contents:
 5mm, 6mm, 7mm, 8mm, 9mm
 10mm, 12mm, 14mm, 17mm.
Plastic Tray No.E7070
Blow-Mold Case No.98-501

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.

Impact Socket Sets

Description



Item No.69441061 ★

3/4" 方头, 6种英制内六角套筒装组合

6 Piece 3/4" dr., Impact Hex Driver Set.

Contents:

1/2", 9/16", 5/8", 3/4", 7/8", 1".

Plastic Tray No.E7083

Metal Case No.3D1335



Item No.69541061 ★

3/4" 方头, 6种内六角套筒装组合

6 Piece 3/4" dr., Impact Hex Driver Set.

Contents:

12mm, 14mm, 17mm, 19mm, 22mm, 24mm.

Plastic Tray No.E7083

Metal Case No.3D1335



Item No.69413072 ★

3/8" 方头, 7种英制内六角万向套筒装组合

7 Piece 3/8" dr., Universal Impact Hex Driver Set.

Contents:

3/16", 1/4", 5/16", 3/8", 7/16"

1/2", 9/16".

Blow-Mold Case 1pc.



Item No.69513072 ★

3/8" 方头, 7种内六角万向套筒装组合

7 Piece 3/8" dr., Universal Impact Hex Driver Set.

Contents:

5mm, 6mm, 7mm, 8mm, 10mm

12mm, 14mm.

Blow-Mold Case No.01-308

★: 特殊品项, 最小订购量/交货期需确认。



特别提示: 万向系列套筒不在“霹雳马”产品保证范围以内。



注意: 请使用时穿戴好相应防护措施, 不要在没有任何防护情况下使用。



套装组合

Impact Socket Sets

Description



Item No.69423082 ★

1/2" 方头, 8种内六角万向套筒装组合
8 Piece 1/2" dr., Universal Impact Hex Driver Set.

Contents:

1/4", 5/16", 3/8", 7/16", 1/2",
9/16", 5/8", 3/4".

Blow-Mold Case No.01-208



Item No.69523096 ★

1/2" 方头, 9种内六角万向套筒装组合
9 Piece 1/2" dr., Universal Impact Hex Driver Set.

Contents:

6mm, 8mm, 10mm, 12mm, 14mm
15mm, 17mm, 18mm, 19mm.

Blow-Mold Case No.01-207

★: 特殊品项, 最小订购量/交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.

Impact Socket Sets

Description



Item No.69601111 ★

1/4" 方头, 11种内星型套筒装组合

11 Piece 1/4"dr., Impact Internal Torx® Driver Set.

Contents:

T5,T6,T7,T8,T9,

T10,T15,T20,T25,T27,T30.

Plastic Tray No.E7126

Metal Case No.3D1339



Item No.69601101 ★

1/4" 3/8" 1/2" 内星型混合套筒装组合

10 Piece 1/4" & 3/8" & 1/2"dr.,
Impact Internal Torx® Driver Set.

Contents:

3 pcs 1/4"dr.,:T8,10,T15,

3 pcs 3/8"dr.,:T20,T25,T30,

4 pcs 1/2"dr.,:T40,T50,T55,T60.

Plastic Tray No.E7124

Metal Case No.3D1331



Item No.69611071 ★

3/8" 方头, 7种内星型套筒装组合

7 Piece 3/8" dr., Impact Internal Torx® Driver Set.

Contents:

T10, T15, T20, T25, T27,

T30, T40.

Plastic Tray No.E71115

Metal Case No.3D1339



Item No.69611072 ★

3/8" 方头, 7种内星型套筒装组合

7 Piece 3/8" dr., Impact Internal Torx® Driver Set.

Contents:

T25, T30, T40, T45, T47

T50, T55.

Plastic Tray No.E71115

Metal Case No.3D1339





Impact Socket Sets

Description



Item No.69611111 ★

3/8" 方头, 11种内星型套筒装组合

11 Piece 3/8" dr., Impact Internal Torx® Driver Set.

Contents:

T10, T15, T20, T25, T27

T30, T40, T45, T47, T50, T55.

Plastic Tray No.E7127

Metal Case No.3D1331



Item No.69621091 ★

1/2" 方头, 9种内星型套筒装组合

9 Piece 1/2" dr., Impact Internal Torx® Driver Set.

Contents:

T20, T25, T27, T30, T40

T45, T50, T55, T60.

Plastic Tray No.E7125

Metal Case No.3D1333



Item No.69621111 ★

1/2" 方头, 11种内星型套筒装组合

11 Piece 1/2" dr., Impact Internal Torx® Driver Set.

Contents:

T20, T25, T27, T30, T40

T45, T47, T50, T55, T60, T70. Length 55mm

Plastic Tray No.E7128

Metal Case No.3D1331



Item No.69621112 ★

1/2" 方头, 11种内星型套筒装组合

11 Piece 1/2" dr., Impact Internal Torx® Driver Set.

Contents:

T20, T25, T27, T30, T40

T45, T47, T50, T55, T60, T70. Length 75mm

Plastic Tray No.E7128

Metal Case No.3D1331

★: 特殊品项, 最小订购量/交货期需确认。

☆Torx® is a trademark of Textron.



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.

Impact Socket Sets

Description



Item No.69613071 ★

3/8" 方头, 7种万向内星型套筒装组合
7 Piece 3/8" dr.,
Universal Impact Internal Torx®Driver Set.
Contents:
T25, T27, T30, T40, T45
T50, T55.
Blow-Mold Case 01-309



Item No.69623082 ★

1/2" 方头, 8种万向内星型套筒装组合
8 Piece 1/2" dr.
Universal Impact Internal Torx®Driver Set.
Contents:
T25, T27, T30, T40, T45, T50
T55, T60.
Blow-Mold Case No.01-215



Item No.69601081 ★

1/4" 方头, 8种外星型套筒装组合
8 Piece 1/4" dr., External Torx®Impact Socket Set.
Contents:
E4, E5, E6, E7, E8
E10, E11, E12.
Plastic Tray No.E7112
Metal Case No.3D1339



Item No.69601082 ★

1/4" 方头, 8种外星型超薄套筒装组合
8 Piece 1/4" dr.,
Thin Wall External Torx®Impact Socket Set.
E4, E5, E6, E7, E8
E10, E11, E12.
Plastic Tray No.E7112
Metal Case No.3D1339



Item No.69611091 ★

3/8" 方头, 9种外星型套筒装组合
9 Piece 3/8" dr., External Torx®Impact Socket Set.
Contents:
E5, E6, E7, E8, E10
E11, E12, E14, E16.
Plastic Tray No.E71113
Metal Case No.3D1339

★: 特殊品项, 最小订购量/交货期需确认。

☆Torx® is a trademark of Textron.



特别提示: 万向系列套筒不在“霹雳马”产品保证范围以内。



注意: 请使用时穿戴好相应防护措施, 不要在任何防护情况下使用。

套装组合



Impact Socket Sets

Description



Item No. 69611092 ★

3/8" 方头, 9种外星型超薄套筒装组合

9 Piece 3/8" dr., Thin Wall External Torx® Impact Socket Set.

Contents:

E5, E6, E7, E8, E10

E11, E12, E14, E16.

Plastic Tray No. E71113

Metal Case No. 3D1339



Item No. 69623091 ★

1/2" 方头, 9种外星型套筒装组合

9 Piece 1/2" dr., External Torx® Impact Socket Set.

Contents:

E10, E11, E12, E14, E16

E18, E20, E22, E24.

Plastic Tray No. E7114

Blow-Mold Case No. 98-401



Item No. 69623092 ★

1/2" 方头, 9种外星型超薄套筒装组合

9 Piece 1/2" dr., Thin Wall External Torx® Impact Socket Set.

Contents:

E10, E11, E12, E14, E16

E18, E20, E22, E24.

Plastic Tray No. E7114

Blow-Mold Case No. 98-401



Item No. 69623161 ★

1/2" 方头, 16种外星型和内星型混合装套筒组合

16 Piece 1/2" dr., External & Internal Torx® Impact Socket Set.

Contents:

9 pcs External Torx :

E10, E11, E12, E14, E16

E18, E20, E22, E24

7 pcs Internal Torx Drivers:

T40, T45, T47, T50, T55

T60, T70.

Blow-Mold Case No. 98-407

★: 特殊品项, 最小订购量/交货期需确认。

☆ Torx® is a trademark of Textron.



特别提示: 万向系列套筒不在“霹雳马”产品保证范围以内。



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.



3/8"~1-1/2"

Locking Pin



套筒插销

Fits Socket Drive end

Order No.	Drive	Diameters	d	L
	Inch	mm	mm	mm
69731015	3/8"	19~21	2.5	15
69731018	3/8"	22~25	2.5	18
69731022	3/8"	26~31	2.5	22
69731028	3/8"	32~34	2.5	28
69732020	1/2"	22~27.5	3	20
69732024	1/2"	28~31	3	24
69732028	1/2"	32~36	3	28
69732032	1/2"	37~38	3	32
69732038	1/2"	43	3	38
69734031	3/4"	36~43	4	31
69734037	3/4"	44~46	4	37
69734043	3/4"	52~54	5	43
69734049	3/4"	57~60	5	49
69734043	1"	50~57	5	43
69734049	1"	58~62	5	49
69735075	1"	86	6	75
69735084	1"	95	6	84
69735075	1-1/2"	86	6	75
69735084	1-1/2"	95	6	84
69735084	1-3/4"	95	6	84
69738114	2-1/2"	127	8	114
69738139	2-1/2"	152	8	138





3/8"~1-1/2"


O-Ring

套筒O型环

Flts Socket Drive end



Order No.	Drive	Diameters	D	W
	inch	mm	mm	mm
69741016	3/8 "	19	16	2.4
69741017	3/8 "	20	17	2.4
69741018	3/8 "	21	18	2.4
69741019	3/8 "	22	19	2.4
69741020	3/8 "	23	20	2.4
69741021	3/8 "	24	21	2.4
69741023	3/8 "	26	22.1	3.5
69741025	3/8 "	28	25	3.5
69741027	3/8 "	30	26.5	3.5
69741029	3/8 "	32	29	3.5
69741031	3/8 "	34	31	3.5
69742019	1/2 "	22	18.6	3.5
69742020	1/2 "	24~25	20.2	3.5
69742022	1/2 "	26	22	3.5
69742023	1/2 "	27.5	23.5	3.5
69742024	1/2 "	28	24	3.5
69741025	1/2 "	29~30	25	3.5
69741027	1/2 "	30.5~31	26.5	3.5
69741028	1/2 "	32	28	3.5
69741029	1/2 "	33	29	3.5
69741030	1/2 "	34	30	3.5
69741031	1/2 "	35	31	3.5
69742032	1/2 "	36	32	3.5
69742033	1/2 "	37.5	33	3.5
69742034	1/2 "	38	34	3.5
69742039	1/2 "	43	39	3.5
69742032	3/4 "	36	32	3.5
69742033	3/4 "	38	33	3.5
69742034	3/4 "	40~41	34	3.5
69744036	3/4 "	42~43	36	3.5
69744038	3/4 "	44~44.5	38	3.5
69744039	3/4 "	45	39	3.5
69744046	3/4 "	52	46	3.5
69744048	3/4 "	54	48	3.5
69744050	3/4 "	57	50	3.5
69744053	3/4 "	60	53	5.7
69745041	1 "	48	41	3.5
69745042	1 "	49~51	42	3.5
69745044	1 "	52	44	3.5
69744046	1 "	54	46	3.5
69744048	1 "	56	48	3.5
69744049	1 "	57	49	3.5
69744050	1 "	58	50	5.3
69744053	1 "	62	53	5.7
69745075	1 "	86	75	5.7
69745085	1 "	95	85	5.7
69745075	1-1/2 "	86	75	5.7
69745085	1-1/2 "	95	85	5.7
69745085	1-3/4 "	95	85	5.7
69748114	2-1/2 "	127	114	7
69748139	2-1/2 "	152	139	7



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.

Hand Tools



“T”型扳杆

Sliding "T" Handle

Order No.		L	Male end	
		size	Type	
5910010	3/8"	165	Steel Ball Retainer	★
5920010	1/2"	300	Steel Ball Retainer	★
5940010	3/4"	510	Steel Ball Retainer	★
5950010	1"	760	Steel Ball Retainer	★



“L”型扳杆

"L" Handle

Order No.		L	Male end	
		size	Type	
6010010	3/8"	165	Steel Ball Retainer	★
6020010	1/2"	250	Steel Ball Retainer	★
6040010	3/4"	450	Steel Ball Retainer	★
6050010	1"	540	Steel Ball Retainer	★
69762051	1/2"	250	Steel Ball Retainer	★
69764050	3/4"	450	Steel Ball Retainer	★

★: 特殊品项, 最小订购量/交货期需确认。





Torque Multipliers

手动扭矩倍增器

Order No.	Output	Input	Gear	Max. Input Torque		Max. Output Torque		
	Drive	Drive	Ratio	N-m	Ft-Lbs	N-m	Ft-Lbs	
MT-1000	3/4"	1/2"	1:3	460	340	1400	1000	★
MT-1009	3/4"	1/2"	1:9	231	171	1500	1100	★
MT-1012	1"	1/2"	1:12	222	164	2000	1480	★
MT-1016	1"	1/2"	1:16	208	154	2500	1850	★
MT-2000	1"	3/4"	1:3	900	650	2700	2000	★
MT-2004	1"	3/4"	1:4	758	561	2500	1850	★

☆ Don't use with impact tools

★: 特殊品项, 最小订购量/交货期需确认。



MT-1000/MT-2000



MT-1009/MT-1012
MT-1016/MT-2004



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.

Torque Multipliers

Order No.	Contents
MT-1009S	MT-1009 With 90° Reaction Bar & Over Load Adapter Set. ★



Order No.	Contents
MT-1012S	MT-1012 With 90° Reaction Bar & Over Load Adapter Set. ★

★: 特殊品项, 最小订购量/交货期需确认。



90° Reaction bar can be adjusted to use with std. & deep Sockets



Torque Multipliers

Order No.	Contents
MT-1016S	MT-1016 With 90° Reaction Bar & Over Load Adapter Set. ★



Order No.	Contents
MT-2004S	MT-2004 With 90° Reaction Bar Set. ★

★: 特殊品項，最小订购量/交货期需确认。



90° Reaction bar can be adjusted to use with std. & deep Sockets



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.

公英制换算表

Inch	=	mm	Inch	=	mm	Inch	=	mm	Inch	=	mm	Inch	=	mm
1/32	=	0.7988	1-1/32	=	26.1938	2-1/32	=	51.5938	3-1/32	=	76.9938	4-1/32	=	102.3938
1/16	=	1.5875	1-1/16	=	26.9875	2-1/16	=	52.3875	3-1/16	=	77.7875	4-1/16	=	103.1875
3/32	=	2.3812	1-3/32	=	27.7812	2-3/32	=	53.1812	3-3/32	=	78.5812	4-3/32	=	103.9812
1/8	=	3.1750	1-1/8	=	28.5750	2-1/8	=	53.9750	3-1/8	=	79.3750	4-1/8	=	104.7750
5/32	=	3.9688	1-5/32	=	29.3688	2-5/32	=	54.7688	3-5/32	=	80.1688	4-5/32	=	105.5688
3/16	=	4.7625	1-3/16	=	30.1625	2-3/16	=	55.5625	3-3/16	=	80.9625	4-3/16	=	106.3625
7/32	=	5.5562	1-7/32	=	30.9562	2-7/32	=	56.3562	3-7/32	=	81.7562	4-7/32	=	107.1562
1/4	=	6.3500	1-1/4	=	31.7500	2-1/4	=	57.1500	3-1/4	=	82.5500	4-1/4	=	107.9500
9/32	=	7.1438	1-9/32	=	32.5438	2-9/32	=	57.9438	3-9/32	=	83.3438	4-9/32	=	108.7438
5/16	=	7.9375	1-5/16	=	33.3375	2-5/16	=	58.7375	3-5/16	=	84.1375	4-5/16	=	109.5375
11/32	=	8.7312	1-11/32	=	34.1312	2-11/32	=	59.5312	3-11/32	=	84.9312	4-11/32	=	110.3312
3/8	=	9.5250	1-3/8	=	34.9250	2-3/8	=	60.3250	3-3/8	=	85.7250	4-3/8	=	111.1250
13/32	=	10.3188	1-13/32	=	35.7188	2-13/32	=	61.1188	3-13/32	=	86.5188	4-13/32	=	111.9188
7/16	=	11.1125	1-7/16	=	36.5125	2-7/16	=	61.9125	3-7/16	=	87.3125	4-7/16	=	112.7125
15/32	=	11.9062	1-15/32	=	37.3062	2-15/32	=	62.7062	3-15/32	=	88.1062	4-15/32	=	113.5062
1/2	=	12.7000	1-1/2	=	38.1000	2-1/2	=	63.5000	3-1/2	=	88.9000	4-1/2	=	114.3000
17/32	=	13.4938	1-17/32	=	38.8938	2-17/32	=	64.2938	3-17/32	=	89.6938	4-17/32	=	115.0938
9/16	=	14.2875	1-9/16	=	39.6875	2-9/16	=	65.0875	3-9/16	=	90.4875	4-9/16	=	115.8875
19/32	=	15.0812	1-19/32	=	40.4812	2-19/32	=	65.8812	3-19/32	=	91.2812	4-19/32	=	116.6812
5/8	=	15.8750	1-5/8	=	41.2750	2-5/8	=	66.6750	3-5/8	=	92.0750	4-5/8	=	117.4750
21/32	=	16.6688	1-21/32	=	42.0688	2-21/32	=	67.4688	3-21/32	=	92.8688	4-21/32	=	118.2688
11/16	=	17.4625	1-11/16	=	42.8625	2-11/16	=	68.2625	3-11/16	=	93.6625	4-11/16	=	119.0625
23/32	=	18.2562	1-23/32	=	43.6562	2-23/32	=	69.0562	3-23/32	=	94.4562	4-23/32	=	119.8562
3/4	=	19.0500	1-3/4	=	44.4500	2-3/4	=	69.8500	3-3/4	=	95.2500	4-3/4	=	120.4500
25/32	=	19.8438	1-25/32	=	45.2438	2-25/32	=	70.6438	3-25/32	=	96.0438	4-25/32	=	121.4438
13/16	=	20.6375	1-13/16	=	46.0375	2-13/16	=	71.4375	3-13/16	=	96.8375	4-13/16	=	122.2375
27/32	=	21.4312	1-27/32	=	46.8312	2-27/32	=	72.2312	3-27/32	=	97.6312	4-27/32	=	123.0312
7/8	=	22.2250	1-7/8	=	47.6250	2-7/8	=	73.0250	3-7/8	=	98.4250	4-7/8	=	123.8250
29/32	=	23.0188	1-29/32	=	48.4188	2-29/32	=	73.8188	3-29/32	=	99.2188	4-29/32	=	124.6188
15/16	=	23.8125	1-15/16	=	49.2125	2-15/16	=	74.6125	3-15/16	=	100.0125	4-15/16	=	125.4125
31/32	=	24.6062	1-31/32	=	50.0062	2-31/32	=	75.4062	3-31/32	=	100.8062	4-31/32	=	126.2062
1	=	25.4000	2	=	50.8000	3	=	76.2000	4	=	101.6000	5	=	127.0000

扭力单位对照表

Nm	kgf m	kgf cm	lbf feet	lbf inch
1.00000	0.10197	10.1970	0.73756	8.85070
9.80680	1.00000	100.000	7.23300	86.8055
0.09806	0.01000	1.00000	0.07233	0.08680
1.35580	0.13825	13.8250	1.00000	12.0000
0.11298	0.01152	11.5207	0.08333	1.00000



1/2"


Impact Sockets



内六角气动套筒

Hex Drivers

Order No.	size	D2	L1	L	
		mm	mm	mm	
64822008	1/4"	25	15	100	★
64822009	9/32"	25	20	100	★
64822010	5/16"	25	25	100	★
64822012	3/8"	25	25	100	★
64822014	7/16"	25	25	100	★
64822016	1/2"	25	25	100	★
64822018	9/16"	25	25	100	★
64822020	5/8"	25	25	100	★
64822022	11/16"	25	25	100	★
64822024	3/4"	25	25	100	★
64822026	13/16"	30	25	100	★
64822028	7/8"	30	25	100	★
64822030	15/16"	30	25	100	★
64822100	1"	30	25	100	★
64823008	1/4"	25	15	125	★
64823009	9/32"	25	20	125	★
64823010	5/16"	25	25	125	★
64823012	3/8"	25	25	125	★
64823014	7/16"	25	25	125	★
64823016	1/2"	25	25	125	★
64823018	9/16"	25	25	125	★
64823020	5/8"	25	25	125	★
64823022	11/16"	25	25	125	★
64823024	3/4"	25	25	125	★
64823026	13/16"	30	25	125	★
64823028	7/8"	30	25	125	★
64823030	15/16"	30	25	125	★
64823100	1"	30	25	125	★
64824008	1/4"	25	15	150	★
64824009	9/32"	25	20	150	★
64824010	5/16"	25	25	150	★
64824012	3/8"	25	25	150	★
64824014	7/16"	25	25	150	★
64824016	1/2"	25	25	150	★
64824018	9/16"	25	25	150	★
64824020	5/8"	25	25	150	★
64824022	11/16"	25	25	150	★
64824024	3/4"	25	25	150	★
64824026	13/16"	30	25	150	★
64824028	7/8"	30	25	150	★
64824030	15/16"	30	25	150	★
64824100	1"	30	25	150	★



★: 非常规品, 最低订购量\交货期需确认。



注意: 请使用时穿戴好相应防护措施, 不要在没有任何防护情况下使用。



1/2"


Impact Sockets



内六角气动套筒

Hex Drivers

Order No.	size	D2	L1	L
		mm	mm	mm
64825003	3mm	25	11	55
64825004	4mm	25	11	55
64825005	5mm	25	15	55
64825006	6mm	25	15	55
64825007	7mm	25	15	55
64825008	8mm	25	16	55
64825009	9mm	25	16	55
64825010	10mm	25	16	55
64825011	11mm	25	16	55
64825012	12mm	25	16	55
64825013	13mm	25	16	55
64825014	14mm	25	16	55
64825015	15mm	25	16	55
64825016	16mm	25	16	55
64825017	17mm	25	16	55
64825018	18mm	25	16	55
64825019	19mm	25	16	55
64825021	21mm	30	16	55
64825022	22mm	30	16	55
64825024	24mm	30	16	55
64826003	3mm	25	11	75
64826004	4mm	25	11	75
64826005	5mm	25	15	75
64826006	6mm	25	15	75
64826007	7mm	25	20	75
64826008	8mm	25	25	75
64826009	9mm	25	25	75
64826010	10mm	25	25	75
64826011	11mm	25	25	75
64826012	12mm	25	25	75
64826013	13mm	25	25	75
64826014	14mm	25	25	75
64826015	15mm	25	25	75
64826016	16mm	25	25	75
64826017	17mm	25	25	75
64826018	18mm	25	25	75
64826019	19mm	25	25	75
64826021	21mm	30	25	75
64826022	22mm	30	25	75
64826024	24mm	30	25	75
64827004	4mm	25	11	100
64827005	5mm	25	15	100
64827006	6mm	25	15	100
64827007	7mm	25	20	100
64827008	8mm	25	25	100
64827009	9mm	25	25	100
64827010	10mm	25	25	100
64827011	11mm	25	25	100
64827012	12mm	25	25	100
64827013	13mm	25	25	100
64827014	14mm	25	25	100
64827015	15mm	25	25	100
64827016	16mm	25	25	100
64827017	17mm	25	25	100
64827018	18mm	25	25	100
64827019	19mm	25	25	100
64827021	21mm	30	25	100
64827022	22mm	30	25	100
64827024	24mm	30	25	100
6482Z014	14mm	30	25	75
6482Z015	15mm	30	25	75
6482Z016	16mm	30	25	75
6482Z017	17mm	30	25	75
6482Z018	18mm	30	25	75
6482Z019	19mm	30	25	75



CAUTION: Always wear safety goggles when using impact equipment. Do not hold socket while in use.




1/2"

Impact Sockets



内六角气动套筒
Hex Drivers

Order No.	size	D2	L1	L
		mm	mm	mm
64828004	4mm	25	11	125
64828005	5mm	25	15	125
64828006	6mm	25	15	125
64828007	7mm	25	20	125
64828008	8mm	25	25	125
64828009	9mm	25	25	125
64828010	10mm	25	25	125
64828011	11mm	25	25	125
64828012	12mm	25	25	125
64828013	13mm	25	25	125
64828014	14mm	25	25	125
64828015	15mm	25	25	125
64828016	16mm	25	25	125
64828017	17mm	25	25	125
64828018	18mm	25	25	125
64828019	19mm	25	25	125
64828021	21mm	30	25	125
64828022	22mm	30	25	125
64828024	24mm	30	25	125
64829004	4mm	25	11	150
64829005	5mm	25	15	150
64829006	6mm	25	15	150
64829007	7mm	25	20	150
64829008	8mm	25	25	150
64829009	9mm	25	25	150
64829010	10mm	25	25	150
64829011	11mm	25	25	150
64829012	12mm	25	25	150
64829013	13mm	25	25	150
64829014	14mm	25	25	150
64829015	15mm	25	25	150
64829016	16mm	25	25	150
64829017	17mm	25	25	150
64829018	18mm	25	25	150
64829019	19mm	25	25	150
64829021	21mm	30	25	150
64829022	22mm	30	25	150
64829024	24mm	30	25	150






3/4"

Impact Sockets

内六角气动套筒

Hex Drivers



Order No.	size	D2	L1	L	
		mm	mm	mm	
64840012	3/8"	44	20	62	★
64840014	7/16"	44	20	62	★
64840016	1/2"	44	20	62	★
64840018	9/16"	44	20	62	★
64840020	5/8"	44	20	62	★
64840022	11/16"	44	20	62	★
64840024	3/4"	44	20	62	★
64840026	13/16"	44	20	62	★
64840028	7/8"	44	20	62	★
64840030	15/16"	44	20	62	★
64840100	1"	44	20	62	★
64840102	1-1/16"	44	20	62	★
64840104	1-1/8"	44	20	62	★
64840106	1-3/16"	44	20	62	★
64840108	1-1/4"	44	20	62	★
64840110	1-5/16"	44	20	62	★
64840112	1-3/8"	44	20	62	★
64840114	1-7/16"	44	20	62	★
64840116	1-1/2"	44	20	62	★
64841012	3/8"	44	20	100	
64841014	7/16"	44	20	100	
64841016	1/2"	44	20	100	
64841018	9/16"	44	20	100	
64841020	5/8"	44	20	100	
64841022	11/16"	44	20	100	
64841024	3/4"	44	20	100	
64841026	13/16"	44	20	100	
64841028	7/8"	44	20	100	
64841030	15/16"	44	20	100	
64841100	1"	44	20	100	
64841102	1-1/16"	44	20	100	
64841104	1-1/8"	44	20	100	
64841106	1-3/16"	44	20	100	
64841108	1-1/4"	44	20	100	
64841110	1-5/16"	44	20	100	
64841112	1-3/8"	44	20	100	
64841114	1-7/16"	44	20	100	
64841116	1-1/2"	44	20	100	



★: 非常规品, 最低订购量\交货期需确认。



CAUTION: Always wear safety goggles when using Impact equipment. Do not hold socket while in use.



3/4"


Impact Sockets



内六角气动套筒

Hex Drivers

Order No.	size	D2	L1	L	
		mm	mm	mm	
64845010	10mm	44	20	62	★
64845011	11mm	44	20	62	★
64845012	12mm	44	20	62	★
64845013	13mm	44	20	62	★
64845014	14mm	44	20	62	★
64845015	15mm	44	20	62	★
64845016	16mm	44	20	62	★
64845017	17mm	44	20	62	★
64845018	18mm	44	20	62	★
64845019	19mm	44	20	62	★
64845020	20mm	44	20	62	★
64845021	21mm	44	20	62	★
64845022	22mm	44	20	62	★
64845024	24mm	44	20	62	★
64845026	26mm	44	20	62	★
64845027	27mm	44	20	62	★
64845028	28mm	44	20	62	★
64845029	29mm	44	20	62	★
64845030	30mm	44	20	62	★
64845032	32mm	44	20	62	★
64845033	33mm	44	20	62	★
64845034	34mm	44	20	62	★
64845035	35mm	44	20	62	★
64845036	36mm	44	20	62	★
64845038	38mm	44	20	62	★
64846010	10mm	44	20	100	
64846011	11mm	44	20	100	
64846012	12mm	44	20	100	
64846013	13mm	44	20	100	
64846014	14mm	44	20	100	
64846015	15mm	44	20	100	
64846016	16mm	44	20	100	
64846017	17mm	44	20	100	
64846018	18mm	44	20	100	
64846019	19mm	44	20	100	
64846020	20mm	44	20	100	
64846021	21mm	44	20	100	
64846022	22mm	44	20	100	
64846024	24mm	44	20	100	
64846026	26mm	44	20	100	
64846027	27mm	44	20	100	
64846028	28mm	44	20	100	
64846029	29mm	44	20	100	
64846030	30mm	44	20	100	
64846032	32mm	44	20	100	
64846033	33mm	44	20	100	
64846034	34mm	44	20	100	
64846035	35mm	44	20	100	
64846036	36mm	44	20	100	
64846038	38mm	44	20	100	



★：非常规品，最低订购量\交货期需确认。



注意：请使用时穿戴好相应防护措施，不要在没有任何防护情况下使用。